


# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC

COOLING  
TOWER DUTY**AAON**<sup>†</sup>

Commercial Condenser Fan

Replaces: K55HXTSD9941, F48F37A27, F48SP6V9

HP: 3/4

Amps: 2.7

Condenser fan, PSC, ball bearings, enclosed shaft end, four 98" leads, reversible rotation, thermally protected.

RPM: 1075

Dia. 5.6"


Volts: 460

Wt. 19 lbs.

**8233**List Price: **\$244**

AIR OVER (TEAO)

REFRIGERATION

**ADDISON/SEARS**<sup>†</sup>

PC-29 Mobile Home Packaged A/C

Replaces: 8101-338, K55TXG3933

HP: 3/4

Amps: 5.2

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, double flats on 1/2" dia. shaft, 34" leads, Class B, 48Y frame, CWLE, 7.5 MFD capacitor — not supplied.

RPM: 1625


Dia. 5.6"

Volts: 230

Wt. 22 lbs.

**8231**List Price: **\$220**

LIMITED STOCK

INDUSTRIAL AIR  
CIRCULATORS**AMANA**<sup>†</sup>

Packaged Terminal Air Conditioner

Replaces: C6397901, K48HXBLF1001

HP: 1/20

Amps: 0.5

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 34" leads, CWLE, 3 Lugs (one notched) on S.E., 4.0 MFD capacitor — not supplied.

RPM: 1075/3


Dia. 5.0"

Volts: 208-230

Wt. 10 lbs.

**3034**List Price: **\$131**

LIMITED STOCK

COMMERCIAL AND  
INDUSTRIAL PUMPSCLOSE COUPLED  
PUMPS**AMANA**<sup>†</sup>

Packaged Terminal Air Conditioner

Replaces: D98432-02Q

HP: 1/12

Amps: .56

PSC, totally enclosed air over, sleeve bearings, 18" leads, CWLE, automatic reset thermal overload protector, 1/2" dia. shaft with flat. 4.0 MFD capacitor — not supplied.

RPM: 1200/2

Dia. 5.6"

Volts: 208-230


Wt. 10 lbs.

**3033**List Price: **\$146**

LIMITED STOCK

POOL AND SPA  
PUMPS

JET PUMPS

**CARRIER**<sup>†</sup>

Direct Drive Blower

Replaces: 62814-D5, K55HXFBK5867

HP: 1/3

Amps: 5.3

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 30" leads with molex plug, CCWLE reversible rotation, 2 1/2" hub rings, 7.5 MFD capacitor — not supplied.

RPM: 1075/4


Dia. 5.6"

Volts: 115

Wt. 16 lbs.

**1410**List Price: **\$191**

FIRE PUMPS

**CARRIER**<sup>†</sup>

Condenser Fan – "The Round One"

Replaces: X222, OCB1036, D803, 536, HC41VE700, HC41VE701

HP: 1/3

Amps: 2.8

Open air over, ball bearings, 54" leads, CCWLE, reversible rotation, single flat on 1/2" dia. shaft, 5.0 MFD capacitor — not supplied.

RPM: 1075/2

Dia. 5.6"

Volts: 208-230


Wt. 14 lbs.

**3225**List Price: **\$140**

LIMITED STOCK

WASHDOWN


AGRICULTURE



**CARRIER®†**  
 Condenser Fan – “The Round One”  
 Replaces: KA55HXECD672

**1545**  
 List Price: **\$129**  
 LIMITED STOCK


**HP:** 1/4      **Amps:** 1.4      PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 20" leads, CCWLE, single flat on 1/2" dia. shaft, 5.0 MFD capacitor — not supplied.  
**RPM:** 1625      **Dia.** 5.6"  
**Volts:** 208-230      **Wt.** 13 lbs.



**CARRIER®†**  
 Commercial Condenser  
 Replaces: HD52VE214, 5K49UN6084S

**1816**  
 List Price: **\$388**


**HP:** 1      **Amps:** 3.5-3.3/1.7      Three phase, open dripproof, rain shield on shaft end, automatic reset thermal overload protector, shaft-up mounting, 5/8" x 3" shaft.  
**RPM:** 1140      **Dia.** 6.3"  
**Volts:** 208-230/460      **Wt.** 35 lbs.



**CARRIER®†**  
 Condenser Fan  
 Replaces: HC37GE208, 5KCP39GFR62BAS

**3400**  
 List Price: **\$198**  
 LIMITED STOCK


**HP:** 1/5      **Amps:** 1.2      PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 48" leads, CWLE, single flat on 1/2" dia. shaft, 7.5 MFD capacitor — not supplied.  
**RPM:** 825      **Dia.** 5.6"  
**Volts:** 208-230      **Wt.** 12 lbs.



**CARRIER®†**  
 Condenser Fan  
 Replaces: HC31GE232, 5KCP39BGS162S

**3401**  
 List Price: **\$116**


**HP:** 1/12      **Amps:** 0.7      PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 48" leads, CWLE, single flat on 1/2" dia. shaft, 5 MFD capacitor — not supplied.  
**RPM:** 1100      **Dia.** 5.6"  
**Volts:** 208-230      **Wt.** 9 lbs.



**CARRIER®†**  
 Condenser Fan  
 Replaces: HC33GE233, 5KCP39BGS069S

**3402**  
 List Price: **\$116**

**HP:** 1/10      **Amps:** 0.8      PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 48" leads, CWLE, single flat on 1/2" dia. shaft, 5 MFD capacitor — not supplied.  
**RPM:** 1100      **Dia.** 5.6"  
**Volts:** 208-230      **Wt.** 9 lbs.



**CARRIER®†**  
 Condenser Fan  
 Replaces: HC39GE237, 5KCP39EGS070S

**3403**  
 List Price: **\$134**


**HP:** 1/4      **Amps:** 1.8      PSC, totally enclosed air over, sleeve bearings, 48" leads, CWLE, automatic reset thermal overload protector, 1/2" dia. shaft, 5.0 MFD capacitor — not supplied.  
**RPM:** 1100      **Dia.** 5.6"  
**Volts:** 208-230      **Wt.** 11 lbs.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.

# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC

COOLING  
TOWER DUTY**CARRIER**®†

Condenser Fan

Replaces: HC39GE236, 5KCP39BGS071S


HP: 1/4      **Amps:** 1.8  
 RPM: 1100      **Dia.:** 5.6"  
 Volts: 208-230      **Wt.:** 12 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 45" leads, CWLE, 1/2" dia. shaft, 5 MFD capacitor — not supplied.

**3404****List Price: \$134**

AIR OVER (TEAO)

REFRIGERATION


**CARRIER**®†

Condenser Fan

Replaces: HC33GE208, 5KCP39BGR201BS

HP: 1/6      **Amps:** 0.8  
 RPM: 1500      **Dia.:** 5.6"  
 Volts: 208-230      **Wt.:** 9 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 48" leads, CWLE, 1/2" dia. shaft, 5 MFD capacitor — not supplied.


**3405****List Price: \$130**INDUSTRIAL AIR  
CIRCULATORSCOMMERCIAL AND  
INDUSTRIAL PUMPS**CARRIER**®†

Condenser Fan

Replaces: Fasco D802, 5KCP39PGH600C5, AOS FEH1056S

HP: 1/2      **Amps:** 1.3  
 RPM: 1050      **Dia.:** 5.6"  
 Volts: 460      **Wt.:** 13 lbs.

PSC, totally enclosed air over, ball bearings, automatic reset thermal overload protector, 39" leads, reversible rotation, 1/2" dia. shaft, 10 MFD capacitor — not supplied.

**3320****List Price: \$166****LIMITED STOCK**CLOSE COUPLED  
PUMPSPOOL AND SPA  
PUMPS**CARRIER**®†

Condenser Fan


Replaces: D804, 5KCP39PGC238S

HP: 1/2      **Amps:** 5.1  
 RPM: 1075      **Dia.:** 5.6"  
 Volts: 208-230      **Wt.:** 20 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, ball bearings, 16" leads, CCWLE, 7.5 MFD capacitor — not supplied.

**3330****List Price: \$156****LIMITED STOCK**

JET PUMPS

**CARRIER**®†

Direct Drive Blower

Replaces: D838, HC45SE116, SC435X101, HC435SE116


HP: 3/4      **Amps:** 12.1  
 RPM: 1075/4      **Dia.:** 5.6"  
 Volts: 115      **Wt.:** 18 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 27" leads, reversible rotation, 7.5 MFD capacitor — not supplied.

**3340****List Price: \$214**

FIRE PUMPS

WASHDOWN

**CARRIER**®†

Packaged Terminal Air Conditioner

Replaces: D848, HC37MB-730, 51PH124275


HP: 1/5      **Amps:** 1.3  
 RPM: 1040/3      **Dia.:** 5.6"  
 Volts: 265-277      **Wt.:** 12 lbs.

PSC, totally enclosed air over, sleeve bearings, 3 speeds, automatic reset thermal overload protector, 51" leads, 3.0 MFD capacitor — not supplied.

**3360****List Price: \$138**

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.




## COLEMAN<sup>†</sup>, ARVIN<sup>†</sup>, BOHN<sup>†</sup>, DELTA THERM<sup>†</sup>, FRIEDRICH<sup>†</sup> 1390

Direct Drive Blower List Price: **\$94**

Replaces: 390, D150, A935, 5002-L, 4070-311

**HP:** 1/4      **Amps:** 2.8      PSC, automatic reset thermal overload protector, sleeve bearings, 33" leads, CCWLE, reversible rotation, 4 additional mounting studs included separately, endshields open, both ends, 7.5 MFD capacitor – not supplied.  
**RPM:** 1050/3      **Dia.:** 5.0"  
**Volts:** 115      **Wt.:** 11 lbs.




## COLEMAN<sup>†</sup>, ARVIN<sup>†</sup>, BOHN<sup>†</sup> 1391

Direct Drive Blower List Price: **\$95**

Replaces: 391, D151, A6262, 5002-M 3400A312

**HP:** 1/4      **Amps:** 1.5      PSC, automatic reset thermal overload protector, sleeve bearings, 33" leads, CCWLE, reversible rotation, 4 additional mounting studs included separately, endshields open, both ends, 7.5 MFD capacitor – not supplied.  
**RPM:** 1050/3      **Dia.:** 5.0"  
**Volts:** 208-230      **Wt.:** 12 lbs.




## COPELAND<sup>†</sup> 1527

Condenser Fan List Price: **\$161**

Replaces: 050-0242-00, 050-0103-00, F48NY741

**HP:** 1/6      **Amps:** 2.8      Shaded pole, open air over, automatic reset thermal overload protector, sleeve bearings, 26" leads, CWLE, double flats on 1/2" dia. shaft, special mounting ring on shell.  
**RPM:** 1550      **Dia.:** 5.0"  
**Volts:** 230      **Wt.:** 13 lbs.




## COPELAND<sup>†</sup> 1989

Condenser Fan – Head Cooling List Price: **\$148**

Replaces: 050-0167-002, F48BGP1092, 5KSP29BG5012S, 5KSP21DG2162

**HP:** 1/20      **Amps:** 1.3      Shaded pole, 60/50 Hz, enclosed except shaft end, automatic reset thermal overload protector, sleeve bearings, CWLE, tapped mounting bracket on 1/2 dia. shaft end.  
**RPM:** 1550/1300      **Dia.:** 5.0"  
**Volts:** 230      **Wt.:** 10 lbs.




## COPELAND<sup>†</sup> 6124

Condenser Fan List Price: **\$161**

Replaces: 050-0238-00, K55BZY1439, 5KCP39GG-3537S, 050-0107-01

**HP:** 1/4      **Amps:** 2.1      PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 32" leads, CWLE, double flats on 1/2" dia. shaft, 5.0 MFD capacitor included.  
**RPM:** 1550      **Dia.:** 5.6"  
**Volts:** 230      **Wt.:** 13 lbs.



## COPELAND<sup>†</sup> 6127

Condenser Fan List Price: **\$193**

Replaces: 050-0108-00, K55HXECE2645, 050-0018-00


**HP:** 1/3      **Amps:** 2.4      PSC, 50/60 Hz, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 36" leads, CWLE, motor to be mounted in a horiz. position only, 4.0 MFD capacitor included and mounted.  
**RPM:** 1625      **Dia.:** 5.6"  
**Volts:** 230      **Wt.:** 17 lbs.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.

# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC

COOLING  
TOWER DUTY

## COPELAND<sup>®†</sup>

Condenser Fan

Replaces: 050-0251-00


HP: 1/6      Amps: 1.1  
RPM: 1550      Dia. 5.6"  
Volts: 208-230      Wt. 17 lbs.

PSC, 50/60 Hz, open air over, automatic reset thermal overload protector, sleeve bearings, 32" leads, CWLE, double flats on 1/2" dia. shaft, horizontal mount only, 3.0 MFD capacitor included.

**6128**List Price: **\$174**

AIR OVER (TEAO)

REFRIGERATION




## COPELAND<sup>®†</sup>

Condenser Fan

Replaces: 050-0250-00

HP: 1/4      Amps: 1.5  
RPM: 1625      Dia. 5.6"  
Volts: 208-230      Wt. 17 lbs.

PSC, 50/60 Hz, open air over, automatic reset thermal overload protector, sleeve bearings, 36" leads, CWLE, double flats on 1/2" dia. shaft, horizontal mount only, 5.0 MFD capacitor included and mounted.

**6129**List Price: **\$200**INDUSTRIAL AIR  
CIRCULATORSCOMMERCIAL AND  
INDUSTRIAL PUMPS


## DUNHAM BUSH<sup>®†</sup>

Commercial Condenser Fan - Three Phase

Replaces: PO55SYTLN1326, MM-2860-305

HP: 1      Amps: 3.5-3.3/1.7  
RPM: 1140      Dia.: 5.6"  
Volts: 200-230/460      Wt.: 19 lbs.

Open end shield opposite shaft end, terminal board shaft end, three phase, reversible rotation, 1/2" diameter shaft, automatic thermal protector.

**1326**List Price: **\$313**CLOSE COUPLED  
PUMPSPOOL AND SPA  
PUMPS

## FEDDERS<sup>®†</sup>

Packaged Terminal Air Conditioner

Replaces: S199-00011-001, S119-00011-002, K63TXMR1109, 5KCP45PG-133T


HP: 3/4      Amps: 4.0  
RPM: 1075      Dia.: 6.3"  
Volts: 208-230      Wt.: 34 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 22" leads, CCWLE, resilient base, 5/8" dia. shaft, with single flats, 10 MFD capacitor — not supplied.

**2328**List Price: **\$323**

LIMITED STOCK

JET PUMPS



## HILL REFRIGERATION<sup>®†</sup>

Condenser Fan


Replaces: K55HXHCN4370, KCP39KG1369S, 3001, 82001, M-Z-008, F112, D801

HP: 1/3      Amps: 2.9  
RPM: 1625      Dia.: 5.6"  
Volts: 208-230      Wt.: 16 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 32" leads, 2 1/2" hub rings, CWLE reversible rotation, 3/8" flexible connector, 6.0 MFD capacitor included and mounted.

**7232**List Price: **\$173**

FIRE PUMPS



## HUSSMANN<sup>®†</sup>

Condenser Fan

Replaces: 259983, K55HXCTP9963, D890


HP: 1/2      Amps: 2.7  
RPM: 1725      Dia.: 5.6"  
Volts: 208-230      Wt.: 15 lbs.

PSC, 50/60 Hz, open end shield-OLE, automatic reset thermal overload protector, ball bearings, 36" leads, CWLE, 0.44" studs, 5.0 MFD capacitor supplied and mounted.

**644**List Price: **\$161**

WASHDOWN

AGRICULTURE




## HUSSMANN<sup>†</sup> Condenser Fan

**1645**

List Price: **\$181**

Replaces: PO11-96202, K55HXKWB8574, K55HXHWR4884, D807, 3057, 174

HP: 1/6      Amps: 1.4      PSC, open air over, automatic reset thermal overload protector, ball bearings, 36" leads, CWLE, 1/2" studs, 3.0 MFD capacitor supplied.  
RPM: 1550      Dia.: 5.6"  
Volts: 208-230      Wt.: 12 lbs.




## HUSSMANN<sup>†</sup> Condenser Fan

**1648**

List Price: **\$185**

Replaces: PO11-96203, K55HXKWA8573, K55HXCLN1782

HP: 1/5      Amps: 2.0      Open air over, automatic reset thermal overload protector, ball bearings, 24" leads, CWLE, 0.44" leads, 4.0 MFD capacitor supplied and mounted.  
RPM: 1075      Dia.: 5.6"  
Volts: 208-230      Wt.: 13 lbs.




## ICP<sup>†</sup> Direct Drive Blower

**1125**

List Price: **\$225**

Replaces: K55HXBLW6108, ICP#1008619, K55HXFFA7697

HP: 3/4      Amps: 11.9      PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 30" leads, CCWLE, 1/2" dia. shaft x 4" with flat, 10 MFD capacitor — not supplied.  
RPM: 900/4      Dia.: 5.6"  
Volts: 115      Wt.: 20 lbs.




## ICP<sup>†</sup> Direct Drive Blower

**4670**

List Price: **\$216**

Replaces: K55HXNHN4665, ICP HQ1054586EM

HP: 1      Amps: 6.0      PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 21" leads, CCWLE, terminal plug on side of motor, 5/8" dia. shaft, 20.0 MFD capacitor — not supplied.  
RPM: 1100/4      Dia.: 5.6"  
Volts: 208-230      Wt.: 20 lbs.




## LENNOX<sup>†</sup> Condenser Fan

**1901**

List Price: **\$139**

Replaces: K48HXEMG3494, 31L1901

HP: 1/6      Amps: 1.0      PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearing, 35" leads, CCWLE, 5.0 MFD capacitor — not supplied.  
RPM: 1075      Dia.: 5"  
Volts: 208-230      Wt.: 10 lbs.



## LENNOX<sup>†</sup> Direct Drive Fan & Blower

**3275**

List Price: **\$163**

Replaces: K55HXTMS9565, 28F0101


HP: 3/4      Amps: 10.0      Totally open, mounting rings both ends, 46" leads, CCWLE, 40 MFD capacitor — not supplied, 1/2" x 2 1/2" shaft, 2 1/2" hubs, ball bearings, thermally protected.  
RPM: 1075/4      Dia.: 5.6"  
Volts: 115      Wt.: 17 lbs.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.

# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC

COOLING  
TOWER DUTY**LENNOX**<sup>†</sup>

Belt Drive Blower

Replaces: 23G3901, P63PYCJD2723


**HP:** 1 1/2      **Amps:** 5.0/2.5  
**RPM:** 1725      **Dia.** 6.3"  
**Volts:** 200-230/460      **Wt.** 39 lbs.

Polyphase, ODP, 56HZ frame, automatic reset thermal overload protector, ball bearings, reversible rotation, 7/8" x 2 1/4" shaft.

**7913****List Price: \$393**

AIR OVER (TEAO)

REFRIGERATION


**LENNOX**<sup>†</sup>

Commercial Blower

Replaces: 23G4001, P63TYCJE2724

**HP:** 2      **Amps:** 7.6-7.8/3.9  
**RPM:** 1725      **Dia.** 6.3"  
**Volts:** 200-230/460      **Wt.** 45 lbs.

Single speed, three phase, automatic reset thermal overload protector, ODP, rigid welded base, reversible rotation, 7/8" x 2 1/4" shaft with key way.


**7914****List Price: \$420**INDUSTRIAL AIR  
CIRCULATORSCOMMERCIAL AND  
INDUSTRIAL PUMPS**LENNOX**<sup>†</sup>

Belt Drive Blower

Replaces: 23G4101, P63MZCJF2725

**HP:** 3      **Amps:** 9.0-9.2/4.6  
**RPM:** 1725      **Dia.** 6.3"  
**Volts:** 200-230/460      **Wt.** 47 lbs.

Polyphase, ODP, 56HZ frame, automatic reset thermal overload protector, ball bearings, reversible rotation, 7/8" x 2 1/4" shaft.


**7915****List Price: \$519**CLOSE COUPLED  
PUMPS**LENNOX**<sup>†</sup>

Direct Drive Blower

Replaces: 65G5901, KA55HXJAK2549, 5KCP39NGM981AS

**HP:** 1/3      **Amps:** 1.9  
**RPM:** 825/3      **Dia.:** 5.6"  
**Volts:** 230      **Wt.:** 14 lbs.

PSC, open air over, flexible (3) ear mount, automatic reset thermal overload protector, sleeve bearings, CCWLE, 3 speed, 15 MFD capacitor — not supplied.

**8052****List Price: \$149**POOL AND SPA  
PUMPS**LENNOX**<sup>†</sup>

Condenser Fan

Replaces: P-8-3132, K55HXB MJ1121


**HP:** 1/6      **Amps:** 1.4  
**RPM:** 1075      **Dia.:** 5.6"  
**Volts:** 230      **Wt.:** 10 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 40" leads, CCWLE, 2 1/2" hub rings, 5.0 MFD capacitor — not supplied.

**8053****List Price: \$141**

JET PUMPS

FIRE PUMPS

**LENNOX**<sup>†</sup>

Condenser Fan

Replaces: P-8-2702, K55HXBWE1351, KCP39GGA124S


**HP:** 1/4      **Amps:** 1.9  
**RPM:** 1075      **Dia.** 5.6"  
**Volts:** 230      **Wt.** 12 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 40" leads, CCWLE, 2 1/2" hub rings, 4.0 MFD capacitor — not supplied.

**8054****List Price: \$163**

WASHDOWN

AGRICULTURE



## LENNOX<sup>†</sup>


Condenser Fan

Replaces: 88C7301, K55HXBSF-9500

**8055**

List Price: **\$415**

**HP:** 1      **Amps:** 2.5      PSC, open lead end, ball bearing, automatic reset thermal overload protector, shaft up mount with shield, 5/8" x 5" shaft, 15.0 MFP capacitor — not supplied.  
**RPM:** 1080      **Dia.:** 5.6"  
**Volts:** 460      **Wt.:** 20 lbs.



## LENNOX<sup>†</sup>


Direct Drive Fan & Blower

Replaces: K055HXTNL9630, 43G5201

**8056**

List Price: **\$314**

**HP:** 3/4      **Amps:** 2.3      PSC, single phase, sleeve bearings, totally open, mounting rings both ends, 36" leads, 20 MFD 370V capacitor — not supplied, CCWLE, 1/2" x 2 1/2" shaft.  
**RPM:** 1075/3      **Dia.:** 5.6"  
**Volts:** 460      **Wt.:** 19 lbs.



## LENNOX<sup>†</sup>


Commercial Condenser Fan

Replaces: P63SYTNN4087, 94G0001

**8058**

List Price: **\$360**

**HP:** 1      **Amps:** 3.6/1.8      Three phase, enclosed end shield shaft end, automatic reset thermal overload protector, ball bearings, vertical shaft up application, 56Z frame, reversible rotation, 5/8" dia. shaft.  
**RPM:** 1140      **Dia.:** 6.3"  
**Volts:** 200-230/460      **Wt.:** 30 lbs.



## LENNOX<sup>†</sup>

Direct Drive Fan & Blower


Replaces: K055HXTNT9653, 70C1601

**8060**

List Price: **\$231**

LIMITED STOCK

**HP:** 1/3      **Amps:** 2.0      PSC, sleeve bearings, totally open, mounting ring shaft end, extended studs lead end, CCWLE, 5 MFD capacitor — not supplied, 1/2" x 2 1/2" shaft.  
**RPM:** 1075/3      **Dia.:** 5.6"  
**Volts:** 208-230      **Wt.:** 11 lbs.



## LENNOX<sup>†</sup>


Direct Drive Blower

Replaces: 81G5101, K55HXJJT-2904

**8064**

List Price: **\$194**

**HP:** 1/2      **Amps:** 4.4      PSC, open air over, sleeve bearings, automatic reset thermal overload protector, ring/stud mount, 1/2" x 2-1/2" shaft, 20 MFD capacitor — not included.  
**RPM:** 825/3      **Dia.:** 5.6"  
**Volts:** 208-230      **Wt.:** 21 lbs.



## LENNOX<sup>†</sup>

Direct Drive Fan & Blower

Replaces: K55HXTNW9654, 18J9601

**8066**

List Price: **\$225**

LIMITED STOCK

**HP:** 3/4      **Amps:** 4.5      Open ventilation, terminal block connector, automatic reset thermal overload protector, 2 1/2" mounting rings each end, CCWLE, 10 MFD capacitor — not supplied, 1/2" x 2 1/2" shaft.  
**RPM:** 1075/3      **Dia.:** 5.6"  
**Volts:** 208-230      **Wt.:** 18 lbs.


† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.



# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC

COOLING  
TOWER DUTY

## LENNOX<sup>®†</sup>

Direct Drive Fan &amp; Blower

Replaces: 88C7501, K55HXBSF-9468

8068

List Price: \$400

HP: 1

Amps: 5.9

PSC, open lead end, ball bearing, automatic reset thermal overload protector, shaft up mount, 5/8" x 4-1/2" shaft, 30.0 MFD capacitor — not supplied

RPM: 1080


Dia.: 5.6"

Volts: 200

Wt.: 20 lbs.

AIR OVER (TEAO)

REFRIGERATION



## LENNOX<sup>®†</sup>

Condenser Fan

Replaces: P-8-3140, K55HXBZW1438

9993

List Price: \$161

LIMITED STOCK

HP: 1/3

Amps: 3.0


PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 20" leads, CCWLE, 2 1/2" hub rings, 5.0 MFD capacitor — not supplied.

RPM: 1075

Dia.: 5.6"

Volts: 208-230

Wt.: 14 lbs.

INDUSTRIAL AIR  
CIRCULATORSCOMMERCIAL AND  
INDUSTRIAL PUMPS

## RHEEM<sup>®†</sup>

Direct Drive Blower

Replaces: 19572-01, K55HXGZD4276

591

List Price: \$168

LIMITED STOCK

HP: 1/3

Amps: 7.0


PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 26" leads, CCWLE, 0.31" extended studs shaft end, 7.5 MFD capacitor — not supplied.

RPM: 1075/3

Dia.: 5.6"

Volts: 115

Wt.: 14 lbs.

CLOSE COUPLED  
PUMPS

## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-23055-11, 51-20682, K55HXMPZ6560, K55HXNTL4884

136

List Price: \$108

LIMITED STOCK

HP: 1/5

Amps: 1.3


PSC, open air over LE only, automatic reset thermal overload protector, sleeve bearings, 32" leads, 0.25 extended studs shaft end, CCWLE, 3.0 MFD capacitor — not supplied.

RPM: 1075

Dia.: 5.6"

Volts: 208-230

Wt.: 10 lbs.

POOL AND SPA  
PUMPS

## RHEEM<sup>®†</sup>

Direct Drive Blower

Replaces: 51-20671-01, F55HXCWT1579

3484

List Price: \$148

LIMITED STOCK

HP: 1/8

Amps: 1.0

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 28" leads, CCWLE, 1/4" extended studs, 5.0 MFD capacitor — not supplied.

RPM: 1075


Dia.: 5.6"

Volts: 230

Wt.: 9 lbs.

JET PUMPS

FIRE PUMPS



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-21854-02

5450

List Price: \$131

HP: 1/5

Amps: 1.3

PSC, totally enclosed air over, 4 drain holes, automatic reset thermal overload protector, sleeve bearings, 39" leads, CCWLE, 3.0 MFD capacitor — not supplied.

RPM: 1075


Dia.: 5.6"

Volts: 208-230

Wt.: 11 lbs.

WASHDOWN

AGRICULTURE



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: K55HXJGH2667, Rheem 51-21854-01

**5453**


List Price: **\$131**

LIMITED STOCK

HP: 1/6  
RPM: 1075  
Volts: 208-230

Amps: 0.7  
Dia.: 5.6"  
Wt.: 7 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 39" leads, CCWLE, 1/2" dia x 3.7" shaft with flat, 3.0 MFD capacitor — not supplied.



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-20672-01, 51-20673-01, 51-20674-01, 51-20675-01, 51-20679-01, 51-20680-01, 51-20681-01, 51-20682-01, 51-21826-01, 51-21827-01, 51-21828-01, 51-21829-01, 51-21830-01, 51-21831-01


**5454**

List Price: **\$105**

HP: 1/5  
RPM: 1075  
Volts: 208-230

Amps: 1.7  
Dia.: 5.6"  
Wt.: 11 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 41" leads, four holes and screws supplied in shell, four 8-32 studs opposite shaft end, single flat on 1/2" dia. shaft, reversible rotation, 3.0 MFD capacitor — not supplied. (5.0 MFD capacitor acceptable alternate)



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-20687-01, 51-20688-01, 51-20689-01, 51-20690-01, 51-21836-01, 51-21837-01, 51-21838-01, 51-21839-01, 51-21845-03, 51-23053-11, 51-41315-01, 51-41316-01, 51-41317-01


**5455**

List Price: **\$106**

HP: 1/3  
RPM: 1075  
Volts: 208-230

Amps: 2.0  
Dia.: 5.6"  
Wt.: 13 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 41" leads, four holes and screws supplied in shell, four 8-32 studs opposite shaft end, single flat on 1/2" dia. shaft, reversible rotation, 5.0 MFD capacitor — not supplied.



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-20761-91


**5456**

List Price: **\$130**

HP: 1/8  
RPM: 825  
Volts: 208-230

Amps: 1.2  
Dia.: 5.6"  
Wt.: 11 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 41" leads, four holes and screws supplied in shell, four 8-32 studs opposite shaft end, single flat on 1/2" dia. shaft, reversible rotation, 5.0 MFD capacitor — not supplied.



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: 51-20760-91, 51-23055-12, K55HXMAB4123, K55HXPZG5379


**5457**

List Price: **\$138**

HP: 1/6  
RPM: 825  
Volts: 208-230

Amps: 1.2  
Dia.: 5.6"  
Wt.: 13 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 41" leads, four holes and screws supplied in shell, four 8-32 studs opposite shaft end, single flat on 1/2" dia. shaft, reversible rotation, 7.5 MFD capacitor — not supplied.



## RHEEM<sup>®†</sup>

Condenser Fan

Replaces: P-8-2702, K55HXBWE1351, K55HXLGH3703, KCP39GGA124S, 51-21854-06

**5459**

List Price: **\$136**

LIMITED STOCK

HP: 1/15  
RPM: 1050  
Volts: 208-230

Amps: 0.5  
Dia.: 5.6"  
Wt.: 9 lbs.


PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 41" leads, four holes and screws supplied in shell, single flat on 1/2" dia. shaft, CCWLE, 3.0 MFD capacitor — not supplied.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.

# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC



## RHEEM<sup>†</sup>

Direct Drive Blower

Replaces: K55HXPAD4962, Rheem 51-22700-01, 51-23017-42, K55BWDRJ7033, ICP HQ1010263EM, 5452, K55HXDRJ0011

HP: 3/4  
RPM: 1075/4  
Volts: 115

Amps: 10.6  
Dia.: 5.6"  
Wt.: 20 lbs.


PSC, open air over, automatic reset thermal overload protector, ball bearings, 17" leads, CCWLE, reversible rotation, 1/2" dia. x 5" shaft with flat, includes 8 holes for mounting brackets, 15 MFD capacitor — not supplied.

5463

List Price: \$118

COOLING  
TOWER DUTY

AIR OVER (TEAO)



## RHEEM<sup>†</sup>

Direct Drive Blower

Replaces: 51-23101-06, K055HXMLD4274, KA55HX0HT8835

HP: 1/4  
RPM: 825/2  
Volts: 208-230

Amps: 2.0  
Dia.: 5.6"  
Wt.: 16 lbs.


PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 14" leads, CCWLE, 8 holes in shell for brackets, uses 7.5 MFD capacitor — not supplied. See motor label.

5468

List Price: \$166

LIMITED STOCK

REFRIGERATION



## RHEEM<sup>†</sup>

Direct Drive Blower

Replaces: 51-23101-07, K055HXPGM5102, KA55HXKTG8559

HP: 1/3  
RPM: 825/2  
Volts: 208-230


Amps: 2.8  
Dia.: 5.6"  
Wt.: 17 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 14" leads, CCWLE, 8 holes in shell for mounting, uses 10 MFD 370V capacitor — not supplied. See motor label.

5469

List Price: \$170

LIMITED STOCK

INDUSTRIAL AIR  
CIRCULATORSCOMMERCIAL AND  
INDUSTRIAL PUMPS

## RHEEM<sup>†</sup>

Condenser Fan

Replaces: 51-21276-01, 51-21276-02, 51-20763-01, 51-2076091, K55MFG6350, K55PAK7253, K55CNW9833

HP: 1/8  
RPM: 825  
Volts: 208-230


Amps: 1.1  
Dia.: 5.6"  
Wt.: 11 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 36" leads, CCWLE, extended studs both ends, double flats on 1/2" dia. shaft, 5.0 MFD capacitor — not supplied.

9735

List Price: \$141

LIMITED STOCK

CLOSE COUPLED  
PUMPSPOOL AND SPA  
PUMPS

## TECUMSEH<sup>†</sup>

Condenser Fan

Replaces: F48DEF1775, TFM372, 810E037A84

HP: 1/20  
RPM: 1300/1500  
Volts: 230

Amps: 1.1  
Dia.: 5.0"  
Wt.: 7 lbs.


Shaded pole, single speed, attaches by four machine screws shaft end, two 30" leads, sleeve bearings, CCWSE, 3/8" x 2 1/2" shaft with flat, 50/60Hz.

1775

List Price: \$109

JET PUMPS

FIRE PUMPS



## TECUMSEH<sup>†</sup>

Condenser Fan

Replaces: F48HXDEJ1779, TFM502, 810E050A85

HP: 1/15  
RPM: 1300/1500  
Volts: 230

Amps: 1.9  
Dia.: 5.0"  
Wt.: 8 lbs.


Shaded pole, single speed, sleeve bearings, mounting hubs both ends, four machine screws shaft end for attaching mounting plate, two 36" leads, CCWSE, 3/8" x 2 1/2" shaft, 50/60Hz.

1779

List Price: \$113

WASHDOWN

AGRICULTURE



## TECUMSEH<sup>®†</sup> Commercial Condenser Fan


Replaces: P55SYNP-387, 810E249A88

**2387**

List Price: **\$394**

HP: 1/3      Amps: 1.0  
RPM: 1400/1600      Dia.: 5.6"  
Volts: 380/460      Wt.: 14 lbs.

Three phase, three lugs 120° apart, shaft end 5/16", mounting holes on 7 1/4" bolt circle, reversible rotation, 1/2" x 2" shaft, mount oil cups facing up, 50/60Hz.



## TECUMSEH<sup>®†</sup> Condenser Fan


Replaces: KA55HXKGD8330, TFM1862, 810E186A82

**8330**

List Price: **\$188**

HP: 1/4      Amps: 1.9  
RPM: 1350/1625      Dia.: 5.6"  
Volts: 230      Wt.: 12 lbs.

PSC, sleeve bearing, single speed, 3 lugs 120° apart, 5/16" mounting holes on a 7-1/4" diameter bolt circle, CWLE, capacitor mounted, open end bell shaft end, enclosed end bell lead end, horizontal mount, 1/2" x 2 1/8" shaft, 50/60Hz.



## TRANE<sup>®†</sup> Fan & Blower


Replaces: K48HXBJA0956, X70500149-04, MOT1877, D1090

**1090**

List Price: **\$170**

HP: 1/15      Amps: 0.8  
RPM: 1100/3      Dia.: 5.0"  
Volts: 115      Wt.: 7 lbs.

PSC, open, 44" leads, CWLE, 5.0 MFD capacitor supplied and mounted.



## TRANE<sup>®†</sup> Fan Coil


Replaces: X700500149-01, K48HXBHY954, 5KSP29DK1507S, MOT1878

**1374**

List Price: **\$165**

HP: 1/30      Amps: 0.5  
RPM: 1075/3      Dia.: 5.0"  
Volts: 115      Wt.: 10 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 37" leads, CWLE, resilient base, 5.0 MFD capacitor supplied and mounted.



## TRANE<sup>®†</sup> Condenser Fan

Replaces: K55DJL6906, Trane D146983P01


**1674**

List Price: **\$149**

LIMITED STOCK

HP: 1/4      Amps: 1.7  
RPM: 825      Dia.: 5.6"  
Volts: 230      Wt.: 14 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 35" leads, CCWLE, 1/2" dia. x 2" shaft with flat, 12.5 MFD capacitor — not supplied.



## TRANE<sup>®†</sup> Condenser Fan

Replaces: WW94X936PSC, 5KSP29DK1728S/2198S

**1675**

List Price: **\$131**

HP: 1/8      Amps: 0.8  
RPM: 1550      Dia.: 5.0"  
Volts: 230      Wt.: 9 lbs.


PSC, open air over, band mounting, automatic reset thermal overload protector, sleeve bearings, 32" leads, CCWLE, auto protector, 1/2" dia. shaft, 5.0 MFD capacitor supplied and mounted.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.

# OEM Replacement for Specific Manufacturers

Discount Symbol: DS-3HAC



## TRANE®†

Fan &amp; Blower

Replaces: K48HXBHZ-955, K48HXSTY-3509, Trane X70500149-02


HP: 1/20  
RPM: 1100/3  
Volts: 115

Amps: 0.55  
Dia.: 5.0"  
Wt.: 9 lbs.

PSC, open air over, 44" leads, CWLE, 5.0 MFD capacitor supplied and mounted, reversible.

1676

List Price: \$219



## TRANE®†

Fan &amp; Blower

Replaces: K48HXCNN1468, X70500269-01, MOT2852


HP: 1/16  
RPM: 850/3  
Volts: 277

Amps: 0.5  
Dia.: 5.0"  
Wt.: 12 lbs.

PSC, open, 3 mounting brackets at 120° apart, 9.25" bolt circle, CWLE, 4.0 MFD capacitor supplied and mounted.

1678

List Price: \$148



## TRANE®†

Fan &amp; Blower

Replaces: KA55HXHAB2059, X70500270-01, MOT2853


HP: 1/10  
RPM: 810/3  
Volts: 277

Amps: 0.6  
Dia.: 5.6"  
Wt.: 12 lbs.

PSC, open, 3 mounting brackets at 120° apart, 11" bolt circle, CWLE, 5.0 MFD capacitor supplied and mounted.

1679

List Price: \$160



## TYLER®†

Condenser Fan

Replaces: 4KCP39EG755S, 5KCP39EN81S, 03042


HP: 1/4  
RPM: 1625  
Volts: 230

Amps: 1.4  
Dia.: 5.6"  
Wt.: 12 lbs.

PSC, enclosed shell only, 4 MFD/370V capacitor included, 2-1/4" resilient rings on both ends to fit existing base.

3042

List Price: \$186



## WHIRLPOOL®†

Room A/C

Replaces: 997346, K55HDJ4396, K55RGW7901, K55RHM7916, K55RHP7917, K55KFK8314, K55KFL8315

HP: 1/3  
RPM: 1075/3  
Volts: 230


Amps: 1.9  
Dia.: 5.6"  
Wt.: 16 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 42" leads, CCWLE, 3/8" studs on LE, 5.0 MFD capacitor — not supplied.

8558

List Price: \$165

LIMITED STOCK



## WHIRLPOOL®†

Room A/C

Replaces: K55HXDDS6795, 1166225

HP: 1/5  
RPM: 1000/3  
Volts: 208-230

Amps: 1.9  
Dia.: 5.6"  
Wt.: 13 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 23" leads, CCWLE, 2 1/2" hub rings, 7.5 MFD capacitor — not supplied.


8682

List Price: \$104

LIMITED STOCK

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.



## WHIRLPOOL®†

Room A/C

Replaces: K55HXDDM6791, 1166221


**8683**

List Price: **\$128**

LIMITED STOCK

HP: 1/2      Amps: 2.0  
RPM: 1100/3      Dia.: 5.6"  
Volts: 208-230      Wt.: 16 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 23" leads, CCWLE, 2 1/2" hub rings, 10.0 MFD capacitor — not included.



## WHIRLPOOL/SEARS®†

Room A/C


Replaces: Various

**5108**

List Price: **\$161**

HP: 1/3      Amps: 2.3  
RPM: 1075/3      Dia.: 5.6"  
Volts: 230      Wt.: 16 lbs.

PSC, totally enclosed air over, automatic reset thermal overload protector, sleeve bearings, 33" leads, CCWLE, 2 1/2" hub rings, mounting studs, adapter base, and 5.0 MFD capacitor included.



## YORK®†

Condenser Fan


Replaces: 17435, 024-27596-000, K55HXKWA-9803

**1743**

List Price: **\$125**

HP: 1/4      Amps:  
RPM: 850      Dia. 5.6"  
Volts: 208-230      Wt. 10 lbs.

PSC, totally enclosed air over, sleeve bearings, automatic reset thermal overload protector, 1/2 x 2-3/4" shaft, 5.0 MFD capacitor — not supplied.



## YORK®†

Direct Drive Blower


Replaces: K55HXJFJ-2832, 024-21673, 024-25000-001, 5KCP39SGH913BS

**2553**

List Price: **\$220**

HP: 1      Amps: 3.3  
RPM: 1100/3      Dia. 5.6"  
Volts: 460      Wt. 20 lbs.

PSC, open air over, automatic reset thermal overload protector, sleeve bearings, 16" leads with plug, CCWLE, reversible rotation, 1/2" dia. shaft, 25.0 MFD capacitor — not supplied.



## YORK®†

Condenser Fan

Replaces: F47BGM927, D1041, S2091

**1124**

List Price: **\$90**

HP: 1/5      Amps: 1.3  
RPM: 1075      Dia. 5.0"  
Volts: 208-230      Wt. 12 lbs.

PSC, 50/60 Hz, open air over, automatic reset thermal overload protector, sleeve bearings, one 32" and two 25" leads, CWLE, 5.0 MFD capacitor — not supplied.

† All non-Emerson Electric Co. marks shown within this document are properties of their other respective owners.

Unless otherwise noted, all capacitors are 370 volts.