

SDS Revision Date: 12/24/2021

1. Identification

| 1.1. Product identifier | |
|--|---|
| Product Identity | MULTI SEAL |
| Alternate Names | 10-325, Blended Formula, Multi Seal Teflon Pipe Joint Sealant- 1/2 pt |
| 1.2. Relevant identified uses of the substance or mixt | ure and uses advised against |
| Intended use | It is used as an all-purpose pipe joint compound and gasket cement. Not for oxygen lines. |
| Application Method | Read all precautions and instructions carefully before and after use. |
| 1.3. Details of the supplier of the safety data sheet | |
| Company Name | ComStar International Inc. |
| | 20-47 128th Street, |
| | College Point, NY 11356 |
| Telephone No. | 718-445-7900 800-328-0142 Fax: 718-353-5998 |

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Reproductive toxicity. 1B; H360 May damage fertility or the unborn child

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



[Hazard statement]:

H360 May damage fertility or the unborn child.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.



SDS Revision Date: 12/24/2021

[Storage]:

P405 Store locked up

[Disposal]:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Endocrine disrupting chemical(s)

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|----------------------------------|----------|-------------------------------------|-------|
| DIOCTYLPHATE CAS#: 117-81-7 | <10 | Repr. 1B H360 | |
| HERCOLYN D CAS#: 8050-15-5 | <5 | Not Classified | |
| POLY S 24 CAS# 143-24-8 | <10 | Not Classified | |
| ZINC OXIDE CAS#: 1314-13-2 | <5 | Eye Irrit. – 2, STOT SE3 | |
| POLYLUBE J34 CAS#: 9002-84-0 | <5 | Eye Irrit. 2 H319 STOT SE 3 H335 | |
| PTFE | <5 | Not Classified | |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret. *The full texts of the phrases are shown in Section 16.

4. First aid measures

| 4.1. Description of first aid measures | | |
|--|--|--|
| General | Show this material safety data sheet to the doctor in attendance. | |
| Inhalation | After inhalation: fresh air. Call in physician. | |
| Eyes | After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. | |
| Skin | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician. | |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do not induce vomiting. | |
| If swallowed | After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. | |

4.2. Most important symptoms and effects, both acute and delayed



Overview

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2. Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

5.3. Advice for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4. Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

7. Handling and storage

7.1. Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Hygiene measures



SDS Revision Date: 12/24/2021

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|--------------|----------|---|--------------------|--|
| DIOCTYLPHATE | 117-81-7 | TWA | 5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Confirmed animal carcinogen with unknown relevance to humans | | |
| | | TWA | 5 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential Occupational Carcinogen | | |
| | | ST | 10 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 5 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | STEL | 10 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | PEL | 5 mg/m3 | California permissible |



SDS Revision Date: 12/24/2021

| | | exposure limits for |
|--|--|---------------------|
| | | chemical |
| | | contaminants (Title |
| | | 8, Article 107) |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|-------------|--------------|--------|--|
| 117-81-7 | DIOCTYLPHATE | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 1314-13-2 | ZINC OXIDE | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 9002-84-0 | POLYLUBE J34 | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: Yes |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 8050-15-5 | HERCOLYN D | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: Yes |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 143-24-8 PC | POLY S 24 | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| N/A | PTFE | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

| 8.2. Exposure controls | |
|------------------------|---|
| Respiratory | Required when vapors/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. |
| Body Protection | protective clothing |
| Eyes/face protection | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses |

Oleving an exact has in an extend on the state of the

SDS Revision Date: 12/24/2021



Skin

| Skin | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 480 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 230 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. | | |
|---|--|--|--|
| Engineering Controls | Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. | | |
| Control of environmental exposure | Do not let product enter drains. | | |
| See section 2 for further details [Prevention]: | | | |

9. Physical and chemical properties

Appearance Odor Odor threshold pН Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits

Vapor pressure (Pa) Vapor Density **Specific Gravity**

Solubility in Water

Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature **Decomposition temperature**

Viscosity (cSt)

Oily, colorless Odorless Not Measured at 20 °C (68 °F) neutral -50 °C (-58 °F) - lit. 384 °C 723 °F - lit. 207 °C (405 °F) - closed cup Not Measured Not Applicable Lower Explosive Limit: 0.3 %(V) Upper Explosive Limit: 199C(390F): NA 1.6 hPa at 93.0 °C (199.4 °F) Not Measured No data available ca.0.086 g/l at 25 °C (77 °F) - OECD Test Guideline 105 - insoluble Not Measured 390.0 °C (734.0 °F) Not Measured ca.78.17 mm2/s at 20 °C (68 °F) - OECD Test Guideline 114 -

ComStar

SDS Revision Date: 12/24/2021

Volatiles (% by weight) Octanol/Water Partition Coefficient Explosive properties Oxidizing properties 9.2. Other information No other relevant information. NA NA No data available none

10. Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2. Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid Strong heating. 10.5. Incompatible materials Strong Oxidizing agents

10.6. Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

11.1 Information on toxicological effects Acute toxicity

LD0 Oral - Rat - male and female - > 20,000 mg/kg (OECD Test Guideline 401) LC0 Inhalation - Rat - male and female - 4 h - > 10.62 mg/l (OECD Test Guideline 403) Remarks: (highest concentration to be prepared) LD50 Dermal - Rabbit - 19,800 mg/kg Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: slight irritation - 4 h (OECD Test Guideline 404)



SDS Revision Date: 12/24/2021

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) - Mouse Result: Does not cause respiratory sensitization. Remarks: (ECHA)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 **Result: negative** Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 **Result:** negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479 **Result:** negative Test Type: Micronucleus test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow **Application Route: Oral** Method: OECD Test Guideline 475 **Result:** negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells **Application Route: Oral** Method: OECD Test Guideline 486 **Result: negative**



SDS Revision Date: 12/24/2021

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Bis(2-ethylhexyl) phthalate)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 28.9 mg/kg

RTECS: TI0350000

Effects due to ingestion may include: Gastrointestinal disturbance To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Kidney -

12. Ecological information

12.1. Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - > 0.67 mg/l - 96 h (OECD Test Guideline 203) Remarks: (above the solubility limit in the test medium)

Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - > 0.16 mg/l - 48 h Remarks: (ECOTOX Database)

Toxicity to algae

EC50 - Pseudokirchneriella subcapitata - > 0.003 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

static test NOEC - activated sludge - 1,000 mg/l - 3 h (OECD Test Guideline 209)



SDS Revision Date: 12/24/2021

12.2. Persistence and degradability

aerobic - Exposure time 29 d Result: 82 % - Readily biodegradable. (OECD Test Guideline 301B)

12.3. Bioaccumulative potential

Oncorhynchus mykiss (rainbow trout) - 100 d - 0.014 mg/l(Bis(2-ethylhexyl) phthalate) Bioconcentration factor (BCF): 113 Remarks: Does not bioaccumulate.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

DOT (US) UN number: 3082

Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Bis(2- ethylhexyl) phthalate) Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

IMDG Not dangerous goods

IATA Not dangerous goods

15. Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: Bis(2-ethylhexyl) phthalate CAS-No. 117-81-7

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Page 10 of 11



SDS Revision Date: 12/24/2021

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document