



FAN HOOD MOTORS



Part No.	Volts	Speeds	RPM	Rotation	Shaft Diam (In)	Shaft Length (In.)
SM550	120	1	3000	CCW	7/32" Flat	1 3/4"
SM550P2	120	1	3000	CCW	7/32" Flat	1 3/4"
SM551	120	2	3000/1640	CW	7/32" Flat	1 7/16"
SM552	120	1	3000	CCW	7/32" Flat	1 1/4"
SM553	120	1	3000	CCW	7/32" Flat	1 3/4"
SM554	120	2	3000/1500	CCW	7/32" Flat	1 7/16"
SM555	120	1	3000	CCW	7/32" Flat	2 3/8"

DUCT BOOSTERS



Part No.	Dimensions	Fan Blade	Voltage	Motor Ratings	CFM
DB6	6" x 6"	5.25", 1950 rpm	115V 60Hz	.35 A, 30 Watts	250
DB6-220	6" x 6"	5.25", 1950 rpm	220V 50Hz	.25 A, 30 Watts	250
DB8	8" x 8"	7", 1750 rpm	115V 60Hz	3750@208	500
DB8-220	8" x 8"	7", 1750 rpm	220V 50Hz	.45 A, 60 Watts	500
DB10	8" x 10"	8", 1300 rpm	115V 60Hz	1.5 A, 120 Watts	650
DB12	9" x 12"	10", 1300 rpm	115V 60Hz	1.5 A, 120 Watts	800

SM5113 2.5 WATT CONDENSER MOTOR



- Hardware included
- UL® Approved
- Universal mounting
- Threaded mounting holes
- Sleeve bearings
- Permanent lubrication
- Overload protected
- Totally enclosed
- 50/60Hz
- Rotation determined by viewing opposite shaft end
- Single rotation
- Single speed, 1550 RPM
- Cast aluminum housing up to 16 watts

Part No.	Watts	Volts	Amps	Rotation	Shaft Diam (In)	Shaft Length (In.)
SM5113	2.5	120	.28	CWOSE	1/4" Threaded	1/2