

**SLIP-ON SOLDERLESS TERMINALS****Insulated Male Slip-Ons**

These male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|----------------|-------------------------------------|------------|----------|-----|----------------|
| 60219 | Insulated Male Slip-On, pack of 23 | 22-18 | .250 | PK | 1 |
| 60220 | Insulated Male Slip-On, pack of 23 | 16-14 | .187 | PK | 1 |
| 60220LX | Insulated Male Slip-On, pack of 50 | 16-14 | .187 | PK | 1 |
| 6219 | Insulated Male Slip-On, pack of 22 | 16-14 | .250 | PK | 1 |
| 6219LX | Insulated Male Slip-On, pack of 50 | 16-14 | .250 | PK | 1 |
| 61221LX | Insulated Male Slip-On, pack of 50 | 12-10 | .250 | PK | 1 |
| 61221CX | Insulated Male Slip-On, pack of 100 | 12-10 | .250 | PK | 1 |

Insulated Female Slip-Ons

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|----------------|---------------------------------------|------------|----------|-----|----------------|
| 6282 | Insulated Female Slip-On, pack of 22 | 22-18 | .187 | PK | 1 |
| 6282LX | Insulated Female Slip-On, pack of 50 | 22-18 | .187 | PK | 1 |
| 6235 | Insulated Female Slip-On, pack of 22 | 22-18 | .250 | PK | 1 |
| 6235LX | Insulated Female Slip-On, pack of 50 | 22-18 | .250 | PK | 1 |
| 6235CX | Insulated Female Slip-On, pack of 100 | 22-18 | .250 | PK | 1 |
| 6281 | Insulated Female Slip-On, pack of 22 | 16-14 | .187 | PK | 1 |
| 6281LX | Insulated Female Slip-On, pack of 50 | 16-14 | .187 | PK | 1 |
| 6218 | Insulated Female Slip-On, pack of 22 | 16-14 | .250 | PK | 1 |
| 6218LX | Insulated Female Slip-On, pack of 50 | 16-14 | .250 | PK | 1 |
| 6218CX | Insulated Female Slip-On, pack of 100 | 16-14 | .250 | PK | 1 |
| 6251 | Insulated Female Slip-On, pack of 17 | 12-10 | .250 | PK | 1 |
| 6251LX | Insulated Female Slip-On, pack of 50 | 12-10 | .250 | PK | 1 |
| 6251CX | Insulated Female Slip-On, pack of 100 | 12-10 | .250 | PK | 1 |
| 61223LX | Insulated Female Slip-On, pack of 50 | 12-10 | .340 | PK | 1 |

Fully Insulated Female Slip-Ons

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon. This terminal features insulation grip. This terminal is usually supplied vinyl and has an insulation grip.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|-----------------|---|------------|----------|-----|----------------|
| 6229** | Fully Insulated Female Slip-On, pack of 11 | 16-14 | .250 | PK | 1 |
| 6229LX** | Fully Insulated Female Slip-On, pack of 50 | 16-14 | .250 | PK | 1 |
| 6233 | Fully Insulated Female Slip-On, pack of 14 | 16-14 | .250 | PK | 1 |
| 6233LX | Fully Insulated Female Slip-On, pack of 50 | 16-14 | .250 | PK | 1 |
| 6233CX | Fully Insulated Female Slip-On, pack of 100 | 16-14 | .250 | PK | 1 |
| 61234LX | Fully Insulated Female Slip-On, pack of 50 | 12-10 | .250 | PK | 1 |

*This terminal features insulation grip.

**This terminal is usually supplied vinyl and has an insulation grip.

Non-Insulated Male Slip-Ons

These non insulated male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|---|------------|----------|-----|----------------|
| 6220 | Non-Insulated Male Slip-On, pack of 38 | 16-14 | .250 | PK | 1 |
| 6220CX | Non-Insulated Male Slip-On, pack of 100 | 16-14 | .250 | PK | 1 |
| 61220 | Non-Insulated Male Slip-On, pack of 37 | 16-14 | .250 | PK | 1 |

Non-Insulated Female Slip-Ons

These non insulated female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available. This terminal features insulation grip.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|----------------|---|------------|----------|-----|----------------|
| 6214 | Non-Insulated Female Slip-On, pack of 35 | 16-14 | .250 | PK | 1 |
| 6214CX | Non-Insulated Female Slip-On, pack of 100 | 16-14 | .250 | PK | 1 |
| 60251 | Non-Insulated Female Slip-On, pack of 26 | 12-10 | .250 | PK | 1 |
| 60251CX | Non-Insulated Female Slip-On, pack of 100 | 12-10 | .250 | PK | 1 |

*This terminal features insulation grip.

Fully Insulated Male Slip-Ons

These male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|----------------|--|------------|----------|-----|----------------|
| 6234 | Fully Insulated Male Slip-On, pack of 14 | 16-14 | .250 | PK | 1 |
| 6234LX | Fully Insulated Male Slip-On, pack of 50 | 16-14 | .250 | PK | 1 |
| 61235LX | Fully Insulated Male Slip-On, pack of 50 | 12-10 | .250 | PK | 1 |

Non-Insulated Flag Female Slip-Ons

These non insulated female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available. Part 6213 features insulation grip.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|--|------------|----------|-----|----------------|
| 6213 | Non-Insulated Flag Female Slip-On, pack of 34 | 16-14 | .250 | PK | 1 |
| 6213CX | Non-Insulated Flag Female Slip-On, pack of 100 | 16-14 | .250 | PK | 1 |
| 6224 | Non-Insulated Flag Female Slip-On, pack of 20 | 12-10 | .250 | PK | 1 |
| 6224CX | Non-Insulated Flag Female Slip-On, pack of 100 | 12-10 | .250 | PK | 1 |

SLIP-ON SOLDERLESS TERMINALS cont'd

Fully Insulated Flag Female Slip-Ons

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip-ons are fully insulated in either vinyl or nylon.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|---|------------|----------|-----|----------------|
| 6277 | Fully Insulated Flag Female Slip-On, pack of 9 | 16-14 | .250 | PK | 1 |
| 6277NX | Fully Insulated Flag Female Slip-On, pack of 25 | 16-14 | .250 | PK | 1 |

Combination Pack: Set of 6233 and 6234

Our Combination pack holds both a Fully Insulated Male and Female Slip On.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|----------------|---|------------|----------|-----|----------------|
| 61233LX | Set of Fully Insulated M/F Slip-Ons, pack of 25 pairs | 16-14 | .250 | PK | 1 |

Flag Female Compressor Terminal Kit

Parts 6258, 6271, 6259, 6273, 6270 in a four compartment, clear plastic box. Parts 6270 and 6273 are put in the same compartment.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|---------------|-------------------------------------|-----|----------------|
| 6200HX | Flag Female Compressor Terminal Kit | EA | 1 |

Flag Female Compressor Terminals

Also known as hermetic header terminals, these non-insulated terminals are designed with a larger distance between the "rolls" to allow for the rod in hermetic header applications. The increased distance allows the rod to slip in between them. Parts 6258 and 6259 are notched for bending. The notches are cut between the slip-on portion and the conductor barrel and enable the back of the slip-on portion to be folded against the conductor barrel after the wire connection is made. This terminal features insulation grip.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | FITS | UOM | ORDER MULTIPLE |
|----------------|--|------------|----------|-----|----------------|
| 6270 | Flag Female Compressor Terminal, pack of 9 | 12-8 | .250 tab | PK | 1 |
| 6270LX | Flag Female Compressor Terminal, pack of 50 | 12-8 | .250 tab | PK | 1 |
| 6258* | Flag Female Compressor Terminal, pack of 17 | 16-14 | .250 tab | PK | 1 |
| 6258CX* | Flag Female Compressor Terminal, pack of 100 | 16-14 | .250 tab | PK | 1 |
| 6259 | Flag Female Compressor Terminal, pack of 14 | 12-10 | .250 tab | PK | 1 |
| 6259CX | Flag Female Compressor Terminal, pack of 100 | 12-10 | .250 tab | PK | 1 |

* This terminal features insulation grip.

Compressor Lead Kit

Our Compressor Lead kit includes the following products: a flag female compressor terminal (.250 tab; part 62589), a waterproof butt connector (12 10 wire range; part 62231), and a piece of 10 gauge wire.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|----------------|-----------------------------------|-----|----------------|
| 60259HX | Compressor Lead Kit with 12" wire | EA | 1 |

SPECIAL PURPOSE SOLDERLESS TERMINALS

Insulated Plugs

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|---------------|-----------------------------|------------|-----|----------------|
| 6283 | Insulated Plugs, pack of 17 | 22-18 | PK | 1 |
| 6283LX | Insulated Plugs, pack of 50 | 22-18 | PK | 1 |
| 6285 | Insulated Plugs, pack of 17 | 16-14 | PK | 1 |
| 6285LX | Insulated Plugs, pack of 50 | 16-14 | PK | 1 |

Combination Packs


These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|---------------|---|-----|----------------|
| 6288 | Combination Pack with parts 6283 and 6284, pack of 7 pairs | PK | 1 |
| 6288LX | Combination Pack with parts 6283 and 6284, pack of 25 pairs | PK | 1 |
| 6289 | Combination Pack with parts 6285 and 6286, pack of 7 pairs | PK | 1 |
| 6289LX | Combination Pack with parts 6285 and 6286, pack of 25 pairs | PK | 1 |

Fully Insulated Receptacles

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|-------------|---|------------|-----|----------------|
| 6286 | Fully Insulated Receptacles, pack of 12 | 16-14 | PK | 1 |

**SPECIAL PURPOSE SOLDERLESS TERMINALS cont'd****Tab Adapters – Quick Disconnect with Screw**

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|---------------|---|-----|----------------|
| 6209 | Fits .250 Tab, #6-32 x 1/4" Screw, pack of 5 | PK | 1 |
| 6209LX | Fits .250 Tab, #6-32 x 1/4" Screw, pack of 50 | PK | 1 |

Tab Adapters – Single Female Double Male Tabs

These insulated terminals crimp to the wires which relieves the need to solder. .250 male, .250 female.



| CATALOG NO. | DESCRIPTION | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|---|----------|-----|----------------|
| 6208 | Tab Adapter; 1 female, 2 male; Bent 90°, pack of 12 | .250 | PK | 1 |
| 6208LX | Tab Adapter; 1 female, 2 male; Bent 90°, pack of 50 | .250 | PK | 1 |
| 6211 | Tab Adapter; 1 female, 2 male; Wye, pack of 27 | .250 | PK | 1 |
| 6211CX | Tab Adapter; 1 female, 2 male; Wye, pack of 100 | .250 | PK | 1 |
| 6212 | Tab Adapter; 1 female, 2 male; Stacked, pack of 16 | .250 | PK | 1 |
| 6212CX | Tab Adapter; 1 female, 2 male; Stacked, pack of 100 | .250 | PK | 1 |

Tap Connectors

These insulated terminals crimp to the wires which relieves the need to solder. Designed to make tap splices.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|-------------|-------------------------------|------------|-----|----------------|
| 6241 | Tap Splice – blue, pack of 15 | 16-14 | PK | 1 |

Tab Adapters – Piggy Back Slip-Ons

These insulated terminals crimp to the wires which relieves the need to solder. Multi-stack, .250 male tab, .250 female slip-on.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|-----------------|---|------------|-----|----------------|
| 6210 | Non-Insulated Piggy Back Slip-Ons, pack of 20 | 16-14 | PK | 1 |
| 620210 | Insulated Piggy Back Slip-Ons, pack of 11 | 16-14 | PK | 1 |
| 620210LX | Insulated Piggy Back Slip-Ons, pack of 50 | 16-14 | PK | 1 |
| 620210CX | Insulated Piggy Back Slip-Ons, pack of 100 | 16-14 | PK | 1 |

Tab Adapters – Male Tabs

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | TAB SIZE | STUD | UOM | ORDER MULTIPLE |
|---------------|-----------------------------------|----------|------|-----|----------------|
| 6230 | Male Tabs – Straight, pack of 28 | .250 | #8 | PK | 1 |
| 6230CX | Male Tabs – Straight, pack of 100 | .250 | #8 | PK | 1 |

Fully Insulated Dead End Connectors

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|---------------|---|------------|-----|----------------|
| 6222 | Fully Insulated Dead End Connectors, pack of 27 | 22-14 | PK | 1 |
| 6222LX | Fully Insulated Dead End Connectors, pack of 50 | 22-14 | PK | 1 |
| 6223 | Fully Insulated Dead End Connectors, pack of 21 | 18-10 | PK | 1 |
| 6223LX | Fully Insulated Dead End Connectors, pack of 50 | 18-10 | PK | 1 |

STANDARD SOLDERLESS TERMINALS**Insulated Hooks**

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|---------------|-----------------------------|------------|------|-----|----------------|
| 6242 | Insulated Hooks, pack of 22 | 22-18 | #8 | PK | 1 |
| 6242LX | Insulated Hooks, pack of 50 | 22-18 | #8 | PK | 1 |
| 6244 | Insulated Hooks, pack of 20 | 16-14 | #8 | PK | 1 |
| 6244LX | Insulated Hooks, pack of 50 | 16-14 | #8 | PK | 1 |

Insulated Butt Connectors

These insulated terminals crimp to the wires which relieves the need to solder.



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|---------------|---------------------------------------|------------|-----|----------------|
| 6232 | Insulated Butt Connector, pack of 26 | 22-18 | PK | 1 |
| 6232LX | Insulated Butt Connector, pack of 50 | 22-18 | PK | 1 |
| 6232CX | Insulated Butt Connector, pack of 100 | 22-18 | PK | 1 |
| 6217 | Insulated Butt Connector, pack of 27 | 16-14 | PK | 1 |
| 6217LX | Insulated Butt Connector, pack of 50 | 16-14 | PK | 1 |
| 6217CX | Insulated Butt Connector, pack of 100 | 16-14 | PK | 1 |
| 6231 | Insulated Butt Connector, pack of 16 | 12-10 | PK | 1 |
| 6231LX | Insulated Butt Connector, pack of 50 | 12-10 | PK | 1 |
| 6231CX | Insulated Butt Connector, pack of 100 | 12-10 | PK | 1 |
| 6287 | Insulated Butt Connector, pack of 5 | 22-18 | PK | 1 |
| 6287XX | Insulated Butt Connector, pack of 10 | 8 | PK | 1 |
| 6287NX | Insulated Butt Connector, pack of 25 | 8 | PK | 1 |
| 6287CX | Insulated Butt Connector, pack of 100 | 8 | PK | 1 |

STANDARD SOLDERLESS TERMINALS cont'd

Butt Connector Assortment Kit

This Assortment is a perfect addition to the HVAC kit. It includes an Insulated Butt Connector, a Non Insulated Butt Connector, and a Nylon Insulated Butt Connector. Includes parts 6217, 6231, and 6232.



6200BSX

| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|-------------|-------------------------------|-----|----------------|
| 6200BSX | Butt Connector Assortment Kit | EA | 1 |

Insulated Spades

These insulated terminals crimp to the wires which relieves the need to solder.



61214

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|-------------------------------|------------|------|-----|----------------|
| 61214 | Insulated Spades, pack of 23 | 22-18 | #6 | PK | 1 |
| 6237 | Insulated Spades, pack of 22 | 22-18 | #8 | PK | 1 |
| 6237LX | Insulated Spades, pack of 50 | 22-18 | #8 | PK | 1 |
| 61256LX | Insulated Spades, pack of 50 | 22-18 | #10 | PK | 1 |
| 6274 | Insulated Spades, pack of 22 | 16-14 | #6 | PK | 1 |
| 6274LX | Insulated Spades, pack of 50 | 16-14 | #6 | PK | 1 |
| 6227 | Insulated Spades, pack of 22 | 16-14 | #8 | PK | 1 |
| 6227LX | Insulated Spades, pack of 50 | 16-14 | #8 | PK | 1 |
| 6228 | Insulated Spades, pack of 22 | 16-14 | #10 | PK | 1 |
| 6228LX | Insulated Spades, pack of 50 | 16-14 | #10 | PK | 1 |
| 60254 | Insulated Spades, pack of 18 | 12-10 | #8 | PK | 1 |
| 60254LX | Insulated Spades, pack of 50 | 12-10 | #8 | PK | 1 |
| 60254CX | Insulated Spades, pack of 100 | 12-10 | #8 | PK | 1 |
| 6255 | Insulated Spades, pack of 17 | 12-10 | #10 | PK | 1 |
| 6255LX | Insulated Spades, pack of 50 | 12-10 | #10 | PK | 1 |
| 6255CX | Insulated Spades, pack of 100 | 12-10 | #10 | PK | 1 |

Insulated Flange Spades

These insulated terminals crimp to the wires which relieves the need to solder.



61255

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|-------------------------------------|------------|------|-----|----------------|
| 61255 | Insulated Flange Spades, pack of 16 | 12-10 | #10 | PK | 1 |
| 61255LX | Insulated Flange Spades, pack of 50 | 12-10 | #10 | PK | 1 |

Non-Insulated Rings

These non insulated terminals crimp to the wires which relieves the need to solder.



60206

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|----------------------------------|------------|------|-----|----------------|
| 60206 | Non-Insulated Rings, pack of 25 | 22-18 | #10 | PK | 1 |
| 6215 | Non-Insulated Rings, pack of 27 | 16-14 | #8 | PK | 1 |
| 60205 | Non-Insulated Rings, pack of 21 | 16-14 | 1/4" | PK | 1 |
| 60205CX | Non-Insulated Rings, pack of 100 | 16-14 | 1/4" | PK | 1 |

Non-Insulated Spades

These non insulated terminals crimp to the wires which relieves the need to solder.



6226

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|-----------------------------------|------------|------|-----|----------------|
| 6226 | Non-Insulated Spades, pack of 23 | 16-14 | #10 | PK | 1 |
| 6226CX | Non-Insulated Spades, pack of 100 | 16-14 | #10 | PK | 1 |

Insulated Spring Spades

These insulated terminals crimp to the wires which relieves the need to solder.



6238

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|--------------------------------------|------------|------|-----|----------------|
| 6238 | Insulated Spring Spades, pack of 22 | 22-18 | #8 | PK | 1 |
| 6238LX | Insulated Spring Spades, pack of 50 | 22-18 | #8 | PK | 1 |
| 6276 | Insulated Spring Spades, pack of 21 | 16-14 | #6 | PK | 1 |
| 6276LX | Insulated Spring Spades, pack of 50 | 16-14 | #6 | PK | 1 |
| 6239 | Insulated Spring Spades, pack of 22 | 16-14 | #8 | PK | 1 |
| 6239LX | Insulated Spring Spades, pack of 50 | 16-14 | #8 | PK | 1 |
| 60256 | Insulated Spring Spades, pack of 17 | 12-10 | #8 | PK | 1 |
| 60256CX | Insulated Spring Spades, pack of 100 | 12-10 | #8 | PK | 1 |

Insulated Rings

These insulated terminals crimp to the wires which relieves the need to solder.



61202

| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|-------------|------------------------------|------------|-------|-----|----------------|
| 61202 | Insulated Rings, pack of 22 | 22-18 | #6 | PK | 1 |
| 6236LX | Insulated Rings, pack of 50 | 22-18 | #8 | PK | 1 |
| 6272 | Insulated Rings, pack of 22 | 16-14 | #6 | PK | 1 |
| 6216 | Insulated Rings, pack of 23 | 16-14 | #10 | PK | 1 |
| 6216LX | Insulated Rings, pack of 50 | 16-14 | #10 | PK | 1 |
| 6216CX | Insulated Rings, pack of 100 | 16-14 | #10 | PK | 1 |
| 60247 | Insulated Rings, pack of 17 | 12-10 | #6 | PK | 1 |
| 60252CX | Insulated Rings, pack of 100 | 12-10 | #8 | PK | 1 |
| 6252 | Insulated Rings, pack of 17 | 12-10 | #10 | PK | 1 |
| 6252LX | Insulated Rings, pack of 50 | 12-10 | #10 | PK | 1 |
| 6253LX | Insulated Rings, pack of 50 | 12-10 | 1/4" | PK | 1 |
| 6253CX | Insulated Rings, pack of 100 | 12-10 | 1/4" | PK | 1 |
| 6257 | Insulated Rings, pack of 6 | 8 | 1/4" | PK | 1 |
| 6257NX | Insulated Rings, pack of 25 | 8 | 1/4" | PK | 1 |
| 61252 | Insulated Rings, pack of 5 | 6 | 5/16" | PK | 1 |
| 61252NX | Insulated Rings, pack of 25 | 6 | 5/16" | PK | 1 |

**HIGH TEMPERATURE SOLDERLESS TERMINALS****High Temperature Male Slip-Ons**

The High Temperature Male Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|---------------------------------------|------------|----------|-----|----------------|
| 4220 | High Temp. Male Slip-Ons, pack of 21 | 16-14 | .250 | PK | 1 |
| 4220CX | High Temp. Male Slip-Ons, pack of 100 | 16-14 | .250 | PK | 1 |
| 4219 | High Temp. Male Slip-Ons, pack of 21 | 12-10 | .250 | PK | 1 |

High Temperature Flag Female Slip-Ons

The High Temperature Flag Female Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|--|------------|----------|-----|----------------|
| 4213 | High Temp. Flag Female Slip-Ons, pack of 16 | 16-14 | .250 | PK | 1 |
| 4213CX | High Temp. Flag Female Slip-Ons, pack of 100 | 16-14 | .250 | PK | 1 |
| 4224 | High Temp. Flag Female Slip-Ons, pack of 11 | 12-10 | .250 | PK | 1 |
| 4224NX | High Temp. Flag Female Slip-Ons, pack of 25 | 12-10 | .250 | PK | 1 |
| 4224CX | High Temp. Flag Female Slip-Ons, pack of 100 | 12-10 | .250 | PK | 1 |

High Temperature Rings

The High Temperature Rings are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|---------------|-------------------------------|------------|------|-----|----------------|
| 4215 | High Temp. Rings, pack of 21 | 16-14 | #10 | PK | 1 |
| 4215CX | High Temp. Rings, pack of 100 | 16-14 | #10 | PK | 1 |
| 4205CX | High Temp. Rings, pack of 100 | 16-14 | 1/4" | PK | 1 |
| 4252 | High Temp. Rings, pack of 14 | 12-10 | #10 | PK | 1 |
| 4252CX | High Temp. Rings, pack of 100 | 12-10 | #10 | PK | 1 |
| 4253 | High Temp. Rings, pack of 14 | 12-10 | 1/4" | PK | 1 |
| 4253CX | High Temp. Rings, pack of 100 | 12-10 | 1/4" | PK | 1 |

High Temperature Female Slip-Ons

The High Temperature Female Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | TAB SIZE | UOM | ORDER MULTIPLE |
|---------------|---|------------|----------|-----|----------------|
| 4221 | High Temp. Female Slip-Ons, pack of 20 | 16-14 | .187 | PK | 1 |
| 4221CX | High Temp. Female Slip-Ons, pack of 100 | 16-14 | .187 | PK | 1 |
| 4214 | High Temp. Female Slip-Ons, pack of 21 | 16-14 | .250 | PK | 1 |
| 4214CX | High Temp. Female Slip-Ons, pack of 100 | 16-14 | .250 | PK | 1 |
| 4204 | High Temp. Female Slip-Ons, pack of 17 | 12-10 | .250 | PK | 1 |
| 4204CX | High Temp. Female Slip-Ons, pack of 100 | 12-10 | .250 | PK | 1 |

High Temperature Spades

The High Temperature Spades Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | STUD | UOM | ORDER MULTIPLE |
|---------------|--------------------------------|------------|------|-----|----------------|
| 4226 | High Temp. Spades, pack of 23 | 16-14 | #10 | PK | 1 |
| 4226CX | High Temp. Spades, pack of 100 | 16-14 | #10 | PK | 1 |
| 4254CX | High Temp. Spades, pack of 100 | 12-10 | #10 | PK | 1 |

High Temperature Butt Connectors

The High Temperature Butt Connectors are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



| CATALOG NO. | DESCRIPTION | WIRE RANGE | UOM | ORDER MULTIPLE |
|-------------|--|------------|-----|----------------|
| 4231 | High Temp. Butt Connectors, pack of 17 | 12-10 | PK | 1 |

High Temperature Assortment

The High Temperature Assortment Pack holds terminals that are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C). Includes parts 4213, 4215, and 4204, and 4254.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|---------------|-----------------------|-----|----------------|
| 4200AX | High Temp. Assortment | EA | 1 |



ANCHORS

Metal Drive Anchors

The anchors offer a Quick and Easy Solution for Light Duty Anchoring Jobs in Concrete and Masonry and Easy through type fastening, even when used in bottomless holes

7236RLX



| CATALOG NO. | DESCRIPTION | SIZE | EMBEDMENT | PULLOUT LOAD | UOM | ORDER MULTIPLE |
|-------------|--------------------------|---------------|-----------|--------------|-----|----------------|
| 7233RLX | Drive Anchor, pack of 50 | 1/4" X 3/4" | 5/8" | 500 lb. | PK | 1 |
| 7234RLX | Drive Anchor, pack of 50 | 1/4" X 1" | 7/8" | 944 lb. | PK | 1 |
| 7235RLX | Drive Anchor, pack of 50 | 1/4" X 1-1/4" | 1-1/8" | 1,146 lb. | PK | 1 |
| 7236RLX | Drive Anchor, pack of 50 | 1/4" X 1-1/2" | 1-3/8" | 854 lb. | PK | 1 |

Drop-In Expansion Anchor Setting Tool

This tool is great for use while setting an anchor.

7146



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|-------------|--------------------------------------|-----|----------------|
| 7146 | For use with anchor part number 7142 | EA | 1 |

Self-Drilling Gypsum Wallboard Anchors

These anchors pre drill precise holes in gypsum wallboard with no special tools required. The anchors are easily installed with a #2 or #3 Phillips screwdriver, slotted driver, or power driver. Plastic plugs toggles and toggles are easily replaced with the deep threaded products. There is a full range to cover all wall fastening applications and are available in corrosion resistant and non conductive white nylon. The product has a low profile head and can easily be backed out. They provide and strong engagement in 3/4in., 1/2in., and 5/8in. gypsum wallboard and are supplied with combo head screws.

7321X



| CATALOG NO. | DESCRIPTION | SCREW SIZE | MAX. FIXTURE | UOM | ORDER MULTIPLE |
|-------------|--|-------------|--------------|-----|----------------|
| 7316X | E-Z Ancor®; nylon, pack of 10 | #8 x 1-1/4" | 3/4" | PK | 1 |
| 7316L | E-Z Ancor®; nylon, pack of 50 | #8 x 1-1/4" | 3/4" | PK | 1 |
| 7311L | E-Z Ancor®; zinc die cast*, pack of 50 | #6 x 1-1/4" | 3/4" | PK | 1 |
| 7317X | E-Z Ancor Lite™; nylon, pack of 10 | #6 x 1-1/4" | 3/4" | PK | 1 |
| 7317L | E-Z Ancor Lite™; nylon, pack of 50 | #6 x 1-1/4" | 3/4" | PK | 1 |
| 7321X | E-Z Toggle™; zinc die cast; heavy-duty, pack of 10 | #8 x 2-1/8" | 5/8" | PK | 1 |

*Smaller version of the E-Z Ancor® with a versatile core that can use #6 or #8 sheet metal screws or #6, #7, #8 drywall screws.

Drive Fasteners

These steel fasteners can be driven into dry wall like a nail and are secured by turning the screw down completely to expand the ribs.

7303



| CATALOG NO. | DESCRIPTION | HOLE SIZE | GRIP RANGE | UOM | ORDER MULTIPLE |
|-------------|---------------------------|-----------|---------------|-----|----------------|
| 7301 | Drive Fastener, pack of 6 | 1/4" | 3/16" to 3/8" | PK | 1 |
| 7302 | Drive Fastener, pack of 6 | 1/4" | 1/8" to 1/2" | PK | 1 |
| 7303 | Drive Fastener, pack of 6 | 1/4" | 1/8" to 3/16" | PK | 1 |

Drop-In Expansion Anchors

These heavy duty anchors are made of carbon steel. They are set by means of an internal plug and setting tool.

7142



| CATALOG NO. | DESCRIPTION | BOLT SIZE | THREADS PER INCH | HOLE DEPTH | THREAD DEPTH | DRILL BIT SIZE | UOM | ORDER MULTIPLE |
|-------------|--------------------|-----------|------------------|------------|--------------|----------------|-----|----------------|
| 7142 | Anchor, pack of 4 | 3/8" | 18 | 1-5/8" | 1/2" | 1/2" | PK | 1 |
| 7142LX | Anchor, pack of 50 | 3/8" | 18 | 1-5/8" | 1/2" | 1/2" | PK | 1 |