

MATERIAL SAFETY DATA SHEET

ILFC Ten 32 (1032)

VERSION: 1.1

MSDS DATE:07/08/2010

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ILFC Ten 32 (1032)
 SYNONYMS: Fuel Inhibitor

MANUFACTURER: International Lubrication and Fuel Consultants (ILFC, Inc.)
 ADDRESS: 521 Quantum Road, Rio Rancho, NM 87124

EMERGENCY/CHEMTREC PHONE: 1-800-424-9300
 OTHER CALLS: 1-505-892-1666
 FAX: 1-505-892-9601

CHEMICAL NAME: Fuel Inhibitor
 CHEMICAL FAMILY: Not Applicable
 CHEMICAL FORMULA: Complex Mixture

PRODUCT USE: Fuel Additive
 PREPARED BY: ILFC, Inc.

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CONCENTRATIONS</u>	
Napthenic Oil (CAS #64742-52-5)		
ACGIH TVL:	10 mg/m ³ (as oil mist)	Trade Secret
OSHA PEL:	5 mg/m ³ (as oil mist)	
Proprietary Amine Compound		
ACGIH TVL:	No Listing	Trade Secret
OSHA PEL:	No Listing	
Hexahydro-1,3,5-triethyl-s-triazine (CAS #68955-53-3)		< 1%
ACGIH TVL:	Not Listed	
OSHA PEL:	Not Listed	
Petroleum Distillate (CAS #64742-47-8)		
ACGIH TVL:	No Limit	Trade Secret
OSHA PEL:	No Limit	
Solvent naphtha, heavy aromatic (CAS #64742-94-5)		
ACGIH TVL:	Not Listed	Trade Secret
OSHA PEL:	Not Listed	

SECTION 3: HAZARDS IDENTIFICATION

ROUTES OF ENTRY: Eyes, Skin, Ingestion, Inhalation

POTENTIAL HEALTH EFFECTS

EYES: Yes

SKIN: Yes

INGESTION: Yes

INHALATION: Yes

ACUTE HEALTH HAZARDS:

Eyes-Can cause irritation, redness, blurred vision and possible permanent damage.

Skin-Prolonged contact can cause irritation, dermatitis.

Ingestion- Harmful or fatal if swallowed. Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation-High concentrations can cause irritation, dizziness, nausea, fatigue, headache and unconsciousness or asphyxiation.

CHRONIC HEALTH HAZARDS: Prolonged or repeated overexposure can cause organ damage and an increased risk of cancer.

This proprietary amine compound is an eye irritant. The acute oral LD50 (rat) is .612 gm/kg. The acute dermal LD50 (rat) is greater than .251 gm/kg. The acute inhalation LC50 is greater than 1 mg/L for one hour exposure (rat).

CARCINOGENICITY: NPT-NO IARC-NO OSHA-NO

Napthenic Oil may cause skin and eye irritation.

CARCINOGENICITY: NPT-NO IARC-NO OSHA-NO

SECTION 3: HAZARDS IDENTIFICATION (con't)

MATERIAL SAFETY DATA SHEET

ILFC Ten 32 (1032)

VERSION: 1.1

MSDS DATE:07/08/2010

Hexahydro – 1, 3, 5 – triethyl-s-triazine has an acute oral LD50 (rats) of 280 mg/kg. The acute dermal LD50 (rabbits) is 400 mg/kg. Acute hepatotoxicity studies have shown severe toxic focal necrosis of the liver in rats. There were no teratogenic effects in a developmental toxicity study with rats.

CARCINOGENICITY NTP-NO IARC-NO OSHA-NO

SECTION 4: FIRST AID MEASURES

EYES: Flush with copious amounts of water for at least 15 minutes. Get medical attention.

SKIN: Wash with soap and water. Remove contaminated clothing. Wash contaminated clothing before re-use.

INGESTION: Do not induce vomiting, keep warm, get medical attention..

INHALATION: Remove to fresh air. If breathing is impaired, get medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: If swallowed, DO NOT induce vomiting due to the risk of aspiration posed by petroleum distillates.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT:

F: 150°

METHOD USED: Pensky- Martens Closed Cup (ASTM D-93)

NFPA HAZARD CLASSIFICATION:

HEALTH: 3 FLAMMABILITY: 2 REACTIVITY: 0 OTHER: None

EXTINGUISHING MEDIA: CO₂ Foam, Dry Chemical or Halon

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus, Do not extinguish with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Irritating and/or toxic fumes including CO, CO₂, N and S Compounds may be released.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Clean spill with absorbent material. Eliminate ignition sources. Use full face NIOSH approved organic respirator if TWA/TVL limits are exceeded. Do not store greasy materials in enclosed containers for long periods of time.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Protect from physical damage. Store in a cool, dry ventilated area away from acids, alkalis, and open flames.

OTHER PRECAUTIONS: None

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use non sparking equipment

VENTILATION : Use local exhaust to maintain levels below TWA/TVL limits

RESPIRATORY PROTECTION: Use NIOSH approved organic respirator if TWA/TVL limits are exceeded

EYE PROTECTION: Wear safety glasses or goggles

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (con't)

SKIN PROTECTION: Wear as appropriate: Chemical resistant apron, protective suit, boots

MATERIAL SAFETY DATA SHEET

ILFC Ten 32 (1032)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Wear chemical resistant (nitrile, butyl rubber, neoprene) gloves.

VERSION: 1.1

MSDS DATE: 07/08/2010

WORK HYGIENIC PRACTICES: Facilities storing or utilizing this material should be equipped with an eyewash station.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale Yellow to Amber Liquid

ODOR: Organic, Solvent Odor

PHYSICAL STATE: Liquid

DENSITY (lb./gal.): 6.87

EVAPORATION RATE: < 1 (Butyl Acetate = 1)

SOLUBILITY IN WATER: Slight

VISCOSITY: 12.3 cps @ 40° C

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Open Flame

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents, acids

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None

HAZARDOUS POLYMERIZATION: None

CONDITIONS TO AVOID (POLYMERIZATION): None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data is available for this material.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No data is available for this material. Not readily biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Incinerate or dispose of waste in a chemical landfill as approved by current, local, state and federal laws and regulations.

RCRA HAZARD CLASS: Not Available

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (GROUND) / WATER TRANSPORTATION / AIR TRANSPORTATION-BULK

PROPER SHIPPING NAME: Flammable Liquids, Toxic, N.O.S. (Naphtha, t-alkylamines)

HAZARD CLASS: 3, 6.1

UN NUMBER: UN 1992

PACKING GROUP: III

LABELS REQUIRED: Combustible, Toxic, Marine Pollutant

ERG: 131

SECTION 14: TRANSPORT INFORMATION (con't)

U.S. DEPARTMENT OF TRANSPORTATION (GROUND) / AIR TRANSPORTATION-NON BULK

PROPER SHIPPING NAME: Toxic, Liquids, Organic, N.O.S. (t-alkylamines)

MATERIAL SAFETY DATA SHEET

VERSION: 1.1
MSDS DATE:07/08/2010

ILFC Ten 32 (1032)

HAZARD CLASS: 6.1
UN NUMBER: UN 2810
PACKING GROUP: III
LABEL REQUIRED: Toxic
ERG: 153

WATER TRANSPORTATION-NON BULK

PROPER SHIPPING NAME: Toxic, Liquids, Organic, N.O.S. (t-alkylamines)
HAZARD CLASS: 6.1
UN NUMBER: UN 2810
PACKING GROUP: III
LABELS REQUIRED: Toxic, Marine Pollutant
ERG: 153

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION): This product is considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS: This product is a 'controlled product' under the Canadian Workplace Hazardous Materials Information System (WHMIS)

TSCA (TOXIC SUBSTANCE CONTROL ACT): All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (USCA) Chemical Substance Inventory.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): This material is regulated under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304. This material is or contains chemical(s) listed in 40 CFR Table 302.4 or nondesignated RCRA ICR substance(s). (Nondesignated ICR substances apply to materials that will not be reused). Releases in excess of reportable quantity must be reported to the National Response Center (1-800-424-8802) and the appropriate state and local emergency response organizations.

SARA TITLE III: SECTION 311/312 HAZARD CATEGORIES: Acute Health Hazard. Chronic Health Hazard.

SECTION 16: OTHER INFORMATION

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.