

A CSW Industrials Company

SAFETY DATA SHEET

DARK CUTTING OIL

Low RPM Machine Thread Cutting Oil

SECTION 1 - PRODUCT AND COMPANY INFORMATION

Product Name

RectorSeal Premium Thread Cutting Oil Dark

Product Codes

94392, 94273, 94272

Chemical Family Organic

Use

Cutting oil

Manufacturer's Name RectorSeal LLC 2601 Spenwick Drive Houston, Texas 77055 USA

Date of validation December 6, 2021

Date of Preparation December 6, 2021 **HMIS Codes**

Health 1 Flammability 1 Reactivity 0

PPI B

Emergency Telephone No. Chemtrec 24 Hours (800) 424-9300 USA (703) 527-3887 International

Technical Service Telephone No. (800) 231-3345 or (713) 263-8001

SECTION 2 - HAZARDS IDENTIFICATION

GHS Classification

Physical Hazards

None

Health Hazards

Acute Toxicity:

Oral: Not Classified Dermal: Not Classified Inhalation: Not Classified

Skin Corrosion/Irritation: Not Classified

Serious Eye Damage/Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified

Germ Cell Mutagenicity: Not Classified

Carcinogenicity: Not Classified

Reproductive Toxicology: Not Classified

Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified

Aspiration Toxicity: Not Classified

Page 1 of 6 R50367-1221

SECTION 2 - HAZARDS IDENTIFICATION

GHS Label elements, including precautionary statements

Signal Word: Warning

Hazard Statements: Not classified as hazardous according to GHS

Summary of Acute Hazards

None known.

Route of Exposure, Signs And Symptoms

INHALATION - None known.

EYE CONTACT - Irritation, watering may occur.

SKIN CONTACT - None known.

INGESTION - May cause nausea and vomiting. Not expected to produce toxic effects.

SUMMARY OF CHRONIC HAZARDS - None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE - None known.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient: Base Oil

Percentage By Weight: > 99

CAS Number: 64742-52-5

EC#: --

Page 2 of 6 R50367-1221

SECTION 4 - FIRST AID MEASURES

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of

breathing difficulties administer oxygen. In case of irregular breathing or respiratory arrest provide

artificial respiration. If medical advice is needed, have product container or label at hand.

IF ON SKIN: After contact with skin, take off immediately all contaminated clothing, and wash immediately with

plenty of water. Rinse thoroughly with plenty of water for at least 20 minutes and take medical

advice. If medical advice is needed, have product container or label at hand.

IF IN EYES: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Seek

immediate medical advice. If medical advice is needed, have product container or label at hand.

IF SWALLOWED: If swallowed, do not induce vomiting: seek medical advice immediately and show this container

label. If swallowed, rinse mouth with water (only if the person is conscious). Drink plenty of water.

Most important symptoms and effects, both acute and delayed:

Symptoms/injuries Harmful by inhalation. Inhalation of airborne droplets or aerosols may cause irritation of

after inhalation: therespiratory tract.

Symptoms/injuries after skin contact: Slightly irritating to skin. Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Symptoms/injuries Slightly irritating to eyes.

after eye contact:

Symptoms/injuries Adusea.

Indication of any immediate medical attention and special treatment needed treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing media

Foam, dry chemical, carbon dioxide or water fog.

Special fire fighting procedures

Wear self-contained breathing apparatus (SCBA) and other protective clothing.

Unusual fire and explosion hazards

None known.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled:

Wipe or scrape up spilled material to prevent footing hazard and place in trash.

Page 3 of 6 R50367-1221

SECTION 7 - HANDLING AND STORAGE

Precautions to be taken in handling and storing:

Keep container closed and upright when not in use.

Precautions to be taken in handling and storing:

Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN.

Section 8 - Exposure Controls/Personal Protection

RESPIRATORY PROTECTION (SPECIFY TYPE): None required.

VENTILATION - LOCAL EXHAUST: N/A

SPECIAL: N/A

MECHANICAL (GENERAL): N/A

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Safety glasses (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating,

drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: > 500°F (260°C) @ 760 mmHg

SPECIFIC GRAVITY (H20 = 1): 0.92

VAPOR PRESSURE (MMHG): N/D

MELTING POINT: N/A

VAPOR DENSITY (AIR = 1): N/D

EVAPORATION RATE (ETHYL ACETATE = 1): N/A

APPEARANCE/ODOR: Amber / Mild petroleum odor

SOLUBILITY IN WATER: Insoluble

VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT

0% or (0 g/L) (theoretical percentage by weight):

FLASH POINT: > 284°F (140°C) SETA CC

LOWER EXPLOSION LIMIT: N/D

UPPER EXPLOSION LIMIT: N/D

Page 4 of 6 R50367-1221

DARK CUTTING OIL

Low RPM Machine Thread Cutting Oil

SECTION 10 - STABILITY AND REACTIVITY

Stability:

Stable

Conditions to avoid:

None known.

Incompatibility (materials to avoid):

None known.

Hazardous decomposition products:

CO, CO₂ and fragmented hydrocarbons.

Hazardous polymerization:

Will not occur.

SECTION 11 - TOXICOLOGY INFORMATION

Chronical Health Hazards:

No ingredient in this product is an IARC, NTP, or OSHA listed carcinogen

Toxicology Data:

Ingredient name

Base Oil

Oral-Rat LD50: N/D Inhalation-Rat LC50: N/D

SECTION 12 - ECOLOGICAL INFORMATION

Ecology Data:

Ingredient name

Base Oil

Food Chain Concentration Potential N/A
Waterfowl Toxicity N/A
BOD N/A
Aquatic Toxicity N/A

Section 13 - Disposal Considerations

Waste Classification: Non-regulated waste oil

Disposal Method: Used oil recycler

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with federal, state, and local regulation regarding pollution.

Page 5 of 6 R50367-1221

DARK CUTTING OILLow RPM Machine Thread Cutting Oil

SECTION 14 - TRANSPORTATION INFORMATION

DOT: Non-Regulated

OCEAN (IMDG): Non-Regulated

AIR (IATA): Non-Regulated

WHMIS (CANADA): Non-Regulated

SECTION 15 - REGULATORY INFORMATION

Regulatory Data

Ingredient

SARA 313 N/A

TSCA Inventory All components listed

CERCLA RQ N/A RCRA Code N/A

SECTION 16 - OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001

Page 6 of 6 R50367-1221