

CAPACITORS

Motor Run Capacitors—370VAC, Metal, Oval Can

These single capacitance oval, metal can capacitors are designed for continuous run.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|------|-----|----------------|
| 37030H | 3 | EA | 1 |
| 37040H | 4 | EA | 1 |
| 37050H | 5 | EA | 1 |
| 37050HB | 5 | EA | 100* |
| 37060H | 6 | EA | 1 |
| 37075H | 7.5 | EA | 1 |
| 37075HB | 7.5 | EA | 100* |
| 37100H | 10 | EA | 1 |
| 37100HB | 10 | EA | 100* |
| 37125H | 12.5 | EA | 1 |
| 37150H | 15 | EA | 1 |
| 37175H | 17.5 | EA | 1 |
| 37200H | 20 | EA | 1 |
| 37250H | 25 | EA | 1 |
| 37300H | 30 | EA | 1 |
| 37350H | 35 | EA | 1 |
| 37400H | 40 | EA | 1 |
| 37450H | 45 | EA | 1 |
| 37500H | 50 | EA | 1 |
| 37600H | 60 | EA | 1 |
| 37700H | 70 | EA | 1 |
| 37800H | 80 | EA | 1 |

*100 per pack

Motor Run Capacitors—370VAC

This single capacitance round, metal can capacitors are designed for continuous run.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|------|-----|----------------|
| 37050R | 5 | EA | 1 |
| 37075R | 7.5 | EA | 1 |
| 37125R | 12.5 | EA | 1 |
| 37150R | 15 | EA | 1 |
| 37175R | 17.5 | EA | 1 |
| 37200R | 20 | EA | 1 |
| 37250R | 25 | EA | 1 |
| 37300R | 30 | EA | 1 |
| 37350R | 35 | EA | 1 |
| 37400R | 40 | EA | 1 |
| 37450R | 45 | EA | 1 |
| 37500R | 50 | EA | 1 |
| 37550R | 55 | EA | 1 |
| 37600R | 60 | EA | 1 |
| 37800R | 80 | EA | 1 |
| 37300R-SWP* | 30 | EA | 1 |
| 37350R-SWP* | 35 | EA | 1 |

*Compact size, ideal for swimming pool motors.

Motor Run Capacitors—370VAC

Dual capacitance. Oval, metal can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|--------|-----|----------------|
| 3GJ0515 | 15+5 | EA | 1 |
| 3GJ0520 | 20+5 | EA | 1 |
| 3GJ1520 | 20+15 | EA | 1 |
| 3GJ0525 | 25+5 | EA | 1 |
| 3GJ1025 | 25+10 | EA | 1 |
| 3GJ0330 | 30+3 | EA | 1 |
| 3GJ0530 | 30+5 | EA | 1 |
| 3GJ7530 | 30+7.5 | EA | 1 |
| 3GJ0535 | 35+5 | EA | 1 |
| 3GJ7535 | 35+7.5 | EA | 1 |
| 3GJ7545 | 45+7.5 | EA | 1 |
| 3GJ0540 | 40+5 | EA | 1 |
| 3GJ0545 | 45+5 | EA | 1 |
| 3GJ0555 | 55+5 | EA | 1 |
| 3GJ7555 | 55+7.5 | EA | 1 |
| 3GJ1060 | 60+10 | EA | 1 |

Motor Run Capacitors—370VAC

This dual capacitance round metal can capacitors are designed for continuous run.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|--------|-----|----------------|
| 3GR0515 | 15+5 | EA | 1 |
| 3GR0520 | 20+5 | EA | 1 |
| 3GR0325 | 25+3 | EA | 1 |
| 3GR0425 | 25+4 | EA | 1 |
| 3GR0525 | 25+5 | EA | 1 |
| 3GR0330 | 30+3 | EA | 1 |
| 3GR0530 | 30+5 | EA | 1 |
| 3GR7530 | 30+7.5 | EA | 1 |
| 3GR0335 | 35+3 | EA | 1 |
| 3GR0435 | 35+4 | EA | 1 |
| 3GR0535 | 35+5 | EA | 1 |
| 3GR1035 | 35+10 | EA | 1 |
| 3GR0340 | 40+3 | EA | 1 |
| 3GR0540 | 40+5 | EA | 1 |
| 3GR7540 | 40+7.5 | EA | 1 |
| 3GR0545 | 45+5 | EA | 1 |
| 3GR0550 | 50+5 | EA | 1 |
| 3GR0555 | 55+5 | EA | 1 |
| 3GR7555 | 55+7.5 | EA | 1 |
| 3GR0560 | 60+5 | EA | 1 |
| 3GR7560 | 60+7.5 | EA | 1 |
| 3GR0570 | 70+5 | EA | 1 |
| 3GR0580 | 80+5 | EA | 1 |
| 3GR7580 | 80+7.5 | EA | 1 |
| 3GR1080 | 80+10 | EA | 1 |

CAPACITORS cont'd

Motor Run Capacitors—440VAC

These single capacitance oval, metal can capacitors are designed for continuous run.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|------|-----|----------------|
| 45020H | 2 | EA | 1 |
| 45030H | 3 | EA | 1 |
| 45040H | 4 | EA | 1 |
| 45050H | 5 | EA | 1 |
| 45060H | 6 | EA | 1 |
| 45075H | 7.5 | EA | 1 |
| 45100H | 10 | EA | 1 |
| 45125H | 12.5 | EA | 1 |
| 45150H | 15 | EA | 1 |
| 45175H | 17.5 | EA | 1 |
| 45200H | 20 | EA | 1 |
| 45250H | 25 | EA | 1 |
| 45300H | 30 | EA | 1 |
| 45350H | 35 | EA | 1 |
| 45400H | 40 | EA | 1 |
| 45450H | 45 | EA | 1 |
| 45500H | 50 | EA | 1 |
| 45550H | 55 | EA | 1 |
| 45600H | 60 | EA | 1 |
| 45700H | 70 | EA | 1 |
| 45800H | 80 | EA | 1 |

Motor Run Capacitor—440VAC

Single capacitance. Round, metal can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|------|-----|----------------|
| 45050R | 5 | EA | 1 |
| 45075R | 7.5 | EA | 1 |
| 45100R | 10 | EA | 1 |
| 45125R | 12.5 | EA | 1 |
| 45150R | 15 | EA | 1 |
| 45200R | 20 | EA | 1 |
| 45250R | 25 | EA | 1 |
| 45300R | 30 | EA | 1 |
| 45350R | 35 | EA | 1 |
| 45400R | 40 | EA | 1 |
| 45450R | 45 | EA | 1 |
| 45500R | 50 | EA | 1 |
| 45550R | 55 | EA | 1 |
| 45600R | 60 | EA | 1 |
| 45700R | 70 | EA | 1 |
| 45800R | 80 | EA | 1 |

Motor Run Capacitor—440VAC

Dual capacitance. Oval, metal can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|--------|-----|----------------|
| 4JJ0525 | 25+5 | EA | 1 |
| 4JJ0530 | 30+5 | EA | 1 |
| 4JJ0535 | 35+5 | EA | 1 |
| 4JJ0540 | 40+5 | EA | 1 |
| 4JJ0545 | 45+5 | EA | 1 |
| 4JJ0555 | 55+5 | EA | 1 |
| 4JJ7535 | 35+7.5 | EA | 1 |
| 4JJ7540 | 40+7.5 | EA | 1 |
| 4JJ7545 | 45+7.5 | EA | 1 |
| 4JJ1055 | 55+10 | EA | 1 |
| 4JJ0560 | 60+5 | EA | 1 |

Motor Run Capacitor—440VAC

Dual capacitance. Round, metal can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|--------|-----|----------------|
| 4JR0520 | 20+5 | EA | 1 |
| 4JR0525 | 25+5 | EA | 1 |
| 4JR7525 | 25+7.5 | EA | 1 |
| 4JR0530 | 30+5 | EA | 1 |
| 4JR7530 | 30+7.5 | EA | 1 |
| 4JR0535 | 35+5 | EA | 1 |
| 4JR7535 | 35+7.5 | EA | 1 |
| 4JR0440 | 40+4 | EA | 1 |
| 4JR0540 | 40+5 | EA | 1 |
| 4JR7540 | 40+7.5 | EA | 1 |
| 4JR0545 | 45+5 | EA | 1 |
| 4JR7545 | 45+7.5 | EA | 1 |
| 4JR0550 | 50+5 | EA | 1 |
| 4JR7550 | 50+7.5 | EA | 1 |
| 4JR0555 | 55+5 | EA | 1 |
| 4JR1055 | 55+10 | EA | 1 |
| 4JR7555 | 55+7.5 | EA | 1 |
| 4JR0560 | 60+5 | EA | 1 |
| 4JR7560 | 60+7.5 | EA | 1 |
| 4JR1060 | 60+10 | EA | 1 |
| 4JR0570 | 70+5 | EA | 1 |
| 4JR7570 | 70+7.5 | EA | 1 |
| 4JR0580 | 80+5 | EA | 1 |
| 4JR7580 | 80+7.5 | EA | 1 |
| 4JR1080 | 80+10 | EA | 1 |

MOTOR RUN CAPACITORS (USA MADE)

Made in the U.S.A. Capacitors Round Metal Can

Line of made in the USA capacitors featuring dual voltage for both 370V and 440V applications. Designed specifically for the demands of aftermarket service parts.



| CATALOG NO. | VOLTAGE | uf | UOM | ORDER MULTIPLE |
|-------------|-----------|--------|-----|----------------|
| 4JR0525U | 370V/440V | 25+5 | EA | 1 |
| 4JR0530U | 370V/440V | 30+5 | EA | 1 |
| 4JR7530U | 370V/440V | 30+7.5 | EA | 1 |
| 4JR0535U | 370V/440V | 35+5 | EA | 1 |
| 4JR7535U | 370V/440V | 35+7.5 | EA | 1 |
| 4JR0540U | 370V/440V | 40+5 | EA | 1 |
| 4JR7540U | 370V/440V | 40+7.5 | EA | 1 |
| 4JR0545U | 370V/440V | 45+5 | EA | 1 |
| 4JR7545U | 370V/440V | 45+7.5 | EA | 1 |
| 4JR0550U | 370V/440V | 50+5 | EA | 1 |
| 4JR7550U | 370V/440V | 50+7.5 | EA | 1 |
| 4JR0555U | 370V/440V | 55+5 | EA | 1 |
| 4JR7555U | 370V/440V | 55+7.5 | EA | 1 |
| 4JR0560U | 370V/440V | 60+5 | EA | 1 |
| 4JR7560U | 370V/440V | 60+7.5 | EA | 1 |
| 4JR0580U | 370V/440V | 80+5 | EA | 1 |

Motor Start Capacitors – 110/125 VAC

Variable capacitance. Round, plastic can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|-----------|-----|----------------|
| 56-72 | 56-72 | EA | 1 |
| 88-108 | 88-108 | EA | 1 |
| 108-130 | 108-130 | EA | 1 |
| 124-156 | 124-156 | EA | 1 |
| 145-175 | 145-175 | EA | 1 |
| 161-193 | 161-193 | EA | 1 |
| 189-227 | 189-227 | EA | 1 |
| 200-240 | 200-240 | EA | 1 |
| 216-259 | 216-259 | EA | 1 |
| 233-292 | 233-292 | EA | 1 |
| 270-324 | 270-324 | EA | 1 |
| 324-388 | 324-388 | EA | 1 |
| 340-408 | 340-408 | EA | 1 |
| 378-440 | 378-440 | EA | 1 |
| 400-480 | 400-480 | EA | 1 |
| 460-552 | 460-552 | EA | 1 |
| 540-648 | 540-648 | EA | 1 |
| 590-708 | 590-708 | EA | 1 |
| 708-850 | 708-850 | EA | 1 |
| 829-995 | 829-995 | EA | 1 |
| 1000-1200 | 1000-1200 | EA | 1 |

Made in the U.S.A. Capacitors Oval Metal Can

Line of made in the USA capacitors featuring dual voltage for both 370V and 440V applications. Designed specifically for the demands of aftermarket service parts.



| CATALOG NO. | VOLTAGE | uf | UOM | ORDER MULTIPLE |
|-------------|-----------|------|-----|----------------|
| 45050HU | 370V/440V | 5 | EA | 1 |
| 45075HU | 370V/440V | 7.5 | EA | 1 |
| 45100HU | 370V/440V | 10 | EA | 1 |
| 45150HU | 370V/440V | 15 | EA | 1 |
| 45200HU | 370V/440V | 20 | EA | 1 |
| 45250HU | 370V/440V | 25 | EA | 1 |
| 45300HU | 370V/440V | 30 | EA | 1 |
| 45350HU | 370V/440V | 35 | EA | 1 |
| 45400HU | 370V/440V | 40 | EA | 1 |
| 45450HU | 370V/440V | 45 | EA | 1 |
| 45125HU | 370V/440V | 12.5 | EA | 1 |
| 45500HU | 370V/440V | 50 | EA | 1 |
| 45600HU | 370V/440V | 60 | EA | 1 |
| 45700HU | 370V/440V | 70 | EA | 1 |
| 45800HU | 370V/440V | 80 | EA | 1 |

Motor Start Capacitors – 220/250 VAC

Variable capacitance. Round, plastic can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|---------|-----|----------------|
| 43-53220 | 43-53 | EA | 1 |
| 56-72220 | 56-72 | EA | 1 |
| 72-88220 | 72-88 | EA | 1 |
| 88-108220 | 88-108 | EA | 1 |
| 108-130220 | 108-130 | EA | 1 |
| 124-156220 | 124-156 | EA | 1 |
| 145-175220 | 145-175 | EA | 1 |
| 161-193220 | 161-193 | EA | 1 |
| 189-227220 | 189-227 | EA | 1 |
| 216-259220 | 216-259 | EA | 1 |
| 233-292220 | 233-292 | EA | 1 |
| 270-324220 | 270-324 | EA | 1 |

Motor Start Capacitors – 330 VAC

Variable capacitance. Round, plastic can.



| CATALOG NO. | uf | UOM | ORDER MULTIPLE |
|-------------|---------|-----|----------------|
| 72-88330 | 72-88 | EA | 1 |
| 88-108330 | 88-108 | EA | 1 |
| 108-130330 | 108-130 | EA | 1 |
| 124-156330 | 124-156 | EA | 1 |
| 145-175330 | 145-175 | EA | 1 |
| 161-193330 | 161-193 | EA | 1 |
| 189-227330 | 189-227 | EA | 1 |
| 216-259330 | 216-259 | EA | 1 |
| 270-324330 | 270-324 | EA | 1 |

HARD START KITS

Torque Plus—Hard Start Kits

Totally solid state, our DST 5 is just right for all permanent split capacitor (PSC) compressors from 1/2 to 10 H.P. It can be used on units that operate on 120 through 288 Volts. The DST 6 offers a larger capacitor for severely hard to start compressors. The DST 6 can be used on all PSC single phase compressors from 1 1/2 to 10 H.P. A unique combination of relay and safety timer. The capacitor is automatically disconnected in 0.5 seconds if the compressor fails to start.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|--------------|--------------------------------------|-----|----------------|
| DST-5 | Torque Plus – 300% Torque Multiplier | EA | 1 |
| DST-6 | Torque Plus – 500% Torque Multiplier | EA | 1 |

DiversiTech Hard Start Kits

DiversiTech hard start kits reduce contractor call backs by boosting the starting capacitor for a compressor. This prevents home brownouts and improves homeowner satisfaction with your service. DiversiTech's hard start kits feature a potential relay that disconnects the start capacitor from the circuit at exactly the moment it is no longer needed to boost the compressor. This results in a precision compressor start even under hard starting conditions. Replaces the Kickstart KS-1 and the 5-n-1 kit.



| CATALOG NO. | DESCRIPTION | UOM | ORDER MULTIPLE |
|-------------|--|-----|----------------|
| HSK1 | Hard Start Kit for 3.5 to 5HP Compressor | EA | 1 |
| HSK5 | Hard Start Kit for 1 to 3HP Compressor | EA | 1 |

CONTACTORS

DiversiTech® Two Pole Definite Purpose Contactors

Definite purpose contactors can be used for heating, air conditioning, refrigeration, data processing, and food service equipment. Quick connect terminals provide for easy wiring. This contactor comes as a two pole on a small frame.



| CATALOG NO. | FL AMPS | COIL VAC | UOM | ORDER MULTIPLE |
|-----------------|---------|----------|-----|----------------|
| EC25224 | 25 | 24 | EA | 1 |
| EC252120 | 25 | 120 | EA | 1 |
| EC252240 | 25 | 240 | EA | 1 |
| EC252277 | 25 | 277 | EA | 1 |
| EC30224 | 30 | 24 | EA | 1 |
| EC302120 | 30 | 120 | EA | 1 |
| EC302240 | 30 | 240 | EA | 1 |
| EC40224 | 40 | 24 | EA | 1 |
| EC402120 | 40 | 120 | EA | 1 |
| EC402240 | 40 | 240 | EA | 1 |

DiversiTech® Three Pole Definite Purpose Contactors

Definite purpose contactors can be used for heating, air conditioning, refrigeration, data processing, and food service equipment. Quick connect terminals provide for easy wiring. This contactor comes as a three pole on a large frame.



| CATALOG NO. | FL AMPS | COIL VAC | UOM | ORDER MULTIPLE |
|-----------------|---------|----------|-----|----------------|
| EC30324 | 30 | 24 | EA | 1 |
| EC303120 | 30 | 120 | EA | 1 |
| EC303240 | 30 | 240 | EA | 1 |
| EC303277 | 30 | 277 | EA | 1 |
| EC40324 | 40 | 24 | EA | 1 |
| EC403120 | 40 | 120 | EA | 1 |
| EC403240 | 40 | 240 | EA | 1 |
| EC403277 | 40 | 277 | EA | 1 |
| EC50324 | 50 | 24 | EA | 1 |
| EC503120 | 50 | 120 | EA | 1 |
| EC503240 | 50 | 240 | EA | 1 |
| EC503277 | 50 | 277 | EA | 1 |
| EC60324 | 60 | 24 | EA | 1 |
| EC603120 | 60 | 120 | EA | 1 |
| EC603240 | 60 | 240 | EA | 1 |
| EC603277 | 60 | 277 | EA | 1 |
| EC75324 | 75 | 24 | EA | 1 |
| EC753120 | 75 | 120 | EA | 1 |
| EC753240 | 75 | 240 | EA | 1 |
| EC753277 | 75 | 277 | EA | 1 |
| EC90324 | 90 | 24 | EA | 1 |
| EC903120 | 90 | 120 | EA | 1 |
| EC903240 | 90 | 240 | EA | 1 |
| EC903277 | 90 | 277 | EA | 1 |