



# ORIGINAL

[uh-rij-uh-nl]

created directly and personally; not a copy or imitation.



When you need to replace the exact Camstat® OEM heating control components, look to one source - SUPCO®. We are the sole manufacturer of Camstat® controls in the industry. We manufacture the complete line at our corporate headquarters in New Jersey using original Camstat® equipment and tooling.

**CAM-STAT®**  
A Division of SUPCO®



**S106 SERIES TIME DELAY RELAYS**



- SPST or SPDT
- Delay On/Off Timing
- 24 VAC Input

Part No.	A-1 Part No.	Switch Action	Time Delay ON (sec)	Time Delay OFF (sec)
S1061A4575C	FF582	SPST	30 to 50	60 to 90
S1061A5040C	FF583	SPST	45 to 55	30 to 50
S1061A40100C	FF584	SPST	35 to 45	80 to 110
S1061A5560C	FF585	SPST	50 to 60	45 to 75
S1061B6545C	FF586	SPDT	60 to 70	45 to 75

**F47 & F214 SERIES FAN CONTROLS**



- Adjustable Fan Off Setting
- Adjustable Fan Differential Setting

Part No.	A-1 Part No.	Width	Length	Fan OFF Temp (°F)	Fan Differential (°F)
F473TD12025C	FF564	7/16"	3"	90 to 120	25 to 50
F477TD12025C	FF565	7/16"	7"	90 to 120	25 to 50
F21412A14025C	FF562	1-1/16"	3"	60 to 140	25 to 50
F21413A14025C	FF563	1-1/16"	7"	60 to 140	25 to 50

**L59 LIMIT CONTROLS**



- SPDT Switch
- Adjustable Limit Setting

Part No.	A-1 Part No.	Length	Fan OFF Temp. (°F)	Fixed Differential (°F)
L593BA	FF568	3"	120 to 250	30
L597BA	FF569	7"	120 to 250	30

**FA47TS SERIES FAN CONTROLS W/ TIME START**



- Built in "Heat Assist" Timed Blower On
- Adjustable Fan OFF Setting

Part No.	A-1 Part No.	Length	Fan OFF Temp (°F)	Fan Differential (°F)	Time Delay 24 VAC (sec)
FA47TS3110	FF566	3"	80 to 110	60 (Fixed)	25 to 60
FA47TS7110	FF567	7"	80 to 110	60 (Fixed)	25 to 60

**FAL SERIES UNIVERSAL FAN AND LIMIT CONTROLS**



- Adjustable Fan OFF Setting
- Adjustable Fan Differential Setting
- Adjustable Limit Setting

Part No.	A-1 Part No.	Length	Fan OFF Temp (°F)	Fan Differential (°F)	Limit Temp (°F)	Limit Differential (°F)
FAL3C05TD120A	FF558	3"	90 to 120	25 to 50	150 to 250	30
FAL7C05TD120A	FF559	7"	90 to 120	25 to 50	150 to 250	30
FAL7C20BT120AB	FF594	7"	90 to 120	25 to 50	150 to 250	30

**BC7070 (F7070) BLOWER CONTROL**



- Increase Heating Efficiency by Delaying the ON and OFF Cycle of the Blower Fan
- Control Voltage: 24 VAC
- Relay Contacts: SPST
- Blower On Time: 0-240 Seconds Adjustable
- Blower Off Time: 0-240 Seconds Adjustable



FALTS SERIES FAN AND LIMIT CONTROLS W/ TIME DELAY



- Adjustable Fan Off Setting
- Adjustable Heat Assist for Timed Blower On
- Adjustable Limit Setting

Part No.	A-1 Part No.	Length	Fan OFF Temp. (°F)	Limit Temp (°F)	Limit Differential (°F)
FALTS57C05T120A	FF560	7"	90 to 120	150 to 250	30
FALTS57C65T120A	FF561	7" w/ shield	90 to 120	150 to 250	30
FALTS57C13BT120A	FF591	7" SPDT	90 to 120	150 to 250	30

PR SERIES PILOT REIGNITERS



- Prevents Pilot Flames from Extinguishing

Part No.	A-1 Part No.	Description
PR24120	FF541	Hardware Kit for PR2412036W
PR2412036W	FF536	24/120 VAC Hardware Kit, Spark Cable & Module

SUPCO IS YOUR #ONESOURCE FOR YOUR COMPONENTS NEEDS.

