




Anchors	104-105
Bolts and Washers.....	107
Boxes, Rings, and Covers	93-94
Bulbs.....	111
Cable Connectors	94-95
Cable Ties and Accessories	107-108
Conduit Fittings.....	95-96
Drill Bits.....	103
General Tools	110
High Temperature Solderless Terminals....	89-90
Nuts and Bolts.....	106
Plastic Anchor Kits	105
Power Cords and Work Lights.....	111-112
Safety/Protective Equipment.....	112
Screws	103-104
Slip-On Solderless Terminals	84-85
Special Purpose Solderless Terminals	90-91
Specialty Fasteners.....	108-109
Specialty Fittings	110
Specialty Tools.....	111
Standard Solderless Terminals	86-88
Storage Containers.....	112
Tapes.....	110
Terminal Kits.....	92
Testers, Leads, Clips, Fuses	102-103
Waterproof Solderless Terminals	88-89
Wire	96-97
Wiring Devices	97-102



How to sell DEVCO products

DEVCO merchandising displays are an easy and attractive way to showcase a variety of DEVCO products in your store. Offered in three different versions, each display rack includes everything you need to create extra sales for your business.



Easy to Display

DEVCO provides turnkey merchandising solutions for wholesale distribution. Attractive, easy to set-up merchandising displays provide a great way to highlight DEVCO products and make it easy for customers to find what they need. The point of sale display merchandises the products, enabling the distributor to add additional sales.

The products merchandised on the carousel are impulse buy items. The items are packed so they cost the contractor only a few dollars, and most are less than \$10 each.

Easy to Profit

DEVCO displays provide a typical distributor branch with easy add-on sales that build profits. Each display can generate significant sales and margins for the store while providing contractors with the parts they need to finish the job. These self-service displays are a great way to increase revenue with minimal effort.

The Perfect Plan

Each DEVCO Merchandising display comes with a complete plan-o-gram to make merchandising it simple and fast. And there are three different versions available so you can choose the display that's right for your business and customers.

And when you purchase the DEVCO products to fill it up, the merchandising rack is **loaned free of charge**.


Display Rack	Featured Products
EZC	Solderless terminals, ground connectors, fasteners, anchor kits, cable ties, washers, hex nuts, cable clamps, sheet metal screws and hose clamps
Electrical	Ground adaptors, outlets, boxes, bushings, cable connectors, extension rings, indicator lights, plugs and connectors, receptacles, reducing washers, toggle switches and hook up wire
Combo	Solderless terminals, insulated rings, ground adaptors, covers, reducing washers, plugs and connectors, hook up wire, fasteners, hex nuts and self drilling screws




PLAN-O-GRAM FOR DEVCO ELEC RACK (MKT-POP-DEVELEC)

D
E
V
C
O


PANEL A




PANEL B




PANEL C



PANEL D








MKT-POP-DEVELEC



MKT-POP-DEVELEC Merchandising Rack 72" x 22" x 20.5"

PLAN-O-GRAM FOR DEVCO EZC RACK (MKT-POP-DEVEZC)




MKT-POP-DEVEZC
Merchandising Rack
72" x 22" x 20.5"




PLAN-O-GRAM FOR DEVCO COMBO RACK (MKT-POP-DEVCOMBO)

PANEL A




PANEL B




PANEL C



PANEL D





MKT-POP-DEVCOMBO





MKT-POP-DEVCOMBO Merchandising Rack 72" x 22" x 20.5"

PLAN-O-GRAM FOR DEVCO PB-16 RACK (MKT-POP-DEV16)



MKT-POP-DEV16





DEVCO RACKS MASTER ITEM LIST (BY RACK)

This DEVCO product list includes any DEVCO item that is part of the plan-o-gram display for either the EZC, ELEC, COMBO, or PB-16 versions of the DEVCO rack. This cross reference indicates on which display rack each item should be placed.

ITEM #	ITEM DESCRIPTION	ELEC	EZC	COMBO	PB-16	ITEM #	ITEM DESCRIPTION	ELEC	EZC	COMBO	PB-16
5002	Crimp Tool w/ Cutter & Stripper Ins.		X	X		6706	Flat Washer 1/2in Uss zn Pltd.		X		
5031	Test Leads (ins. Alligator clips) Low Voltage 22in 8pcs	X	X	X	X	6722	Fender Washer 1/4in zn Pltd.		X	X	X
5033	Alligator Clips (steel) 2in long for probes .075in-.08in	X				6724	Fender Washer 3/8in zn Pltd.		X	X	
5035	Alligator Clips (copper) B&R Ins 2in long	X		X		7033	Toggle Bolt w/wing 3/16inx4inzn Pltd.		X		
5036	Test Clip (steel 20A) B&R Insulators 2-7/16in long	X		X		7034	Toggle Bolt w/wing 1/4inx4in zn Pltd.		X		
5041	Test Leads Low Voltage Hook Ty22ga 36in red & black	X				60210	Tab Ad. Ins. .250 16-14 multi stack male & female	X	X		
5223	Triple Outlet 2 Pole 3 Wire 15A-125V Polarized plastic	X				60251	Slip-On F 12-10 Non-Ins. .250	X	X		
5381	Nylon Cable Clamp 1/8in I.D.		X			60259HX	Comp. Lead Kt 12in 10ga wire	X	X	X	
5382	Nylon Cable Clamp 1/4in I.D.		X	X		60264CX	Cable Tie 6in w/ #8 Hole 30# 1-3/8in B. Dia nat 100/PK	X			
5383	Nylon Cable Clamp 3/8in I.D.		X			60265LX	Cable Tie 14in 50# 4in B. Dia natural 50 pcs	X	X		
5384	Nylon Cable Clamp 1/2in I.D.		X	X		61233LX	Slip-on M & F 16-14 .250 Full Ins Nylon 50 pcs	X	X		
6021	Rnd Head Screw (#6 8 10-32 x 1/2in 1-1/2in) zn Pltd.		X			6211CX	Tab Ad. S. F Dbl M Non-Ins.100 pcs	X	X		
6101	Motor Shaft Keys (1/8in 3/16in 1/4in 3/16in x 1/4in) zn Pltd.		X			6213CX	Flag F QD 16-14 Non-Ins. .250 100 pcs	X	X		
6102	Motor Shaft Keys (1/4insq 5/16insq 3/8insq) zn Pltd.		X			6214CX	Slip-on F 16-14 Non-Ins. .250 100 pcs	X	X		
6183	Terminal Block 20A-250V 6 pos	X		X		6216LX	Ring 16-14 Ins. #10 Stud 50 pcs	X	X		
6185	Terminal Block 20A-250V 10 pos	X		X		6217CX	Butt Conn. 16-14 Ins. 100 pcs	X	X	X	
6187	Terminal Block 20A-250V 14 pos	X		X		6217LX	Butt Conn. 16-14 Ins. 50 pcs	X	X		
6211	Tab Ad. S. F Dbl M. .250 Non-Ins.			X	X	6218LX	Slip-on F 16-14 Ins. .250 50 pcs	X	X	X	
6212	Dbl. M. Tab Ad. .S. F. Non-Ins.			X		6222LX	Dead End Conn. 22-14 Fully Ins. 50 pcs	X	X		
6216	Ring 16-14 Ins. #10 Stud			X		6223LX	Dead End Conn. 18-10 Fully Ins. 50 pcs	X	X		
6218	Slip-on F 16-14 Ins. .250	X	X			6227LX	Spade 16-14 Ins. #8 Stud	X	X		
6219	Slip-on M 16-14 Ins. .250	X	X			6228LX	Spade 16-14 Ins. #10 Stud 50 pcs	X	X		
6224	Flag F QD 12-10 Non-Ins. .250	X	X	X		6229LX	Slip-on F 16-14 Full Ins. .250	X	X	X	
6229	Slip-on F 16-14 Full Ins. .250	X				6231LX	Butt Conn. 12-10 Ins. 50 pcs	X	X		
6235	Slip-on F 22-18 Ins. .250	X	X			6232LX	Butt Conn. 22-18 Ins. 50 pcs	X	X		
6237	Spade 22-18 Ins. #8 Stud	X	X			6233LX	Slip-on F 16-14 .250 Full Ins. Nylon 50 pcs	X	X	X	
6251	Slip-on F 12-10 Ins. .250	X	X			6234LX	Slip-on M 16-14 .250 Full Ins. Nylon 50 pcs	X	X	X	
6252	Ring 12-10 Ins. #10 Stud	X	X			6235LX	Slip-on F 22-18 Ins. .250 50 pcs	X	X	X	
6253	Ring 12-10 Ins. 1/4in Stud	X	X			6236LX	Ring 22-18 Ins. #8 Stud 50 pcs	X	X	X	
6255	Spade 12-10 Ins. #10 Stud	X	X			6239LX	Spr. Spade 16-14 Ins. #8 Stud	X	X	X	
6258	Comp. Flag F. 16-14 Non-Ins. .250	X	X			6251LX	Slip-on F 12-10 Ins. .250	X	X	X	
6259	Comp. Flag F. 12-10 Non-Ins. .250			X		6252LX	Ring 12-10 Ins. #10 Stud	X	X		
6269	Cable Tie Mount	X				6255LX	Spade 12-10 Ins. #10 Stud 50 pcs	X	X	X	
6270	Comp. Flag F. 12-8 Non-Ins. .250	X	X			6257NX	Ring #8 Ins. 1/4in Stud 25 pc	X	X	X	
6274	Spade 16-14 Ins. #6 Stud	X				6258CX	Comp. Flag F. 16-14 Non-Ins. .250 100 pcs	X	X		
6276	Spr. Spade 16-14 Ins. #6 Stud	X	X			6259CX	Comp. Flag F. 12-10 Non-Ins. .250 100 pcs	X	X	X	
6281	Slip-on F 16-14 Ins. .187	X	X			6261CX	Cable Tie 6in 18# 1-3/8in B. Dia natural 100 pcs	X	X		
6282	Slip-on F 22-18 Ins. .187	X				6262CX	Cable Tie 7-1/2in 50# 1-3/4in B. Dia natural 100 pcs	X	X	X	
6291	Wire Connector Mini-Gray	X	X			6263CX	Cable Tie 11in 50# 3in B. Dia natural 100 pcs	X	X	X	
6292	Wire Connector Tiny-Blue	X	X			6263BCX	Cable Tie 11in 50# 3in B. Dia black 100 pcs	X		X	
6293	Wire Connector Small-Orange	X	X			6264CX	Cable Tie 7in w/ #10 Hole 50# 1-3/4in B. Dia nat 100/PK	X	X		
6294	Wire Connector Medium-Yellow	X	X			6269LX	Cable Tie Mount 50 pcs	X		X	
6296	Wire Connector Large-Red	X	X			6270LX	Comp. Flag F. 12-8 Non-Ins. .250 50 pcs	X	X	X	
6298	Wire Connector XLarge-Gray	X				6277NX	Flag F QD 16-14 .250 Fully Ins. Nylon 25 pcs	X	X	X	
6336	Thermostat Wire 3 Conduct.40 ft.	X				6281LX	Slip-on F 16-14 Ins. .187 50 pcs	X	X		
6337	Thermostat Wire 5 Conduct.40 ft.	X				6287XX	Butt Conn. #8 Ins. 10 pcs			X	
6341	SJTO Service Cord 16 GA 20 ft.	X	X	X	X	6289LX	Bullet Plug & Rec. 16-14 Ins. 50 pcs	X	X		
6343	SJTO Service Cord 14 GA 20 ft.	X	X	X	X	6295X	Assorted Wire Connectors	X	X	X	
6370	Heat Shrink Tubing Assort. B&W 1/8in & 1/4in supplied 6in	X		X		6310X	Grease Fitting Assortment box	X			
6413	Fin. Hex Nut 1/4in-20 zn Pltd.			X		6332B	Hook-up Wire 16ga blk. 48 ft	X			
6501	Fin. Hex Nut 1/4in-20 zn Pltd.	X	X			6332R	Hook-up Wire 16ga red. 48 ft	X			
6503	Fin. Hex Nut 3/8in-16 zn Pltd.	X	X			6332W	Hook-up Wire 16ga wht. 48 ft	X			
6642	HH Cap Screw 3/8in-16 x 1in	X				6333B	Hook-up Wire 14ga blk. 48 ft	X	X	X	
6643	HH Cap Screw 3/8in-16 x 1 1/2in	X				6333G	Hook-up Wire 14ga grn. 48 ft	X	X	X	
6701	Flat Washer 3/16in Uss zn Pltd.	X				6333R	Hook-up Wire 14ga red. 48 ft	X	X	X	
6702	Flat Washer 1/4in Uss zn Pltd.	X	X			6333W	Hook-up Wire 14ga wht. 48 ft	X	X	X	
6703	Flat Washer 5/16in Uss zn Pltd.	X				6334B	Hook-up Wire 12ga blk. 48 ft	X	X	X	
6704	Flat Washer 3/8in Uss zn Pltd.	X	X			6334R	Hook-up Wire 12ga red 48 ft	X	X	X	

continued

**DEVCO RACKS MASTER ITEM LIST (BY RACK) cont'd****D
E
V
C
O**

ITEM #	ITEM DESCRIPTION	ELEC	EZC	COMBO	PB-16
6334W	Hook-up Wire 12ga wht. 48 ft	X		X	X
6335B	Hook-up Wire 10ga blk. 48 ft	X		X	X
6335R	Hook-up Wire 10ga red 48 ft	X		X	X
6335W	Hook-up Wire 10ga wht. 48 ft	X		X	X
6339XL	Thermostat Wire 10 Conduct. 40 ft	X			
6500A	Asst Mach. Screw Hex Nuts 6-32 8-32 10-32 zn Pltd.			X	
6503CX	Fin. Hex Nut 3/8in-16 zn Pltd. 100 pcs		X		
6700AX	Flat Washer Assortment Pack 3/16 1/4 5/16 3/8 1/2 5/8 inch		X		
6943CX	Self Drilling Screw #8x1/2in 1/4in Hex Head zn Pltd. 100/PK	X	X		
6945CX	Self Drilling Screw #8x3/4in 1/4in Hex Head zn Pltd. 100/PK	X	X		
6946CX	Self Drilling Screw #8x1in 1/4in Hex Head zn Pltd. 100/PK	X	X		
6953CX	Drill Tip Screw #10x1/2in 5/16in Hex Head 100/PK	X	X	X	
6955CX	Drill Tip Screw #10x3/4in 5/16in Hex Head 100/PK	X	X	X	
6956CX	Self Drilling Screw #10x1in 5/16in Hex Head zn Pltd. 100/PK	X	X	X	
7036X	Toggle Bolt w/wing 3/8inx4in zn Pltd.		X		
7101CX	Anch Kit Yellow #8x1in w 3/16in bit 100 s + 100 a	X	X		
7102CX	Anch Kit Red #10x1-1/4in w 1/4in bit 100 s + 100 a		X	X	X
7103CX	Anch Kit Blue #4x3/4in w 5/32in bit 100 s + 100 a		X	X	
7106CX	Plug Anchor Kit Green #10x1in 1/4in bit 100 s +100 a bag		X		
7111CX	Plug Anchor Kit Blue #14x1in w 5/16in bit 100 s +100 a bag		X		
DE13	Magnetic Hex Chuck 1/4in x 1-3/4in		X		
DE14	Magnetic Hex Chuck 5/16in x 1-3/4in		X		
DE15	Magnetic Hex Chuck 3/8in x 1-7/8 in		X		X
DE23	Magnetic Hex Chuck 1/4in x 2-9/16 in		X		
ED1232	Toggle Switch D.P. 30A-120/277V brown	X		X	X
ED1238	Toggle Switch S.P. 20A-120/277V brown	X		X	
ED1240-2	Toggle Switch S.P. 15A-120/277V brown	X			
ED1262-2	Toggle Switch D.P. 15A-120/277V brown	X		X	X
ED1301	Toggle Switch S.P. 15A-120V brown	X		X	
ED1301-1	Toggle Switch S.P. 15A-120V ivory	X			
ED1709	Grounding Plug rubber handle 15A-125V 2pl 3 wire	X		X	
ED1876	Single Receptacle 20A-250V 2 pl. 3 wr. brown	X			
ED1876-1	Single Receptacle 20A-250V 2 pl. 3 wr. ivory	X			
ED270	Duplex Receptacle 15A-125V 2 pl. 3 wr. brown	X		X	
ED270-1	Duplex Receptacle 15A-125V 2 pl. 3 wr. ivory	X			
ED273CX	Electrical Staple insul size #5 5/8in x 1/4in 100/PK	X		X	
ED2867	Armored Plug 15A-125V 2pl.3 wr. vinyl enclosed	X		X	
ED2887	Armored Connector 15A-125V 2pl. 3 wr. vinyl enclosed	X		X	
ED320	Vinyl Grommet Asst. contains: ED300 thru ED316	X	X	X	X
ED447	Bat Handle Switch metal SPST on-off 10A/277V-20A/125V AC	X		X	
ED453	Bat Handle Switch metal DPDT on-on 10A/277V-20A/125V AC	X		X	
ED454	Bat Handle Switch metal SPDT on-on 10A/277V-20A/125V AC	X			
ED455	Bat Handle Switch metal DPST on-off 10A/277V-20A/125V AC	X		X	
ED468	Bat Handle Switch metal SPDT on-off-on 10A/277V-20A/125V	X		X	
ED4867	Right Angle Plug 15A-125V 2pl. 3 wr.	X			
ED494	Bat Handle Switch metal DPDT on-off-on 10A/277V-20A/125V	X		X	
ED5225	Switch & Receptacle 2p 3w (sw:15A-120VAC& rec:15A-125VAC) brn	X			X
ED600	Indicator Light 28V red PC lens incandescent bulb	X			
ED601	Indicator Light 28V green PC lens incandescent bulb	X			
ED602	Indicator Light 28V amber PC lens incandescent bulb	X			
ED610	Indicator Light 105-125V AC red nylon lens neon bulb	X			
ED611	Indicator Light 105-125V AC gm PC lensneon blb-G2B Imp&resstr	X			
ED877	Duplex Receptacle 20A-125V 2 pl. 3 wr. brown	X		X	
EM480	In-Line Fuse Holder 1-1/4 x 1/4in fuses to 20A/32V 14ga	X		X	X
HC5410	Hose Clamp 9/16in-1-1/8in SSHousing&band st hex screw		X	X	
HC5416	Hose Clamp 3/4in-1-1/2in SSHousing&band st hex screw		X		
HC6202	Hose Clamp 1/4in-5/8in SS housing&band st hex screw	X	X	X	
HC6203	Hose Clamp 5/16in-7/8in SSHousing&band st hex screw	X	X	X	
PI301	Cond Nip 1/2in offset zn w pltd. stl locknuts insul. bushings	X		X	
PI303	Cond Nip 1/2in str galv steel w pltd. stl lock insul.	X		X	

ITEM #	ITEM DESCRIPTION	ELEC	EZC	COMBO	PB-16
PI306	EMT Strap fits 1/2in conduit one hole zn Pltd. steel	X		X	
PI307	EMT Strap fits 3/4in conduit one hole zn Pltd. steel	X		X	
PI309	Romex Stap 1in x 1/2in non-ins. steel 14/2-10/3	X		X	
PI310	Reduc. Wash 3/4in to 1/2in Rsd Fln Galv St	X		X	
PI312	BX Conct set screw 3/8in Tr. 1/2in KO. zn die cast	X		X	
PI315	BX Connector 90 3/8inTr. 1/2in KO zn die cast	X	X	X	
PI316	Knockout Seal for 1/2in KO zn Pltd. steel	X			
PI319	Romex Connector 3/4in Tr. 3/4in KO. zn Pltd. die cast	X			
PI320	Romex Connector 3/8in Tr. 1/2in KO. zn Pltd. die cast 25/PK	X	X	X	X
PI321	Romex Connector 3/8in Tr.1/2 in KO. zn Pltd. die cast	X	X	X	X
PI322	BX Conct str sqze 3/8in Tr. 1/2in KO. zn die cast	X			
PI328	Split Bolt Connector Cu use (6 max sol & 7 max strnd)	X		X	
PI330	Romex Stap plastic 3/8inx1/2in for 2 cond. romex 12/2-14/2	X			
PI331	Plastic in Anti-Shortin Bush 14/2 14/3 & 12/2 BX cable	X			
PI340	Combo Cable Connector for romex & BX 3/8in Tr. 1/2in KO	X			
PI350	Metal LT Connc straight 1/2in Tr. 1/2in K.O	X			
PI351	Metal LT Connc straight 3/4in Tr. 3/4in K.O.	X			
PI352	Liquid Tight Connector 90 1/2in Tr. 1/2in K.O. zn die cast	X			
PI353	Liquid Tight Connector 90 3/4in Tr. 3/4in K.O. zn die cast	X			
PI360	Box galv. steel 4in x 2-1/8inx 1-7/8in 1/2in KO 13 in3	X		X	
PI361	Box galv. steel 4in x 2-1/8inx 2-1/8in 1/2in KO 14.5 in3	X		X	
PI362	1900 Box galv. steel 4X4X1-1/2 1/2&3/4 KO 21 in3	X		X	
PI363	1900 Box galv. steel 4X4X2-1/8in 1/2&3/4 KO 30.3 in3	X		X	
PI365	Utility Cover Toggle Switch 2-11/32in x 4-1/4in Pltd. steel	X		X	
PI366	Cover Duplex Receptacle 2-11/32in x 4-1/4in Pltd. steel	X		X	
PI367	Utility Cover Blank 2-11/32in x 4-1/4in Pltd. steel	X		X	
PI368	1900 Cover Sw/Dup Rec cad fin. steel 4in x 4in raised 1/2in	X		X	
PI371	1900 Cover Blank Flat galv. steel	X		X	
PI378	1900 Cover Duplex Recep cadil fin. steel 4X4 raised 1/2in	X			
PI381	Fuse Outlet & Switch w cover 1/2HP-125V AC galv. steel	X		X	
PI382	Weatherproof Cover Blank Al 1 Gang w gasket anodized	X			
PI385	Wthrprf Box AL2-3/4inx4-1/2inx23 1/2in holes 2 plugs 19 in3	X			
WM1002	Cable Marker Book alpha numer	X			
WM1003	Cable Marker Book numeric contains 10 each: 1 - 45	X	X	X	
WM1009	Cable Marker Book line & term	X			
WM1014	Cable Marker Book 180 Blank Write-On 1/2in x 1-1/2in	X			
ED-AT3	Blade Fuses - 3 Amp - Purple, Pack of 10	X	X	X	
ED-AT5	Blade Fuses - 5 Amp - Tan, Pack of 10	X	X	X	
ED-CR15	Dual Element Fuses - 15 Amp, Pack of 2	X		X	
ED-CR20	Dual Element Fuses - 20 Amp, Pack of 2	X		X	
ED-CR25	Dual Element Fuses - 25 Amp, Pack of 2	X		X	
ED-CR30	Dual Element Fuses - 30 Amp, Pack of 2	X	X	X	
ED-CR35	Dual Element Fuses - 35 Amp, Pack of 2	X		X	
ED-CR40	Dual Element Fuses - 40 Amp, Pack of 2	X		X	
ED-CR45	Dual Element Fuses - 45 Amp, Pack of 2	X		X	
ED-CR50	Dual Element Fuses - 50 Amp, Pack of 2	X		X	
ED-CR60	Dual Element Fuses - 60 Amp, Pack of 2	X	X	X	



SLIP-ON SOLDERLESS TERMINALS

Insulated Male Slip-Ons

The insulation on fully insulated slip-ons is vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
60219	Insulated Male Slip-On, pack of 23	22-18	.250	PK	1
60219LX	Insulated Male Slip-On, pack of 50	22-18	.250	PK	1
60220	Insulated Male Slip-On, pack of 23	16-14	.187	PK	1
60220LX	Insulated Male Slip-On, pack of 50	16-14	.187	PK	1
6219	Insulated Male Slip-On, pack of 22	16-14	.250	PK	1
6219LX	Insulated Male Slip-On, pack of 50	16-14	.250	PK	1
61221LX	Insulated Male Slip-On, pack of 50	12-10	.250	PK	1
61221CX	Insulated Male Slip-On, pack of 100	12-10	.250	PK	1

Non-Insulated Male Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
61219	Non-Insulated Male Slip-On, pack of 37	22-18	.250	PK	1
61220	Non-Insulated Male Slip-On, pack of 37	16-14	.187	PK	1
6220	Non-Insulated Male Slip-On, pack of 38	16-14	.250	PK	1
6220CX	Non-Insulated Male Slip-On, pack of 100	16-14	.250	PK	1
61222	Non-Insulated Male Slip-On, pack of 27	12-10	.250	PK	1
61222CX	Non-Insulated Male Slip-On, pack of 100	12-10	.250	PK	1

Insulated Female Slip-Ons

The insulation on fully insulated slip-ons is vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
6282	Insulated Female Slip-On, pack of 22	22-18	.187	PK	1
6282LX	Insulated Female Slip-On, pack of 50	22-18	.187	PK	1
6235	Insulated Female Slip-On, pack of 22	22-18	.250	PK	1
6235LX	Insulated Female Slip-On, pack of 50	22-18	.250	PK	1
6235CX	Insulated Female Slip-On, pack of 100	22-18	.250	PK	1
6281	Insulated Female Slip-On, pack of 22	16-14	.187	PK	1
6281LX	Insulated Female Slip-On, pack of 50	16-14	.187	PK	1
6218	Insulated Female Slip-On, pack of 22	16-14	.250	PK	1
6218LX	Insulated Female Slip-On, pack of 50	16-14	.250	PK	1
6218CX	Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
6251	Insulated Female Slip-On, pack of 17	12-10	.250	PK	1
6251LX	Insulated Female Slip-On, pack of 50	12-10	.250	PK	1
6251CX	Insulated Female Slip-On, pack of 100	12-10	.250	PK	1
61223LX	Insulated Female Slip-On, pack of 50	12-10	.340	PK	1

Non-Insulated Female Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
60235	Non-Insulated Female Slip-On, pack of 36	22-18	.110	PK	1
6221CX	Non-Insulated Female Slip-On, pack of 100	16-14	.187	PK	1
6214	Non-Insulated Female Slip-On, pack of 35	16-14	.250	PK	1
6214CX	Non-Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
60214*	Non-Insulated Female Slip-On, pack of 28	16-14	.250	PK	1
60218	Non-Insulated Female Slip-On, pack of 15	16-14	.300	PK	1
60218LX	Non-Insulated Female Slip-On, pack of 50	16-14	.300	PK	1
60251	Non-Insulated Female Slip-On, pack of 26	12-10	.250	PK	1
60251CX	Non-Insulated Female Slip-On, pack of 100	12-10	.250	PK	1
61224	Non-Insulated Female Slip-On, pack of 14	12-10	.340	PK	1

* This terminal features insulation grip.

Fully Insulated Female Slip-Ons

The insulation on fully insulated slip-ons is vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
6229**	Fully Insulated Female Slip-On, pack of 11	22-18	.250	PK	1
6229LX**	Fully Insulated Female Slip-On, pack of 50	22-18	.250	PK	1
6233	Fully Insulated Female Slip-On, pack of 14	16-14	.250	PK	1
6233LX	Fully Insulated Female Slip-On, pack of 50	16-14	.250	PK	1
6233CX	Fully Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
61227NX*	Fully Insulated Female Slip-On, pack of 25	12-10	.250	PK	1
61234LX	Fully Insulated Female Slip-On, pack of 50	12-10	.250	PK	1

* This terminal features insulation grip.

**This terminal is usually supplied vinyl and has an insulation grip.

Fully Insulated Male Slip-Ons

The insulation on fully insulated slip-ons is vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
6234	Fully Insulated Male Slip-On, pack of 14	16-14	.250	PK	1
6234LX	Fully Insulated Male Slip-On, pack of 50	16-14	.250	PK	1
61235LX	Fully Insulated Male Slip-On, pack of 50	12-10	.250	PK	1

Non-Insulated Flag Female Slip-Ons

Part 6213 features insulation grip.




6224

CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
60224	Non-Insulated Flag Female Slip-On, pack of 24	22-18	.187	PK	1
60225	Non-Insulated Flag Female Slip-On, pack of 24	22-18	.250	PK	1
60225CX	Non-Insulated Flag Female Slip-On, pack of 100	22-18	.250	PK	1
60213	Non-Insulated Flag Female Slip-On, pack of 26	16-14	.187	PK	1
60213CX	Non-Insulated Flag Female Slip-On, pack of 100	16-14	.187	PK	1
6213	Non-Insulated Flag Female Slip-On, pack of 34	16-14	.250	PK	1
6213CX	Non-Insulated Flag Female Slip-On, pack of 100	16-14	.250	PK	1
6224	Non-Insulated Flag Female Slip-On, pack of 20	12-10	.250	PK	1
6224CX	Non-Insulated Flag Female Slip-On, pack of 100	12-10	.250	PK	1

Fully Insulated Flag Female Slip-Ons

The insulation is vinyl or nylon.



6277

CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
6277	Fully Insulated Flag Female Slip-On, pack of 9	16-14	.250	PK	1
6277NX	Fully Insulated Flag Female Slip-On, pack of 25	16-14	.250	PK	1

Flag Female Compressor Terminals

Also known as hermetic header terminals, these non-insulated terminals are designed with a larger distance between the "rolls" to allow for the rod in hermetic header applications. The increased distance allows the rod to slip in between them. Parts 6258 and 6259 are notched for bending. The notches are cut between the slip-on portion and the conductor barrel and enable the back of the slip-on portion to be folded against the conductor barrel after the wire connection is made.



6270

6258

CATALOG NO.	DESCRIPTION	WIRE RANGE	FITS	UOM	ORDER MULTIPLE
6271	Flag Female Compressor Terminal, pack of 12	18-16	.090 pin	PK	1
6271CX	Flag Female Compressor Terminal, pack of 100	18-16	.090 pin	PK	1
6273LX	Flag Female Compressor Terminal, pack of 50	18-12	.250 tab	PK	1
6270	Flag Female Compressor Terminal, pack of 9	12-8	.250 tab	PK	1
6270LX	Flag Female Compressor Terminal, pack of 50	12-8	.250 tab	PK	1
6258*	Flag Female Compressor Terminal, pack of 17	16-14	.250 tab	PK	1
6258CX*	Flag Female Compressor Terminal, pack of 100	16-14	.250 tab	PK	1
6259	Flag Female Compressor Terminal, pack of 14	12-10	.250 tab	PK	1
6259CX	Flag Female Compressor Terminal, pack of 100	12-10	.250 tab	PK	1

* This terminal features insulation grip.

Combination Pack: Set of 6233 and 6234



61233

CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
61233	Set of Fully Insulated M/F Slip-Ons, pack of 6 pairs	16-14	.250	PK	1
61233LX	Set of Fully Insulated M/F Slip-Ons, pack of 25 pairs	16-14	.250	PK	1

Flag Female Compressor Terminal Kit

Parts 6258, 6271, 6259, 6273, 6270 in a four compartment, clear plastic box. Parts 6270 and 6273 are put in the same compartment.



6200HX

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6200HX	Flag Female Compressor Terminal Kit	EA	1

Compressor Lead Kit

Kit includes three leads:

- flag female compressor terminal (.250 tab; part 6259)
- waterproof butt connector (12-10 wire range; part 62231)
- piece of 10 gauge wire



60259HX

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
60259HX	Compressor Lead Kit with 12" wire	EA	1



STANDARD SOLDERLESS TERMINALS

Insulated Hooks



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
6242	Insulated Hooks, pack of 22	22-18	#8	PK	1
6242LX	Insulated Hooks, pack of 50	22-18	#8	PK	1
6244	Insulated Hooks, pack of 20	16-14	#8	PK	1
6244LX	Insulated Hooks, pack of 50	16-14	#8	PK	1

Non-Insulated Hooks



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
6243	Non-Insulated Hooks, pack of 20	16-14	#8	PK	1

Insulated Butt Connectors



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6232	Insulated Butt Connector, pack of 26	22-18	PK	1
6232LX	Insulated Butt Connector, pack of 50	22-18	PK	1
6232CX	Insulated Butt Connector, pack of 100	22-18	PK	1
6217	Insulated Butt Connector, pack of 27	16-14	PK	1
6217LX	Insulated Butt Connector, pack of 50	16-14	PK	1
6217CX	Insulated Butt Connector, pack of 100	16-14	PK	1
6231	Insulated Butt Connector, pack of 16	12-10	PK	1
6231LX	Insulated Butt Connector, pack of 50	12-10	PK	1
6231CX	Insulated Butt Connector, pack of 100	12-10	PK	1
6287	Insulated Butt Connector, pack of 5	22-18	PK	1
6287XX	Insulated Butt Connector, pack of 10	8	PK	1
6287NX	Insulated Butt Connector, pack of 25	8	PK	1

Non-Insulated Butt Connectors



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
60231	Non-Insulated Butt Connector, pack of 15	12-10	PK	1
60231CX	Non-Insulated Butt Connector, pack of 100	12-10	PK	1

Nylon Insulated Butt Connectors



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
61217	Nylon Insulated Butt Connector, pack of 17	16-14	PK	1
61231	Nylon Insulated Butt Connector, pack of 12	12-10	PK	1

Butt Connector Assortment Kit

Includes parts 6217, 6231, and 6232.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6200BSX	Butt Connector Assortment Kit	EA	1

Insulated Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61214	Insulated Spades, pack of 23	22-18	#6	PK	1
6237	Insulated Spades, pack of 22	22-18	#8	PK	1
6237LX	Insulated Spades, pack of 50	22-18	#8	PK	1
61256	Insulated Spades, pack of 23	22-18	#10	PK	1
61256LX	Insulated Spades, pack of 50	22-18	#10	PK	1
6274	Insulated Spades, pack of 22	16-14	#6	PK	1
6274LX	Insulated Spades, pack of 50	16-14	#6	PK	1
6227	Insulated Spades, pack of 22	16-14	#8	PK	1
6227LX	Insulated Spades, pack of 50	16-14	#8	PK	1
6227CX	Insulated Spades, pack of 100	16-14	#8	PK	1
6228	Insulated Spades, pack of 22	16-14	#10	PK	1
6228LX	Insulated Spades, pack of 50	16-14	#10	PK	1
60274	Insulated Spades, pack of 18	12-10	#6	PK	1
60254	Insulated Spades, pack of 18	12-10	#8	PK	1
60254LX	Insulated Spades, pack of 50	12-10	#8	PK	1
60254CX	Insulated Spades, pack of 100	12-10	#8	PK	1
6255	Insulated Spades, pack of 17	12-10	#10	PK	1
6255LX	Insulated Spades, pack of 50	12-10	#10	PK	1
6255CX	Insulated Spades, pack of 100	12-10	#10	PK	1

Non-Insulated Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61215	Non-Insulated Spades, pack of 22	22-18	#6	PK	1
60237	Non-Insulated Spades, pack of 23	22-18	#8	PK	1
60237CX	Non-Insulated Spades, pack of 100	22-18	#8	PK	1
61257	Non-Insulated Spades, pack of 25	22-18	#10	PK	1
61275CX	Non-Insulated Spades, pack of 100	16-14	#6	PK	1
6225	Non-Insulated Spades, pack of 24	16-14	#8	PK	1
6225CX	Non-Insulated Spades, pack of 100	16-14	#8	PK	1
6226	Non-Insulated Spades, pack of 23	16-14	#10	PK	1
6226CX	Non-Insulated Spades, pack of 100	16-14	#10	PK	1
61274	Non-Insulated Spades, pack of 16	12-10	#6	PK	1
61218	Non-Insulated Spades, pack of 17	12-10	#8	PK	1
6254	Non-Insulated Spades, pack of 22	12-10	#10	PK	1
6254LX	Non-Insulated Spades, pack of 50	12-10	#10	PK	1
6254CX	Non-Insulated Spades, pack of 100	12-10	#10	PK	1

Insulated Block Spade Terminals



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
60275LX	Insulated Block Spade Terminal, pack of 50	16-14	#8	PK	1

Insulated Spring Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
60209	Insulated Spring Spades, pack of 22	22-18	#6	PK	1
6238	Insulated Spring Spades, pack of 22	22-18	#8	PK	1
6238LX	Insulated Spring Spades, pack of 50	22-18	#8	PK	1
6276	Insulated Spring Spades, pack of 21	16-14	#6	PK	1
6276LX	Insulated Spring Spades, pack of 50	16-14	#6	PK	1
6239	Insulated Spring Spades, pack of 22	16-14	#8	PK	1
6239LX	Insulated Spring Spades, pack of 50	16-14	#8	PK	1
60228	Insulated Spring Spades, pack of 22	16-14	#10	PK	1
60256	Insulated Spring Spades, pack of 17	12-10	#8	PK	1
60256CX	Insulated Spring Spades, pack of 100	12-10	#8	PK	1
60255	Insulated Spring Spades, pack of 16	12-10	#10	PK	1
60255LX	Insulated Spring Spades, pack of 50	12-10	#10	PK	1

Non-Insulated Spring Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
60238	Non-Insulated Spring Spades, pack of 25	22-18	#8	PK	1
60201	Non-Insulated Spring Spades, pack of 27	22-18	#10	PK	1
60226	Non-Insulated Spring Spades, pack of 24	16-14	#8	PK	1
60240	Non-Insulated Spring Spades, pack of 27	16-14	#10	PK	1

Insulated Flange Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61236	Insulated Flange Spades, pack of 21	22-18	#6	PK	1
61237	Insulated Flange Spades, pack of 21	22-18	#8	PK	1
61239	Insulated Flange Spades, pack of 17	16-14	#6	PK	1
61276	Insulated Flange Spades, pack of 22	16-14	#8	PK	1
61276LX	Insulated Flange Spades, pack of 50	16-14	#8	PK	1
61255	Insulated Flange Spades, pack of 16	12-10	#10	PK	1
61255LX	Insulated Flange Spades, pack of 50	12-10	#10	PK	1

Non-Insulated Flange Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61238	Non-Insulated Flange Spades, pack of 24	22-18	#8	PK	1
61201	Non-Insulated Flange Spades, pack of 24	22-18	#10	PK	1
61226	Non-Insulated Flange Spades, pack of 24	16-14	#8	PK	1
61240	Non-Insulated Flange Spades, pack of 24	16-14	#10	PK	1



STANDARD SOLDERLESS TERMINALS cont'd

Insulated Rings



61202

CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61202	Insulated Rings, pack of 22	22-18	#6	PK	1
6236LX	Insulated Rings, pack of 50	22-18	#8	PK	1
61206	Insulated Rings, pack of 19	22-18	1/4"	PK	1
61208	Insulated Rings, pack of 17	22-18	5/16"	PK	1
61210	Insulated Rings, pack of 15	22-18	3/8"	PK	1
61210LX	Insulated Rings, pack of 50	22-18	3/8"	PK	1
6272	Insulated Rings, pack of 22	16-14	#6	PK	1
60272LX	Insulated Rings, pack of 50	16-14	#8	PK	1
6216	Insulated Rings, pack of 23	16-14	#10	PK	1
6216LX	Insulated Rings, pack of 50	16-14	#10	PK	1
6216CX	Insulated Rings, pack of 100	16-14	#10	PK	1
60216	Insulated Rings, pack of 20	16-14	1/4"	PK	1
61204	Insulated Rings, pack of 19	16-14	5/16"	PK	1
60245	Insulated Rings, pack of 17	16-14	3/8"	PK	1
60247	Insulated Rings, pack of 17	12-10	#6	PK	1
60252CX	Insulated Rings, pack of 100	12-10	#8	PK	1
6252	Insulated Rings, pack of 17	12-10	#10	PK	1
6252LX	Insulated Rings, pack of 50	12-10	#10	PK	1
6253LX	Insulated Rings, pack of 50	12-10	1/4"	PK	1
6253CX	Insulated Rings, pack of 100	12-10	1/4"	PK	1
61212	Insulated Rings, pack of 13	12-10	5/16"	PK	1
60253	Insulated Rings, pack of 13	12-10	3/8"	PK	1
60253LX	Insulated Rings, pack of 50	12-10	3/8"	PK	1
61254	Insulated Rings, pack of 10	12-10	1/2"	PK	1
6257	Insulated Rings, pack of 6	8	1/4"	PK	1
6257NX	Insulated Rings, pack of 25	8	1/4"	PK	1
60257	Insulated Rings, pack of 6	8	5/16"	PK	1
60257NX	Insulated Rings, pack of 25	8	5/16"	PK	1
60258NX	Insulated Rings, pack of 25	8	3/8"	PK	1
61252	Insulated Rings, pack of 5	6	5/16"	PK	1
61252NX	Insulated Rings, pack of 25	6	5/16"	PK	1

Non-Insulated Rings



61203

CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
61203	Non-Insulated Rings, pack of 23	22-18	#6	PK	1
60236	Non-Insulated Rings, pack of 28	22-18	#8	PK	1
60206	Non-Insulated Rings, pack of 25	22-18	#10	PK	1
61207	Non-Insulated Rings, pack of 24	22-18	1/4"	PK	1
61209	Non-Insulated Rings, pack of 19	22-18	5/16"	PK	1
61211	Non-Insulated Rings, pack of 20	22-18	3/8"	PK	1
61272	Non-Insulated Rings, pack of 23	16-14	#6	PK	1
6215	Non-Insulated Rings, pack of 27	16-14	#8	PK	1
6215CX	Non-Insulated Rings, pack of 100	16-14	#8	PK	1
60215	Non-Insulated Rings, pack of 24	16-14	#10	PK	1
60215CX	Non-Insulated Rings, pack of 100	16-14	#10	PK	1
60205	Non-Insulated Rings, pack of 21	16-14	1/4"	PK	1
60205CX	Non-Insulated Rings, pack of 100	16-14	1/4"	PK	1
61205	Non-Insulated Rings, pack of 23	16-14	5/16"	PK	1
61205CX	Non-Insulated Rings, pack of 100	16-14	5/16"	PK	1
61245	Non-Insulated Rings, pack of 17	16-14	3/8"	PK	1
61247	Non-Insulated Rings, pack of 16	12-10	#6	PK	1
60204	Non-Insulated Rings, pack of 20	12-10	#8	PK	1
60202	Non-Insulated Rings, pack of 17	12-10	1/4"	PK	1
61213	Non-Insulated Rings, pack of 12	12-10	5/16"	PK	1
61253	Non-Insulated Rings, pack of 15	12-10	3/8"	PK	1

Flag Rings



6247

CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
6247	Flag Rings, pack of 27	16-14	#10	PK	1
6247CX	Flag Rings, pack of 100	16-14	#10	PK	1
6248	Flag Rings, pack of 20	12-10	#10	PK	1

WATERPROOF SOLDERLESS TERMINALS

Waterproof terminals are assembled with high grade heat shrinkable insulation. When heated, the insulation shrinks around the crimped connection and wire, sealing out moisture and corrosion. Wire insulation grip for severe vibration applications.

Waterproof Rings



62236

CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
62236	Waterproof Rings, pack of 5	22-18	#8	PK	1
62273	Waterproof Rings, pack of 4	16-14	#8	PK	1
62216	Waterproof Rings, pack of 4	16-14	#10	PK	1

Waterproof Butt Connectors



62232

CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
62232	Waterproof Butt Connectors, pack of 4	22-18	PK	1
62232XX	Waterproof Butt Connectors, pack of 10	22-18	PK	1
62231	Waterproof Butt Connectors, pack of 3	12-10	PK	1
62231XX	Waterproof Butt Connectors, pack of 10	12-10	PK	1

WATERPROOF SOLDERLESS TERMINALS cont'd

Fully Insulated Waterproof Female Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
62235	Fully Insulated Female Slip-Ons, pack of 3	22-18	.250	PK	1
62218	Fully Insulated Female Slip-Ons, pack of 3	16-14	.250	PK	1
62251	Fully Insulated Female Slip-Ons, pack of 3	12-10	.250	PK	1

Waterproof Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
62227	Waterproof Spades, pack of 5	16-14	#8	PK	1
62228	Waterproof Spades, pack of 4	16-14	#10	PK	1

Fully Insulated Waterproof Male Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
62219	Fully Insulated Male Slip-Ons, pack of 3	16-14	.250	PK	1

HIGH TEMPERATURE SOLDERLESS TERMINALS

Non-insulated terminals constructed of nickel plated steel; rated at 900°F (482°C).

High Temperature Male Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
4220	High Temp. Male Slip-Ons, pack of 21	16-14	.250	PK	1
4220CX	High Temp. Male Slip-Ons, pack of 100	16-14	.250	PK	1
4218	High Temp. Male Slip-Ons, pack of 17	18-14	.187	PK	1
4219	High Temp. Male Slip-Ons, pack of 21	12-10	.250	PK	1

High Temperature Flag Female Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
4213	High Temp. Flag Female Slip-Ons, pack of 16	16-14	.250	PK	1
4213CX	High Temp. Flag Female Slip-Ons, pack of 100	16-14	.250	PK	1
4224	High Temp. Flag Female Slip-Ons, pack of 11	12-10	.250	PK	1
4224NX	High Temp. Flag Female Slip-Ons, pack of 25	12-10	.250	PK	1
4224CX	High Temp. Flag Female Slip-Ons, pack of 100	12-10	.250	PK	1

High Temperature Female Slip-Ons



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
4221	High Temp. Female Slip-Ons, pack of 20	16-14	.187	PK	1
4221CX	High Temp. Female Slip-Ons, pack of 100	16-14	.187	PK	1
4214	High Temp. Female Slip-Ons, pack of 21	16-14	.250	PK	1
4214CX	High Temp. Female Slip-Ons, pack of 100	16-14	.250	PK	1
4204	High Temp. Female Slip-Ons, pack of 17	12-10	.250	PK	1
4204CX	High Temp. Female Slip-Ons, pack of 100	12-10	.250	PK	1

High Temperature Spades



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
4226	High Temp. Spades, pack of 23	16-14	#10	PK	1
4226CX	High Temp. Spades, pack of 100	16-14	#10	PK	1
4254CX	High Temp. Spades, pack of 100	12-10	#10	PK	1



HIGH TEMPERATURE SOLDERLESS TERMINALS cont'd

High Temperature Rings



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
4206	High Temp. Rings, pack of 25	22-18	#6	PK	1
4206CX	High Temp. Rings, pack of 100	22-18	#6	PK	1
4236CX	High Temp. Rings, pack of 100	22-18	#10	PK	1
4272CX	High Temp. Rings, pack of 100	16-14	#6	PK	1
4215	High Temp. Rings, pack of 21	16-14	#10	PK	1
4215CX	High Temp. Rings, pack of 100	16-14	#10	PK	1
4205CX	High Temp. Rings, pack of 100	16-14	1/4"	PK	1
4252	High Temp. Rings, pack of 14	12-10	#10	PK	1
4252CX	High Temp. Rings, pack of 100	12-10	#10	PK	1
4253	High Temp. Rings, pack of 14	12-10	1/4"	PK	1
4253CX	High Temp. Rings, pack of 100	12-10	1/4"	PK	1

High Temperature Butt Connectors



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
4217CX	High Temp. Butt Connectors, pack of 100	16-14	PK	1
4231	High Temp. Butt Connectors, pack of 17	12-10	PK	1

High Temperature Assortment

Includes parts 4213, 4215, and 4204, and 4254.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
4200AX	High Temp. Assortment	EA	1

SPECIAL PURPOSE SOLDERLESS TERMINALS

Fully Insulated Receptacles



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6284	Fully Insulated Receptacles, pack of 12	22-18	PK	1
6284LX	Fully Insulated Receptacles, pack of 50	22-18	PK	1
6286	Fully Insulated Receptacles, pack of 12	16-14	PK	1
6286LX	Fully Insulated Receptacles, pack of 50	16-14	PK	1

Tap Connectors

Designed to make tap splices.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6241	Tap Splice – blue, pack of 15	16-14	PK	1
62402	Tap Splice – red, pack of 9	22-18	PK	1
6240	Tap Splice – yellow, pack of 10	12-10	PK	1
6245	Tap Splice, mates w/.250 tab – blue, pack of 9	18-14	PK	1

Non-Insulated Receptacles



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
60284	Non-Insulated Receptacles, pack of 36	22-18	PK	1
60286	Non-Insulated Receptacles, pack of 36	16-14	PK	1

Fully Insulated Dead End Connectors



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6222	Fully Insulated Dead End Connectors, pack of 27	22-14	PK	1
6222LX	Fully Insulated Dead End Connectors, pack of 50	22-14	PK	1
6223	Fully Insulated Dead End Connectors, pack of 21	18-10	PK	1
6223LX	Fully Insulated Dead End Connectors, pack of 50	18-10	PK	1
6250	Fully Insulated Dead End Connectors, pack of 8	18-8	PK	1

Combination Packs



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6288	Combination Pack with parts 6283 and 6284, pack of 7 pairs	PK	1
6288LX	Combination Pack with parts 6283 and 6284, pack of 25 pairs	PK	1
6289	Combination Pack with parts 6285 and 6286, pack of 7 pairs	PK	1
6289LX	Combination Pack with parts 6285 and 6286, pack of 25 pairs	PK	1

SPECIAL PURPOSE SOLDERLESS TERMINALS cont'd

Insulated Plugs



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6283	Insulated Plugs, pack of 17	22-18	PK	1
6283LX	Insulated Plugs, pack of 50	22-18	PK	1
6285	Insulated Plugs, pack of 17	16-14	PK	1
6285LX	Insulated Plugs, pack of 50	16-14	PK	1

Non-Insulated Plugs



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
60285	Non-Insulated Plugs, pack of 37	16-14	PK	1

Tab Adapters – Quick Disconnect with Screw



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6209	Fits .250 Tab, #6-32 x 1/4" Screw, pack of 5	PK	1
6209LX	Fits .250 Tab, #6-32 x 1/4" Screw, pack of 50	PK	1

Tab Adapters – Piggy Back Slip-Ons

Multi-stack, .250 male tab, .250 female slip-on.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6210	Non-Insulated Piggy Back Slip-Ons, pack of 20	16-14	PK	1
6210CX	Non-Insulated Piggy Back Slip-Ons, pack of 100	16-14	PK	1
60210	Insulated Piggy Back Slip-Ons, pack of 11	16-14	PK	1
60210LX	Insulated Piggy Back Slip-Ons, pack of 50	16-14	PK	1
60210CX	Insulated Piggy Back Slip-Ons, pack of 100	16-14	PK	1

Tab Adapters – Single Female Double Male Tabs

.250 male, .250 female.



CATALOG NO.	DESCRIPTION	TAB SIZE	UOM	ORDER MULTIPLE
6208	Tab Adapter; 1 female, 2 male; Bent 90°, pack of 12	.250	PK	1
6208LX	Tab Adapter; 1 female, 2 male; Bent 90°, pack of 50	.250	PK	1
6211	Tab Adapter; 1 female, 2 male; Wye, pack of 27	.250	PK	1
6211CX	Tab Adapter; 1 female, 2 male; Wye, pack of 100	.250	PK	1
6212	Tab Adapter; 1 female, 2 male; Stacked, pack of 16	.250	PK	1
6212CX	Tab Adapter; 1 female, 2 male; Stacked, pack of 100	.250	PK	1
60234	Tab Adapter; 1 female, 2 male; Fully Insulated, pack of 12	.250	PK	1

Tab Adapters – Male Tabs



CATALOG NO.	DESCRIPTION	TAB SIZE	STUD	UOM	ORDER MULTIPLE
61230	Male Tabs – Straight, pack of 23	.250	#6	PK	1
61230CX	Male Tabs – Straight, pack of 100	.250	#6	PK	1
6230	Male Tabs – Straight, pack of 28	.250	#8	PK	1
6230CX	Male Tabs – Straight, pack of 100	.250	#8	PK	1
60230CX	Male Tabs – Straight, pack of 100	.250	#10	PK	1
60249	Male Tabs – 1 pair, bent 90°, pack of 22	.250	#10	PK	1



DEVCO TERMINAL KITS

CATALOG NO.	DESCRIPTION	TERMINALS															
	NOTE: Some kits have parts not shown in chart. Please refer to the DESCRIPTION for these parts. Except where noted, kits come in clear plastic boxes.			HIGH TEMP													
6200HX	Flag Female Compressor Terminal Kit: 8-18 wire range in a 4-compartment box with parts 6270 and 6273 in the same compartment.										6258	6259	6270 6271 6273				
6200MX 6200MSX*	.187, .250 tabs; 12-10 wire range; #8, #10 studs in a 13-compartment polypropylene box.	6217 6231 6232	6218 6235 6251 6281		6216 6252				6213			6259				6211	
6201MX	.187, .250 tabs; 22-10 wire range; #8, #10 studs in a 21-compartment metal box. (Includes parts 6233, 6234, and 6277, not shown in chart).	6217 6231 6232	6218 6235 6251 6281 6282		6216 6236 6252	6228	6238 6239			6224		6258	6259			6211	
6202MX	Insulated Terminal Kit: .187, .250 tabs; 22-10 wire range; #8, #10, #6, 1/4" studs in an 18-compartment box. Parts 6233 & 6234, and parts 6222 & 6223 are pairs (not shown in chart).	6217 6231 6232	6218 6235 6251 6281 6282		6216 6252 6253 6272 60246	60254	6238 6239										
6203MX	Non-Insulated Terminal Kit: Includes High Temp. Terminals and Flag Female Compressor Terminals. .250 tab; 22-10 wire range; #8, #10 studs in an 18-compartment box. (Includes parts 6209 and 6210, not shown in chart).			4204 4213 4214 4215 4252 4254				6214	6213	6224		6258	6259	6270 6271	6230	6208	6211
4200AX	High Temperature Terminal Kit: .250 tab; 16-10 wire; #10 stud in a bag			4204 4213 4215 4254													
6200X	.250 tab; 16-14 wire; #8 stud in a 6-compartment box.	6217						6214	6213		6215				6230		6211
6200AX	.250 tab; 16-14 wire range; #8, #10 studs in a 6-compartment box.	6217	6218		6216				6213						6230		6211
6200BX	.250 tab; 16-14 wire; #8 stud in a 4-compartment box.							6214	6213		6215						6211
6200BSX	22-10 wire range in a bag.	6217 6231 6232															
6200CX	.250 tab; 16-14 wire; #10 stud in a 4-compartment box.		6218		6216				6213								6211
6200DX	.250 tab; 12-10 wire range; #8, #10 studs in a 6-compartment box.	6231	6251		6252					6224					6230		6211

*Contains a crimper.

BOXES, RINGS, AND COVERS

Steel Utility Boxes*

Galvanized steel.



PI360

CATALOG NO.	LENGTH	WIDTH	DEPTH	CAPACITY (cubic in.)	KNOCKOUT (in.)	UOM	ORDER MULTIPLE
PI360	4"	2-1/8"	1-7/8"	13.0	1/2	EA	1
PI360-3/4	4"	2-1/8"	1-7/8"	13.0	3/4 & 1/2	EA	1
PI361	4"	2-1/8"	2-1/8"	14.5	1/2	EA	1
PI361-3/4	4"	2-1/8"	2-1/8"	14.5	3/4 & 1/2	EA	1

Steel 1900 Boxes*

Galvanized steel.



PI362

CATALOG NO.	LENGTH	WIDTH	DEPTH	CAPACITY (cubic in.)	KNOCKOUT (in.)	UOM	ORDER MULTIPLE
PI362	4"	4"	1-1/2"	21.0	3/4 & 1/2	EA	1
PI363	4"	4"	2-1/8"	30.3	3/4 & 1/2	EA	1

Steel Octagon Box*

Galvanized steel.



PI364

CATALOG NO.	LENGTH	WIDTH	DEPTH	CAPACITY (cubic in.)	KNOCKOUT (in.)	UOM	ORDER MULTIPLE
PI364	4"	4"	1-1/2"	15.5	3/4 & 1/2	EA	1

Extension Rings*

Galvanized steel.



PI390

CATALOG NO.	LENGTH	WIDTH	DEPTH	CAPACITY (cubic in.)	KNOCKOUT (in.)	UOM	ORDER MULTIPLE
PI390	4"	2-1/8"	1-7/8"	13.0	1/2	EA	1
PI391	4"	4"	1-1/2"	21.0	3/4 & 1/2	EA	1

Device Rings*

Galvanized steel.



PI387

CATALOG NO.	DESCRIPTION	NUMBER DEVICES	RAISED	UOM	ORDER MULTIPLE
PI387	1900 Device Ring	1	1/2"	EA	1
PI388	1900 Device Ring	2	1/2"	EA	1

Weatherproof Boxes*

Heavy-duty die cast aluminum with baked aluminum finish. Boxes have two closure plugs and three holes.




PI385

CATALOG NO.	LENGTH	WIDTH	DEPTH	CAPACITY (cubic in.)	HOLE SIZE (in.)	UOM	ORDER MULTIPLE
PI385	4-1/2"	2-3/4"	2"	19.0	1/2	EA	1
PI385-34	4-1/2"	2-3/4"	2"	19.0	3/4	EA	1

Weatherproof Covers*

Covers fit part PI385. The covers come with gaskets.



PI382

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI382	Blank Cover	EA	1
PI386	Lever Switch Cover for standard toggle type switches	EA	1
PI389	Duplex Receptacle Cover	EA	1
PI389-GFI	GFI Receptacle Cover	EA	1

Weatherproof Box with Lever Switch Cover*

Includes parts PI385 and PI386.



PI384

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI384	Weatherproof Box and Lever Switch Cover	EA	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.



BOXES, RINGS, AND COVERS cont'd

Plated Steel Utility Covers*



CATALOG NO.	DESCRIPTION	WIDTH	LENGTH	UOM	ORDER MULTIPLE
PI365	Toggle Switch	2-11/32"	4-1/4"	EA	1
PI366	Duplex Receptacle	2-11/32"	4-1/4"	EA	1
PI367	Blank Cover	2-11/32"	4-1/4"	EA	1
PI375	Standard Single Receptacle	2-11/32"	4-1/4"	EA	1

Utility Covers*

Utility covers are 4 1/4" x 2-11/32".



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI383	Appliance Switch, .4687" dia. hole, baked cadilite finish	EA	1
PI373	Red finish, "Emergency Oil Burner" in white letters	EA	1
PI374	Red finish, "Emergency Gas Burner" in white letters	EA	1

Utility Plates*

Utility plates are 4 1/2" x 2-3/4".



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI393	Red finish, "Emergency Oil Burner" in white letters	EA	1
PI394	Red finish, "Emergency Gas Burner" in white letters	EA	1

Accessory Oval Head Screws for Covers*

Size: 6-32 x 1/2"



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI313	Chrome plated steel Oval Head Screws, pack of 20	PK	1

Steel 1900 Covers*

Baked Cadilite finish steel covers are raised 1/2" with fully depressed corners. Size: 4" x 4".



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI377	Single Toggle	EA	1
PI378	Single Duplex Receptacle	EA	1
PI379	One Standard Single Receptacle	EA	1
PI368	Toggle Switch and Duplex Receptacle	EA	1
PI369	Two Duplex Receptacles	EA	1
PI370	Toggle Switch and Standard Single Receptacle	EA	1
PI376	Two Toggle Switches	EA	1
PI371	Flat, Blank, Galvanized steel (not Cadilite finished)	EA	1

Safety Plates*



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI232	Safety Plate – approximately 6"	EA	6
PI232CX	Safety Plate – approximately 6"	EA	100

CABLE CONNECTORS

Zinc Plated Die Cast Steel Romex Connectors*

Zinc plated die cast connectors are for use with Romex, Service, and U.F. Cable.



CATALOG NO.	DESCRIPTION	TRADE SIZE	KNOCKOUT	UOM	ORDER MULTIPLE
PI321	Zinc plated die cast Romex Connector, pack of 8	3/8"	1/2"	PK	1
PI320	Zinc plated die cast Romex Connector, pack of 25	3/8"	1/2"	PK	1
PI319	Zinc plated die cast Romex Connector, pack of 4	3/4"	3/4"	PK	1
PI319CX	Zinc plated die cast Romex Connector, pack of 100	3/4"	3/4"	PK	1

Combination Couplings

For connecting E.M.T. to flexible steel conduit.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI440*	1/2" E.M.T. to 3/8" Flex, pack of 4	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.

CABLE CONNECTORS cont'd

BX and Greenfield Connectors*

Zinc die cast.



PI322

CATALOG NO.	DESCRIPTION	TRADE SIZE	KNOCKOUT	UOM	ORDER MULTIPLE
PI311	Set Screw Type Connector, 25 per pack	3/8"	1/2"	EA	25
PI312	Set Screw Type Connector, 8 per pack	3/8"	1/2"	EA	8
PI322	Straight Connector, squeeze type, for armored cable and flexible conduit, 8 per pack	3/8"	1/2"	EA	8
PI324	Straight Connector, squeeze type, for armored cable and flexible conduit, 6 per pack	3/4"	3/4"	EA	6
PI315	90° Connector, 3 per pack	3/8"	1/2"	EA	3
PI341	90° Connector, 4 per pack	1/2"	1/2"	EA	4
PI342	90° Connector, 4 per pack	3/4"	3/4"	EA	4
PI325	Set Screw Connector, 6 per pack	1/2"	1/2"	EA	6
PI340	Combination Cable Connector suitable for Romex or BX and Greenfield, 8 per pack	3/8"	1/2"	EA	8
PI318	Duplex Connector with single screw, clamp type, 2 per pack	3/8"	1/2"	EA	2

Liquid-Tite Connectors*

Zinc die cast.



PI355

CATALOG NO.	DESCRIPTION	TRADE SIZE	KNOCKOUT	UOM	ORDER MULTIPLE
PI350	Straight Liquid-Tite Connector, 2 per pack	1/2"	1/2"	EA	2
PI351	Straight Liquid-Tite Connector, 2 per pack	3/4"	3/4"	EA	2
PI352	90° Liquid-Tite Connector	1/2"	1/2"	EA	1
PI353	90° Liquid-Tite Connector	3/4"	3/4"	EA	1
PI355	45° Liquid-Tite Connector	3/4"	3/4"	EA	1

Thinwall E.M.T. Connectors*

Zinc die cast.



PI411

CATALOG NO.	DESCRIPTION	TRADE SIZE	KNOCKOUT	UOM	ORDER MULTIPLE
PI411	Compression Type Connectors, 8 per pack	1/2"	1/2"	EA	8
PI412	Compression Type Connectors, 8 per pack	3/4"	3/4"	EA	8
PI415	Compression Type Couplings, 8 per pack	1/2"		EA	8
PI416	Compression Type Couplings, 8 per pack	3/4"		EA	8
PI426	Compression Type Straight Connectors for connecting E.M.T. to Liquid-Tight, 8 per pack	3/4"		EA	8
PI419	Set Screw Type Connectors, 8 per pack	1/2"	1/2"	EA	8
PI431	Set Screw Type 90° Connectors, 8 per pack	1/2"	1/2"	EA	8
PI432	Set Screw Type 90° Connectors, 8 per pack	3/4"	3/4"	EA	8
PI435	Set Screw Type Offset Connectors, 8 per pack	1/2"	1/2"	EA	8
PI436	Set Screw Type Offset Connectors, 8 per pack	3/4"	3/4"	EA	8

Rigid Conduit Bodies*



PI458

CATALOG NO.	DESCRIPTION	TRADE SIZE	BODY TYPE	UOM	ORDER MULTIPLE
PI458	Includes steel cover, screws, gasket	1/2"	Back (LB)	EA	1
PI459	Includes steel cover, screws, gasket	3/4"	Back (LB)	EA	1

CONDUIT FITTINGS

Straps

One-hole straps. Zinc plated steel.



PI307

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI306	Straps fit 1/2" E.M.T. Conduit, pack of 20	PK	1
PI306CX	Straps fit 1/2" E.M.T. Conduit, pack of 100	PK	1
PI307	Straps fit 3/4" E.M.T. Conduit, pack of 12	PK	1
PI307CX	Straps fit 3/4" E.M.T. Conduit, pack of 100	PK	1
PI908	Straps fit 1" E.M.T. Conduit, pack of 10	PK	1
PI908CX	Straps fit 1" E.M.T. Conduit, pack of 100	PK	1
PI909LX	Straps fit 1-1/4" E.M.T. Conduit, pack of 50	PK	1
PI206	Straps for 14-2 Romex, pack of 20	PK	1

Reducing Washers

Reducing washers are for reducing knockout holes. These washers have raised flanges for a tight fit and are made of galvanized steel.



PI304

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI304	Reducing Washer - reduces hole from 1" to 1/2", pack of 10	PK	1
PI305	Reducing Washer - reduces hole from 1" to 3/4", pack of 10	PK	1
PI305LX	Reducing Washer - reduces hole from 1" to 3/4", pack of 50	PK	1
PI308**	Reducing Washer - reduces hole from 1/2" to 15/32", pack of 10	PK	1
PI310	Reducing Washer - reduces hole from 3/4" to 1/2", pack of 28	PK	1
PI310LX	Reducing Washer - reduces hole from 3/4" to 1/2", pack of 50	PK	1
PI911	Reducing Washer - reduces hole from 2" to 1/2", pack of 5	PK	1
PI912	Reducing Washer - reduces hole from 2" to 3/4", pack of 5	PK	1
PI912LX	Reducing Washer - reduces hole from 2" to 3/4", pack of 50	PK	1
PI913	Reducing Washer - reduces hole from 1-1/2" to 1/2", pack of 4	PK	1
PI913LX	Reducing Washer - reduces hole from 1-1/2" to 1/2", pack of 50	PK	1
PI914	Reducing Washer - reduces hole from 1-1/2" to 3/4", pack of 4	PK	1


*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.

**PI308 reduces hole to fit appliance switch.



CONDUIT FITTINGS cont'd

Knockout Seals and Hole Plug



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI316	For 1/2" knockouts, zinc plated steel, pack of 10	PK	1
PI317	For 3/4" knockouts, zinc plated steel, pack of 50	PK	1
ED406	Nylon Hole Plug for 3/8" hole, pack of 28	PK	1

Conduit Nipples*

Used to connect two electrical utility boxes where room is limited. Zinc die cast steel. Comes with plated steel locknuts.



CATALOG NO.	DESCRIPTION	SIZE	CONNECTION	UOM	ORDER MULTIPLE
PI203	Conduit Nipple, pack of 6	1/2"	Straight	PK	1

Conduit Nipples*

PI301 is zinc die cast steel. PI303 is galvanized steel. All come with plated steel locknuts and plastic insulating bushings.



CATALOG NO.	DESCRIPTION	SIZE	CONNECTION	UOM	ORDER MULTIPLE
PI301	Conduit Nipple, pack of 4	1/2"	Offset	PK	1
PI303	Conduit Nipple, pack of 4	1/2" x 2"	Straight	PK	1

Bushings and Locknuts



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI331	Plastic "Anti-Short" Bushings for 14/2, 14/3, 12/2 BX cable, pack of 35	PK	1
PI344	3/4" Conduit Locknut, Zinc plated steel, pack of 10	PK	1
PI345*	1/2" Plastic Insulating Bushing, pack of 10	PK	1
PI346*	3/4" Plastic Insulating Bushing, pack of 10	PK	1

Electrical Staples




CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
PI330	Plastic; for 2 conductor Romex and other NM cable conductor; 12/2-14/2 range; UV protected, pack of 50	3/8" x 1/2"	PK	1
PI332	Plastic; for 3 conductor Romex and other NM cable conductor; 12/3-14/3 range; UV protected, pack of 50	3/8" x 3/4"	PK	1
PI309	Steel; non-insulated for Romex and NM cable; 14/2-10/3 range, pack of 154	1" x 1/2"	PK	1
ED273	Insulated coppered finish; size #5, pack of 50	5/8" x 1/4"	PK	1
ED273CX	Insulated coppered finish; size #5, pack of 100	5/8" x 1/4"	PK	1

WIRE

TFFN Stranded Hook-Up Wire*


Packaged in handy dispenser bag. Polyvinyl chloride insulation. Wire rating: 600V, 90°C. Insulation: oil resistant nylon coating.



CATALOG NO.	COLOR	GAUGE	STRANDS	O.D.	LENGTH	UOM	ORDER MULTIPLE
60331B	Black, pack of 50'	18	16	.09"	48'	PK	1
60331BE	Blue, pack of 50'	18	16	.09"	48'	PK	1
60331GY	Gray, pack of 50'	18	16	.09"	48'	PK	1
60331P	Pink, pack of 50'	18	16	.09"	48'	PK	1
60331R	Red, pack of 50'	18	16	.09"	48'	PK	1
60331W	White, pack of 50'	18	16	.09"	48'	PK	1
6332B	Black, pack of 50'	16	26	.10"	48'	PK	1
6332G	Green, pack of 50'	16	26	.10"	48'	PK	1
6332R	Red, pack of 50'	16	26	.10"	48'	PK	1
6332W	White, pack of 50'	16	26	.10"	48'	PK	1

THHN Stranded Hook-Up Wire*

Packaged in handy dispenser bag. Polyvinyl chloride insulation. Wire rating: 600V, 90°C. Insulation: oil resistant nylon coating.




CATALOG NO.	COLOR	GAUGE	STRANDS	O.D.	LENGTH	UOM	ORDER MULTIPLE
6333B	Black, pack of 50'	14	19	.11"	48'	PK	1
6333G	Green, pack of 50'	14	19	.11"	48'	PK	1
6333R	Red, pack of 50'	14	19	.11"	48'	PK	1
6333W	White, pack of 50'	14	19	.11"	48'	PK	1
6334B	Black, pack of 50'	12	19	.13"	48'	PK	1
6334G	Green, pack of 50'	12	19	.13"	48'	PK	1
6334R	Red, pack of 50'	12	19	.13"	48'	PK	1
6334W	White, pack of 50'	12	19	.13"	48'	PK	1
6335B	Black, pack of 50'	10	19	.17"	48'	PK	1
6335G	Green, pack of 50'	10	19	.17"	48'	PK	1
6335R	Red, pack of 50'	10	19	.17"	48'	PK	1
6335W	White, pack of 50'	10	19	.17"	48'	PK	1
6360B	Black, pack of 50'	8	19	.22"	25'	PK	1
6360R	Red, pack of 50'	8	19	.22"	25'	PK	1
6360W	White, pack of 50'	8	19	.22"	25'	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.

WIRE cont'd

Thermostat Wire*

Thermoplastic insulated, jacketed wire for low voltage applications. Conductors are solid copper, individually insulated and color coded.



CATALOG NO.	DESCRIPTION	CONDUCTORS	WIRE GAUGE	LENGTH	UOM	ORDER MULTIPLE
6331	Thermostat Wire, pack of 40'	2	20	40'	PK	1
6336	Thermostat Wire, pack of 40'	3	20	40'	PK	1
6330-4	Thermostat Wire, pack of 40'	4	20	40'	PK	1
6337	Thermostat Wire, pack of 40'	5	20	40'	PK	1
6330-6	Thermostat Wire, pack of 40'	6	20	40'	PK	1
6338	Thermostat Wire, pack of 40'	8	20	40'	PK	1
6330-9	Thermostat Wire, pack of 40'	9	20	40'	PK	1
6339	Thermostat Wire, pack of 25'	10	20	25'	PK	1
6339XL	Thermostat Wire, pack of 40'	10	20	40'	PK	1

High Temperature Range Wire*


200°C glass braided, three conductor twisted wire. 600V; silicone rubber insulated.



CATALOG NO.	COLOR	WIRE GAUGE	LENGTH	UOM	ORDER MULTIPLE
6383-35	Black, Red, and White, pack of 5'	14	5'	PK	1
6383-325	Black, Red, and White, pack of 25'	14	25'	PK	1
6384-35	Black, Red, and White, pack of 5'	12	5'	PK	1
6384-325	Black, Red, and White, pack of 25'	12	25'	PK	1

SJTO Service Cord*


Features stranded bare copper, PVC insulation; PVC jacket. Cord is oil resistant. Cords have 3 individually insulated conductors. Ratings: 300V; 60°C.



CATALOG NO.	DESCRIPTION	WIRE GAUGE	LENGTH	UOM	ORDER MULTIPLE
6340	SJTO Service Cord, pack of 12'	16	12'	PK	1
6341	SJTO Service Cord, pack of 20'	16	20'	PK	1
6342	SJTO Service Cord, pack of 12'	14	12'	PK	1
6343	SJTO Service Cord, pack of 20'	14	20'	PK	1

Stranded High Temperature Wire*

Thermoplastic equipment insulated wire. CSA listed at 105°C; 600V. Insulation thickness: .03". MTW/ AWM/TEW



CATALOG NO.	COLOR	GAUGE	STRANDS	O.D.	LENGTH	UOM	ORDER MULTIPLE
6361B	Black, pack of 48'	18	16	.113"	48'	PK	1
6361R	Red, pack of 48'	18	16	.113"	48'	PK	1
6361W	White, pack of 48'	18	16	.113"	48'	PK	1
6362B	Black, pack of 48'	16	26	.125"	48'	PK	1
6362R	Red, pack of 48'	16	26	.125"	48'	PK	1
6362W	White, pack of 48'	16	26	.125"	48'	PK	1
6363B	Black, pack of 48'	14	19	.139"	48'	PK	1
6363R	Red, pack of 48'	14	19	.139"	48'	PK	1
6363W	White, pack of 48'	14	19	.139"	48'	PK	1
6364B	Black, pack of 48'	12	19	.158"	48'	PK	1
6364R	Red, pack of 48'	12	19	.158"	48'	PK	1
6364W	White, pack of 48'	12	19	.158"	48'	PK	1
6365B	Black, pack of 48'	10	19	.182"	48'	PK	1
6365R	Red, pack of 48'	10	19	.182"	48'	PK	1
6365W	White, pack of 48'	10	19	.182"	48'	PK	1

WIRING DEVICES

Thermoplastic Handle Plug*

Standard grade; flexible spring prongs; furnished with face washer. Rating: 15A-125V.



CATALOG NO.	DESCRIPTION	MAX. CORD DIAMETER	POLES	WIRES	MATERIAL	UOM	ORDER MULTIPLE
ED179	Handle Plug	.406"	2	2	Thermoplastic	EA	2

Grounding Rubber Handle Plug*



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED1703	Grounding Handle Plug	.25"-60"	2	3	20A-250V	EA	1
ED1709	Grounding Handle Plug	.25"-60"	2	3	15A-125V	EA	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.



WIRING DEVICES cont'd

Tandem Grounding Rubber Handle Plug*



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED1711	Tandem Handle Plug	.25"-.60"	2	3	15A-250V	EA	1


Armored Plug*

Vinyl enclosed.



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED2867	Armored Plug	.25"-.625"	2	3	15A-125V	EA	1

Right Angle Plug*



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED4409	Right Angle Plug	.25"-.655"	2	3	20A-125V	EA	1
ED4509	Right Angle Plug	.25"-.655"	2	3	20A-250V	EA	1
ED4867	Right Angle Plug	.25"-.655"	2	3	15A-125V	EA	1

Rubber Connector*

Standard grade.



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED252	Rubber Connector	.25"-.60"	2	3	15A-125V	EA	1

Armored Connector*

Vinyl enclosed.



CATALOG NO.	DESCRIPTION	FITS CORD DIAMETER	POLES	WIRES	RATING	UOM	ORDER MULTIPLE
ED2887	Armored Connector	.225"-.60"	2	3	15A-125V	EA	1

Ground Adapter*

Polarized, 2 pole to 3 wire grounding, polypropylene body.



CATALOG NO.	DESCRIPTION	RATING	UOM	ORDER MULTIPLE
ED419	Ground Adapter	15A-125V	EA	2

Triple Outlets*

Polarized, high impact resistant plastic.



CATALOG NO.	DESCRIPTION	RATING	UOM	ORDER MULTIPLE
5223	Heavy duty, 2 pole, 3 wire	15A-125V	EA	1
5223B	Heavy duty, 2 pole, 3 wire	15A-125V	EA	25
5224	2 pole, 2 wire	15A-125V	EA	1

Power Supply Replacement Cords*

For power tools or appliances. Black vinyl cord is flexible in very cold environments. Wire type is SJEW-A.



CATALOG NO.	DESCRIPTION	WIRE	RATING	LENGTH	UOM	ORDER MULTIPLE
5240	Black Replacement Cord	16/3	13A/125V	10'	EA	1
5242	Black Replacement Cord	14/3	15A/125V	10'	EA	1

Receptacles*

2 pole, 3 wire (ground included).



CATALOG NO.	DESCRIPTION	RATING	COLOR	UOM	ORDER MULTIPLE
ED1876	Single Receptacle	20A-250V	Brown	EA	1
ED1876-I	Single Receptacle	20A-250V	Ivory	EA	1
ED1877	Single Receptacle	20A-125V	Brown	EA	1
ED270**	Duplex Receptacle	15A-125V	Brown	EA	1
ED270-I**	Duplex Receptacle	15A-125V	Ivory	EA	1
ED877	Duplex Receptacle	20A-125V	Brown	EA	1
ED877-I	Duplex Receptacle	20A-125V	Ivory	EA	1

**Standard Grade

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.

Toggle Switch and Receptacle Combination Device*

Switch (single pole): 15A-120V AC
 Receptacle: 15A-125V AC; two pole three wire grounding



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED5225	Toggle Switch and Receptacle – Brown Body	EA	1

Porcelain Outlet Box Lampholders*

Features one-piece pull chain. Two screw terminals, 2 pole, 2 wire. 4-1/2" outer diameter. These lampholders fit 3-1/4" and 4" boxes. Rating: Lampholder: 660W/125V. Outlet: 15A/125V.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED9726	Porcelain Outlet Box Lampholder – U ground outlet	EA	1

Toggle Switches*

Silent switch; ground included.



CATALOG NO.	DESCRIPTION	RATING	COLOR	UOM	ORDER MULTIPLE
ED1240-2	Single Pole	15A-120/277V AC	Brown	EA	1
ED1238	Single Pole	20A-120/277V AC	Brown	EA	1
ED1301**	Single Pole	15A-120V AC	Brown	EA	1
ED1301-I**	Single Pole	15A-120V AC	Ivory	EA	1
ED1262-2	Double Pole	15A-120/277V AC	Brown	EA	1
ED1262-2I	Double Pole	15A-120/277V AC	Ivory	EA	1
ED1232	Double Pole	30A-120/277V AC	Brown	EA	1

**Standard Grade

Utility Fuse Outlets*



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI380	Utility Fuse Outlet with Cover; 3/4HP-125V AC only; galvanized steel construction	EA	1
PI381	Utility Fuse Outlet and Switch with Cover; 1/2HP-125V AC only; galvanized steel construction	EA	1

Fuse Holders



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
EM480	In-Line Fuse Holder for use with 1-1/4 x 1/4" fuses up to 20 amps, 32 volts, 15" lead; 14 gauge red vinyl insulated wire	EA	1
EM484	Self-Stripping Fuse Holder mates with blade-type fuse .205 x .025". 18-14 AWG. Size: 1.37" L x .44" H x .95" W Max. Insulation Outer Diameter: .145"	EA	2

Metal Bat Handle Toggle Switches*

Features black phenolic plastic case; brass terminals; steel and zinc chromate frame and support; all other external parts are brass/bright nickel. These heavy duty toggle switches have screw terminals. Part ED447 has an "ON-OFF" face plate.

Specifications: 10A/277V-20A/125V AC

Single Pole: 3/4HP 125-250V AC

Double Pole: 1-1/2HP 125-250V AC



CATALOG NO.	DESCRIPTION	SEQUENCE	CIRCUIT	UOM	ORDER MULTIPLE
ED447	Bat Handle Toggle Switch	ON-OFF	Single Pole, Single Throw	EA	1
ED453	Bat Handle Toggle Switch	ON-ON	Double Pole, Double Throw	EA	1
ED454	Bat Handle Toggle Switch	ON-ON	Single Pole, Double Throw	EA	1
ED455	Bat Handle Toggle Switch	ON-OFF	Double Pole, Single Throw	EA	1
ED468	Bat Handle Toggle Switch	ON-OFF-ON	Single Pole, Double Throw	EA	1
ED494	Bat Handle Toggle Switch	ON-OFF-ON	Double Pole, Double Throw	EA	1

Toggle Switch with Neon Pilot Light Combination Device*


Switch: 15A-120V AC
 Neon Pilot Light: 1/25W, 120V AC



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED227	Toggle Switch with Neon Pilot Light – Brown Body	EA	1
ED227-I	Toggle Switch with Neon Pilot Light – Ivory Body	EA	1

Vinyl Grommets

These grommets exhibit high dielectric strength and are oil, ozone, and UV resistant. Durometer hardness 60 shore "A".



CATALOG NO.	DESCRIPTION	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	UOM	ORDER MULTIPLE
ED302	Grommet, pack of 15	3/16	1/16	7/16	7/32	5/16	PK	1
ED304	Grommet, pack of 14	1/4	1/16	9/16	1/4	3/8	PK	1
ED312	Grommet, pack of 6	25/64	1/8	27/32	3/8	21/32	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.



Vinyl Grommet Assortment Packs



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED320	General Assortment – contains all grommet sizes	EA	1

6180 Series Terminal Blocks*

Constructed of high barrier thermoplastic. Rated 20A-250V.



CATALOG NO.	DESCRIPTION	NO. OF POSITIONS	LENGTH (in.)	WIDTH (in.)	SCREW SIZE	MAX. WIRE SIZE	UOM	ORDER MULTIPLE
6182	Terminal Block	4	2.16	.88	6-32	22-14	EA	1
6183	Terminal Block	6	2.91	.88	6-32	22-14	EA	1
6184	Terminal Block	8	3.66	.88	6-32	22-14	EA	1
6185	Terminal Block	10	4.41	.88	6-32	22-14	EA	1
6186	Terminal Block	12	5.16	.88	6-32	22-14	EA	1
6187	Terminal Block	14	5.91	.88	6-32	22-14	EA	1

6190 Series Terminal Blocks*

6190 Series Terminal Blocks are constructed of phenolic. 9/16" centers. Rated 30A-600V.



CATALOG NO.	DESCRIPTION	NO. OF POSITIONS	LENGTH (in.)	WIDTH (in.)	SCREW SIZE	MAX. WIRE SIZE	UOM	ORDER MULTIPLE
6192	Terminal Block	4	3.22	1.31	8-32	14-12	EA	1
6193	Terminal Block	6	4.34	1.31	8-32	14-12	EA	1
6194	Terminal Block	8	5.47	1.31	8-32	14-12	EA	1
6195X	Terminal Block	10	6.59	1.31	8-32	14-12	EA	1
6197X	Terminal Block	14	8.84	1.31	8-32	14-12	EA	1

Terminal Block Jumpers*

These jumpers connect two positions on a terminal block. Made of nickel plated brass.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6278CX	Jumpers for Terminal Block 6180 Series, pack of 100	PK	1
6279	Jumpers for Terminal Block 6190 Series, pack of 5	PK	1
6279CX	Jumpers for Terminal Block 6190 Series, pack of 100	PK	1

Heat Shrink Tubing*

Heat Shrink Tubing is made of flame-retardant polyolefin. Thin walled, all purpose tubing. Rated 600V, 125°C. 2500 volts/mil. dielectric strength. Inert to fungus. Virtually unaffected by corrosives, common fluids, and solvents. Pieces are 6" in length.



CATALOG NO.	COLOR	INNER DIAMETER MAX SUPPLIED	INNER DIAMETER MIN. RECOVERED	UOM	ORDER MULTIPLE
6373	Black & White, pack of 7	1/8"	1/16"	PK	1
63076B	Black, pack of 10	3/8"	3/16"	PK	1
63077B	Black, pack of 10	1/2"	1/4"	PK	1
63078B	Black, pack of 10	3/4"	3/8"	PK	1
63079B	Black, pack of 10	1"	1/2"	PK	1

Heat Shrink Tubing Assortments*

Heat Shrink Tubing is made of flame-retardant polyolefin. Thin walled, all purpose tubing. Rated 600V, 125°C. 2500 volts/mil. dielectric strength. Inert to fungus. Virtually unaffected by corrosives, common fluids, and solvents. Pieces are 6" in length.



CATALOG NO.	COLOR	INNER DIAMETER MAX SUPPLIED	INNER DIAMETER MIN. RECOVERED	UOM	ORDER MULTIPLE
6370	Black & White, pack of 12	1/8", 1/4"	1/16", 1/8"	PK	1
6371	Black & White, pack of 7	1/8", 1/4", 3/8"	1/16", 1/8", 3/16"	PK	1
63070	Black, pack of 3	3/8" – 1/2"	3/16" – 1/4"	PK	1

Indicator Lights

Terminals are tin plated brass. Wire leads are 22 AWG, 4.4–4.8" long, 1/2" stripped. Mounting will snap-fit into .500–.505 diameter hole in .020–.100" thick panels.



CATALOG NO.	LENS COLOR	LENS MATERIAL	VOLTAGE	BULB TYPE	UOM	ORDER MULTIPLE
ED600	Red, pack of 2	Polycarbonate	28V	Incandescent	PK	1
ED601	Green, pack of 2	Polycarbonate	28V	Incandescent	PK	1
ED602	Amber, pack of 2	Polycarbonate	28V	Incandescent	PK	1
ED603	Blue, pack of 2	Polycarbonate	28V	Incandescent	PK	1
ED604	White, pack of 2	Polycarbonate	28V	Incandescent	PK	1
ED610	Red, pack of 2	Nylon	105–125V AC	Neon	PK	1
ED611	Green, pack of 2	Polycarbonate	105–125V AC	Neon**	PK	1
ED612	Amber, pack of 2	Nylon	105–125V AC	Neon	PK	1
ED613	Blue, pack of 2	Polycarbonate	105–125V AC	Neon ¹	PK	1
ED620	Red, pack of 2	Polycarbonate	208–250V AC	Neon	PK	1
ED621	Green, pack of 2	Polycarbonate	208–250V AC	Neon**	PK	1
ED622	Amber, pack of 2	Polycarbonate	208–250V AC	Neon	PK	1
ED623	Blue, pack of 2	Polycarbonate	208–250V AC	Neon ¹	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name. **Neon bulb incorporates C2B lamp and resistor.

WIRING DEVICES cont'd
Indicator Lights*

Terminals are tin plated brass. Wire leads are 22 AWG, 4.4-4.8" long, 1/2" stripped. .31" minimum diameter mounting.


ED710

CATALOG NO.	LENS COLOR	LENS MATERIAL	VOLTAGE	BULB TYPE	UOM	ORDER MULTIPLE
ED710	Red, pack of 2	Polycarbonate	105-125V AC	Neon	PK	1
ED711	Green, pack of 2	Polycarbonate	105-125V AC	Neon**	PK	1
ED712	Amber, pack of 2	Polycarbonate	105-125V AC	Neon	PK	1
ED713	Blue, pack of 2	Polycarbonate	105-125V AC	Neon ¹	PK	1
ED714	White, pack of 2	Polycarbonate	105-125V AC	Neon	PK	1

Screw-On Grounding Connector*

Designed to make positive ground connections. The square wire spring adjusts to various wire combinations while twisting the wires together. Thermoplastic shell. Flame retardant. Hole in tip for ground wire.


8289

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
8289	#14 - #10 AWG; Min.: 2 #14; Max.: 4 #12, pack of 9	PK	1

Standard Wire Connectors*

Connectors are color coded with spring inserts. Heat resistant (105°C) thermoplastic. Connectors are for copper to copper connections. Parts 6294 and 6296 can connect aluminum to aluminum and copper to aluminum (dry locations only).


6292

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6291	Mini Gray Standard Wire Connectors, pack of 29	PK	1
6291CX	Mini Gray Standard Wire Connectors, pack of 100	PK	1
6292	Tiny Blue Standard Wire Connectors, pack of 25	PK	1
6292CX	Tiny Blue Standard Wire Connectors, pack of 100	PK	1
6293	Small Orange Standard Wire Connectors, pack of 20	PK	1
6293CX	Small Orange Standard Wire Connectors, pack of 100	PK	1
6294	Medium Yellow Standard Wire Connectors, pack of 18	PK	1
6294CX	Medium Yellow Standard Wire Connectors, pack of 100	PK	1
6296	Large Red Standard Wire Connectors, pack of 12	PK	1
6296CX	Large Red Standard Wire Connectors, pack of 100	PK	1
6298	X-Large Gray Standard Wire Connectors, pack of 6	PK	1
6298LX	X-Large Gray Standard Wire Connectors, pack of 50	PK	1
6295X	Assortment: Includes 6291, 6292, 6293, 6294, 6296	EA	1

Winged Wire Connectors*

Durable thermoplastic material. Flame retardant, abrasion resistant, non-porous, and non-corrosive. Expandable spring grips into the wire and adjusts itself to the wire size and shape so pre-twisting is unnecessary. Even during temperature changes, they resist vibrations and retain holding power. Parts 8284 and 8286 are for use with copper to copper, aluminum to aluminum, and copper to aluminum (dry locations only).


8286

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
8284	Small Yellow Winged Wire Connectors, pack of 18	PK	1
8284CX-B	Small Yellow Winged Wire Connectors, pack of 100	PK	1
8286	Medium Red Winged Wire Connectors, pack of 14	PK	1
8286CX	Medium Red Winged Wire Connectors, pack of 100	PK	1
8286CX-B	Medium Red Winged Wire Connectors, pack of 100	PK	1
8282	X-Large Blue Winged Wire Connectors, pack of 6	PK	1
8282LX	X-Large Blue Winged Wire Connectors, pack of 50	PK	1

-B indicates boxed product. All other catalog numbers are poly bagged.

Scotchlok™ Wire Connectors*

Made of flexible PVC plastic that allows the flared skirt to adjust, providing added insulation protection. Crush-proof housing allows room for the spring to expand and provide maximum wire contact. Conserves space in crowded boxes or enclosures.


8296

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
8296	Medium Red Scotchlok™ Wire Connectors, pack of 10	PK	1
8298	Large Gray Scotchlok™ Wire Connectors, pack of 5	PK	1

Porcelain Wire Connectors*

For high temperature applications over 105°C (300 volts maximum). For stranded copper connections only.


4293

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
4293	Small White Porcelain Wire Connectors, pack of 17	PK	1
4293CX	Small White Porcelain Wire Connectors, pack of 100	PK	1
4294	Medium White Porcelain Wire Connectors, pack of 15	PK	1
4294CX	Medium White Porcelain Wire Connectors, pack of 100	PK	1
4296	Large White Porcelain Wire Connectors, pack of 13	PK	1
4296CX	Large White Porcelain Wire Connectors, pack of 100	PK	1

Box Grounding Clip

Zinc plated.


PI336

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI336	For #10, #12, and #14 copper grounding wire, pack of 11	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.
 **Neon bulb incorporates G2B lamp and resistor.
¹Neon bulb incorporates T2B lamp and resistor.



WIRING DEVICES cont'd

Aluminum Solderless Lugs*



CATALOG NO.	DESCRIPTION	WIRE RANGE	AMP RATING	UOM	ORDER MULTIPLE
PI221	Small Lug for aluminum or copper wire, pack of 6	6-14	2	PK	1
PI222	Large Lug for aluminum or copper wire, pack of 6	2-14	2	PK	1

Electrolytic Copper Solderless Lugs*



CATALOG NO.	DESCRIPTION	WIRE RANGE	AMP RATING	UOM	ORDER MULTIPLE
PI226	Small Lug for copper wire, pack of 6	10-14	25	PK	1
PI227	Medium Lug for copper wire, pack of 6	6-14	35-50	PK	1
PI228	Large Lug for copper wire, pack of 6	4-14	70	PK	1

Split Bolt Connectors*

Made of silicone bronze. For copper use only.



CATALOG NO.	DESCRIPTION	MAX. SOLID WIRE	MAX. STRANDED WIRE	UOM	ORDER MULTIPLE
PI326	Split Bolt Connector, pack of 3	10	12	PK	1
PI327	Split Bolt Connector, pack of 3	8	8	PK	1
PI328	Split Bolt Connector, pack of 3	6	7	PK	1
PI929	Split Bolt Connector, pack of 3	4	5	PK	1
PI930	Split Bolt Connector, pack of 3	2	3	PK	1

Pigtails

Wire has #10 spade on one end; 10-32 x 3/8" slotted round head screw on the other.



CATALOG NO.	DESCRIPTION	WIRE LENGTH	WIRE GAUGE	WIRE TYPE	UOM	ORDER MULTIPLE
PI337-3	Pigtails, pack of 5	8"	14	Stranded	PK	1
PI337-4	Pigtails, pack of 5	8"	12	Stranded	PK	1

Ground Fitting Clamp*



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PI237	For 8, 6, 4 bare grounding wire; fits 1/2"-1" pipe	EA	1

Cable Markers

Cable markers come in books of 450 markers with matching terminal markers. Markers are mounted on dispenser cards in the book. Cable markers are suitable for above and below ground applications. Books are made of vinyl impregnated cloth that resists moderate amounts of dirt, oil and heat. The blank Write-On Markers (WM1014) are made of durable vinyl film that resists water, oils, and fungus. They can also withstand extremes in temperature.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
WM1002	Alpha-Numeric Cable Marker Book; contains 10 each: A-Z, 0-15, +, -, /	EA	1
WM1003	Numeric Cable Marker Book; contains 10 each: 1-45	EA	1
WM1009	Line and Terminal Cable Marker Book; contains 45 each: 1, 2, 3, A, B, C; contains 30 each: T1, T2, T3, L1, L2, L3	EA	1
WM1014	180 Blank Write-On Markers, 1/2" x 1-1/2"	EA	1

TESTERS, LEADS, CLIPS, FUSES

Testers



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
EM111*	Neon Bulb Tester tests 90-500 volts AC or DC live circuits	EA	1
EM217	Low Voltage Tester tests 5-50 volts AC or DC; attached alligator clips	EA	1
EM469	Continuity Tester tests cold circuits without external power source; uses 2 AA batteries; 26" test lead with alligator probe	EA	1

Clips

All clips have vinyl red and black insulators.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5033	Steel Alligator Clips for use with test probes (.075"-.080"); 1-31/32" long; jaws open 5/16" max., pack of 2 red, 2 black, 4 clips	PK	1
5034	Small Copper Alligator Clips for 20 gauge wire or smaller; 1-3/32" long; jaws open 3/16" min., solder or crimp connections, pack of 2 red, 2 black, 4 clips	PK	1
5035	Copper Alligator Clips; 1-31/32" long; jaws open 5/16" max.; crimp slotted screw connection, pack of 2 red, 2 black, 4 clips	PK	1
5036	Steel Test Clips; 20A, 2-7/16" long; jaws open 5/8" max.; crimp slotted screw connection, pack of 1 red, 1 black, 2 clips	PK	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.

Test Leads



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5031	Low Voltage Test Leads; eight 22" long, color-coded leads with fully insulated alligator clips	EA	1
5041	Small Hook Type Low Voltage Test Leads; retractable hooks, 36" thermoplastic 22 gauge wire, nylon body/plunger, red/black	EA	1
5042	Large Hook Type Low Voltage Test Leads; retractable hooks, 36" PVC insulated 20 gauge wire, nylon body/plunger, red/black	EA	1
5045	Instrument Test Lead Adapter fits a standard .080" tip jack to an alligator clip; 6" lead	EA	1
5046	Flexible Test Leads; steel alligator clips with vinyl red and black insulators; 36" 20 gauge wire; extremely flexible	EA	1

Dual Element Fuses – 250V

Provides time delay for temporary over-current conditions and motor running protection for heating and air conditioning equipment. Eliminates unnecessary maintenance from harmless overloads.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED-CR15	Dual Element Fuse – 15 Amps, pack of 2	PK	1
ED-CR20	Dual Element Fuse – 20 Amps, pack of 2	PK	1
ED-CR25	Dual Element Fuse – 25 Amps, pack of 2	PK	1
ED-CR30	Dual Element Fuse – 30 Amps, pack of 2	PK	1
ED-CR35	Dual Element Fuse – 35 Amps, pack of 2	PK	1
ED-CR40	Dual Element Fuse – 40 Amps, pack of 2	PK	1
ED-CR45	Dual Element Fuse – 45 Amps, pack of 2	PK	1
ED-CR50	Dual Element Fuse – 50 Amps, pack of 2	PK	1
ED-CR60	Dual Element Fuse – 60 Amps, pack of 2	PK	1

U.L. Class RK-5, Standard for Safety 198E, Current Limiting Fuses, Interrupting Rating 200,000 Amps. rms. A.C.

Blade (Auto) Fuses



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ED-AT3	Blade Fuse – 3 Amp – Purple, pack of 10	PK	1
ED-AT5	Blade Fuse – 5 Amp – Tan, pack of 10	PK	1

SCREWS

Combo Head Sheet Metal Screws

Zinc plated steel.



CATALOG NO.	DESCRIPTION	LENGTH	SCREW SIZE	UOM	ORDER MULTIPLE
6822	Combo Head Screws, pack of 102	3/8"	#6	PK	1
6822DX	Combo Head Screws, pack of 500	3/8"	#6	PK	1
6823	Combo Head Screws, pack of 96	1/2"	#6	PK	1
6826DX	Combo Head Screws, pack of 500	1"	#6	PK	1
6843	Combo Head Screws, pack of 69	1/2"	#8	PK	1
6843DX	Combo Head Screws, pack of 500	1/2"	#8	PK	1
6845	Combo Head Screws, pack of 56	3/4"	#8	PK	1
6845DX	Combo Head Screws, pack of 500	3/4"	#8	PK	1
6846	Combo Head Screws, pack of 47	1"	#8	PK	1
6848	Combo Head Screws, pack of 36	1-1/2"	#8	PK	1
6849	Combo Head Screws, pack of 26	2"	#8	PK	1
6853	Combo Head Screws, pack of 48	1/2"	#10	PK	1
6855	Combo Head Screws, pack of 46	3/4"	#10	PK	1
6858	Combo Head Screws, pack of 26	1-1/2"	#10	PK	1
6859	Combo Head Screws, pack of 19	2"	#10	PK	1
6863	Combo Head Screws, pack of 38	1/2"	#12	PK	1
6865	Combo Head Screws, pack of 32	3/4"	#12	PK	1
6866	Combo Head Screws, pack of 26	1"	#12	PK	1
6868	Combo Head Screws, pack of 18	1-1/2"	#12	PK	1
6876	Combo Head Screws, pack of 20	1"	#14	PK	1
6877	Combo Head Screws, pack of 16	1-1/4"	#14	PK	1
6878	Combo Head Screws, pack of 15	1-1/2"	#14	PK	1

Sheet Metal Screw Assortments

6800BX and 6800HX come in a four-compartment, clear plastic box.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6800A	Combo Head Screws: #8 x 1/2", #8 x 3/4", #10 x 3/4", #10 x 1"	EA	1
6800BX	Combo Head Screws: #6 x 3/8", #8 x 1/2", #8 x 3/4", #10 x 3/4", #10 x 1"	EA	1
6800HX	Slotted Hex Washer Head Screws: #6 x 3/8", #8 x 1/2", #8 x 3/4", #10 x 3/4", #10 x 1"	EA	1

Slotted Round Head Machine Screws – Assortments

Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZES	LENGTHS	UOM	ORDER MULTIPLE
6020	Slotted Round Head Machine Screws, pack of 81	#6-32	1/2", 1", 2"	PK	1
6030	Slotted Round Head Machine Screws, pack of 61	#8-32	1/2", 1", 2"	PK	1
6040	Slotted Round Head Machine Screws, pack of 53	#10-32	1/2", 1", 2"	PK	1
6021	Slotted Round Head Machine Screws, pack of 56	#6-32, #8-32, #10-32	1/2", 1", 2"	PK	1



SCREWS cont'd

Self-Drilling Screw Repair Kit

For use as replacements for screws in stripped holes.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6900AX	Contains: #12 x 3/4", #12 x 1", #14 x 3/4", #14 x 1"	EA	1

ANCHORS

Metal Drive Anchors



CATALOG NO.	DESCRIPTION	SIZE	EMBEDMENT	PULLOUT LOAD	UOM	ORDER MULTIPLE
7233RLX	Drive Anchor, pack of 50	1/4" X 3/4"	5/8"	500 lb.	PK	1
7234RLX	Drive Anchor, pack of 50	1/4" X 1"	7/8"	944 lb.	PK	1
7235RLX	Drive Anchor, pack of 50	1/4" X 1-1/4"	1-1/8"	1,146 lb.	PK	1
7236R	Drive Anchor, pack of 10	1/4" X 1-1/2"	1-3/8"	854 lb.	PK	1
7236RLX	Drive Anchor, pack of 50	1/4" X 1-1/2"	1-3/8"	854 lb.	PK	1

Drive Fasteners

These steel fasteners can be driven into dry wall like a nail and are secured by turning the screw down completely to expand the ribs.



CATALOG NO.	DESCRIPTION	HOLE SIZE	GRIP RANGE	UOM	ORDER MULTIPLE
7301	Drive Fastener, pack of 6	1/4"	3/16" to 3/8"	PK	1
7302	Drive Fastener, pack of 6	1/4"	1/8" to 1/2"	PK	1
7303	Drive Fastener, pack of 6	1/4"	1/8" to 3/16"	PK	1

Drop-In Expansion Anchor Setting Tool



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7145	For use with anchor part number 7141	EA	1
7146	For use with anchor part number 7142	EA	1
7147	For use with anchor part number 7143	EA	1

Drop-In Expansion Anchors

These heavy-duty anchors are made of carbon steel. They are set by means of an internal plug and setting tool.



CATALOG NO.	DESCRIPTION	BOLT SIZE	THREADS PER INCH	HOLE DEPTH	THREAD DEPTH	DRILL BIT SIZE	UOM	ORDER MULTIPLE
7141	Anchor, pack of 4	1/4"	20	1"	3/8"	3/8"	PK	1
7141CX	Anchor, pack of 100	1/4"	20	1"	3/8"	3/8"	PK	1
7142	Anchor, pack of 4	3/8"	18	1-5/8"	1/2"	1/2"	PK	1
7142LX	Anchor, pack of 50	3/8"	18	1-5/8"	1/2"	1/2"	PK	1
7143	Anchor, pack of 4	1/2"	13	2"	3/4"	5/8"	PK	1
7143LX	Anchor, pack of 50	1/2"	13	2"	3/4"	5/8"	PK	1

Self-Drilling Gypsum Wallboard Anchors

- Anchors pre-drill precise hole in gypsum wallboard
- No special tools required; anchors easily install with a #2 or #3 phillips screwdriver, slotted driver, or powerdriver
- These anchors replace plastic plugs and toggles
- Deep thread design provides strong engagement in 3/8", 1/2", and 5/8" gypsum wallboard
- Full range to cover all wall fastening applications
- Available in corrosion-resistant, non-conductive white nylon
- Can easily be backed out
- Low profile head
- Anchors listed are supplied with combo head screws.



CATALOG NO.	DESCRIPTION	SCREW SIZE	MAX. FIXTURE	UOM	ORDER MULTIPLE
7316X	E-Z Ancor [®] ; nylon, pack of 10	#8 x 1-1/4"	3/4"	PK	1
7316L	E-Z Ancor [®] ; nylon, pack of 50	#8 x 1-1/4"	3/4"	PK	1
7311X	E-Z Ancor [®] ; zinc die cast*, pack of 10	#6 x 1-1/4"	3/4"	PK	1
7311L	E-Z Ancor [®] ; zinc die cast*, pack of 50	#6 x 1-1/4"	3/4"	PK	1
7317X	E-Z Ancor Lite [™] ; nylon, pack of 10	#6 x 1-1/4"	3/4"	PK	1
7317L	E-Z Ancor Lite [™] ; nylon, pack of 50	#6 x 1-1/4"	3/4"	PK	1
7321X	E-Z Toggle [™] ; zinc die cast; heavy-duty, pack of 10	#8 x 2-1/8"	5/8"	PK	1

*Smaller version of the E-Z Ancor[®] with a versatile core that can use #6 or #8 sheet metal screws or #6, #7, #8 drywall screws.

DEVCO PLASTIC ANCHOR KITS

CATALOG NO.		ANCHOR	DRILL SIZE	DRILL BIT INCLUDED	SCREW	SCREW SIZE	
SMALL PACK*	100 PACK						
	7103CX		$\frac{5}{32}$			#4 x 3/4"	
	7101CX		$\frac{3}{16}$			#8 x 1"	
	7101HCX					#8 x 1"	
	7103CX-6		$\frac{3}{16}$			#6 x 3/4"	
	7102CX		$\frac{1}{4}$			#10 x 1-1/4"	
	7102HCX					#8 x 1"	
7106X	7106CX		$\frac{1}{4}$			#10 x 1"	
7124RX			$\frac{1}{4}$			#10 x 1"	
7124X						None	None
	7124CX				None	None	#10 x 1"
7104			$\frac{1}{4}$	None		#8 x 1"	
7106			$\frac{1}{4}$	None		#10 x 1"	
7105LX			$\frac{5}{16}$			#14 x 1-1/2"	
7111X	7111CX		$\frac{5}{16}$			#14 x 1"	
	7111HCX					#14 x 1"	
7111					None		#14 x 1"


*SMALL PACK	COUNT
7104	37
7106	28
7106X	40
7111	16
7111X	40
7124RX	45
7124X	24
7105LX	50



NUTS AND BOLTS

Finished Hex Nuts

Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
6501	Finished Hex Nuts, pack of 60	1/4" - 20	PK	1
6501CX	Finished Hex Nuts, pack of 100	1/4" - 20	PK	1
6502	Finished Hex Nuts, pack of 38	5/16" - 18	PK	1
6503	Finished Hex Nuts, pack of 25	3/8" - 16	PK	1
6503CX	Finished Hex Nuts, pack of 100	3/8" - 16	PK	1
6505	Finished Hex Nuts, pack of 11	1/2" - 13	PK	1
6505LX	Finished Hex Nuts, pack of 50	1/2" - 13	PK	1
6507	Finished Hex Nuts, pack of 6	5/8" - 11	PK	1
6507LX	Finished Hex Nuts, pack of 50	5/8" - 11	PK	1

Machine Screw Hex Nuts

Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
6526	Machine Screw Hex Nuts, pack of 49	#8 - 32	PK	1
6528	Machine Screw Hex Nuts, pack of 44	#10 - 24	PK	1
6500A	Assortment, 23 of each	#6-32, #8-32, #10-32	EA	1

Nylon Insert Lock Nuts

NE Series. Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
65001	Nylon Insert Lock Nuts, pack of 34	1/4" - 20	PK	1
65002	Nylon Insert Lock Nuts, pack of 26	5/16" - 18	PK	1
65028	Nylon Insert Lock Nuts, pack of 42	#10 - 24	PK	1

Toggle Bolts

Toggle Bolts are slotted, round head machine screws with spring wings. Zinc plated steel.



CATALOG NO.	DESCRIPTION	LENGTH	BOLT SIZE	HOLE SIZE	UOM	ORDER MULTIPLE
7032	Toggle Bolts, pack of 6	4"	1/8"	3/8"	PK	1
7033	Toggle Bolts, pack of 6	4"	3/16"	1/2"	PK	1
7034	Toggle Bolts, pack of 5	4"	1/4"	5/8"	PK	1
7036X	Toggle Bolts, pack of 4	4"	3/8"	1"	PK	1
7063	Toggle Bolts, pack of 5	6"	3/16"	1/2"	PK	1
7064	Toggle Bolts, pack of 4	6"	1/4"	5/8"	PK	1
7066X	Toggle Bolts, pack of 4	6"	3/8"	1"	PK	1
7066NX	Toggle Bolts, pack of 25	6"	3/8"	1"	PK	1

Stove Bolts

Stove Bolts are a combination of slotted round head machine screws and finished hex nuts. Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	LENGTH	UOM	ORDER MULTIPLE
6401	Stove Bolts, pack of 42	#10 - 24	1/2"	PK	1
6402	Stove Bolts, pack of 38	#10 - 24	3/4"	PK	1
6403	Stove Bolts, pack of 34	#10 - 24	1"	PK	1
6404	Stove Bolts, pack of 27	#10 - 24	1-1/2"	PK	1
6405	Stove Bolts, pack of 22	#10 - 24	2"	PK	1
6411	Stove Bolts, pack of 22	1/4" - 20	1/2"	PK	1
6412	Stove Bolts, pack of 20	1/4" - 20	3/4"	PK	1
6413	Stove Bolts, pack of 18	1/4" - 20	1"	PK	1
6414	Stove Bolts, pack of 15	1/4" - 20	1-1/2"	PK	1
6415	Stove Bolts, pack of 13	1/4" - 20	2"	PK	1
6416	Stove Bolts, pack of 11	1/4" - 20	2-1/2"	PK	1

Motor Bolts

Motor Bolts are all-thread rods. Four machine screw hex nuts are included with each bolt. Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	LENGTH	UOM	ORDER MULTIPLE
6108	Motor Bolts, pack of 16	#8 - 32	1-1/2"	PK	1
6109	Motor Bolts, pack of 16	#10 - 32	1-1/2"	PK	1

Hex Head Cap Screws


Hex Head Cap Screws are made of low carbon, grade 2 steel. USS Classification. Total thread length equals 2 x diameter + 1/4".



CATALOG NO.	DESCRIPTION	SIZE	LENGTH	UOM	ORDER MULTIPLE
6600	Hex Head Cap Screws, pack of 34	1/4" - 20	1/2"	PK	1
6601	Hex Head Cap Screws, pack of 28	1/4" - 20	3/4"	PK	1
6602	Hex Head Cap Screws, pack of 25	1/4" - 20	1"	PK	1
6603	Hex Head Cap Screws, pack of 18	1/4" - 20	1-1/2"	PK	1
6604	Hex Head Cap Screws, pack of 15	1/4" - 20	2"	PK	1
6605	Hex Head Cap Screws, pack of 12	1/4" - 20	2-1/2"	PK	1
6622	Hex Head Cap Screws, pack of 15	5/16" - 18	1"	PK	1
6623	Hex Head Cap Screws, pack of 12	5/16" - 18	1-1/2"	PK	1
6625	Hex Head Cap Screws, pack of 8	5/16" - 18	2-1/2"	PK	1
6641	Hex Head Cap Screws, pack of 14	3/8" - 16	3/4"	PK	1
6642	Hex Head Cap Screws, pack of 12	3/8" - 16	1"	PK	1
6643	Hex Head Cap Screws, pack of 8	3/8" - 16	1-1/2"	PK	1
6644	Hex Head Cap Screws, pack of 7	3/8" - 16	2"	PK	1
6645	Hex Head Cap Screws, pack of 5	3/8" - 16	2-1/2"	PK	1
6682	Hex Head Cap Screws, pack of 7	1/2" - 13	1"	PK	1
6683	Hex Head Cap Screws, pack of 5	1/2" - 13	1-1/2"	PK	1
6685	Hex Head Cap Screws, pack of 3	1/2" - 13	2-1/2"	PK	1

BOLTS AND WASHERS
Flat Washers


Zinc plated steel. USS Classification. Only 6707S and 6707S-2X are SAE Classification.



CATALOG NO.	DESCRIPTION	SIZE	INNER DIAMETER	OUTER DIAMETER	UOM	ORDER MULTIPLE
6701	Flat Washers (USS), pack of 160	3/16"	1/4"	9/16"	PK	1
6702	Flat Washers (USS), pack of 72	1/4"	5/16"	3/4"	PK	1
6703	Flat Washers (USS), pack of 33	5/16"	3/8"	7/8"	PK	1
6704	Flat Washers (USS), pack of 37	3/8"	7/16"	1"	PK	1
6704-2X	Flat Washers (USS), pack of 134	3/8"	7/16"	1"	PK	1
6706	Flat Washers (USS), pack of 11	1/2"	9/16"	1-3/8"	PK	1
6706-2X	Flat Washers (USS), pack of 52	1/2"	9/16"	1-3/8"	PK	1
6700AX	Assortment	All sizes included			EA	1

Fender Washers

Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	INNER DIAMETER	OUTER DIAMETER	UOM	ORDER MULTIPLE
6722	Fender Washers, pack of 20	1/4"	9/32"	1-1/4"	PK	1
6722-2X	Fender Washers, pack of 92	1/4"	9/32"	1-1/4"	PK	1
6724	Fender Washers, pack of 12	3/8"	13/32"	1-1/2"	PK	1
6724-2X	Fender Washers, pack of 66	3/8"	13/32"	1-1/2"	PK	1

Medium Split Lock Washers


Spring type. Zinc plated steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
6730	Medium Split Lock Washers, pack of 95	3/16"	PK	1
6731	Medium Split Lock Washers, pack of 72	1/4"	PK	1
6732	Medium Split Lock Washers, pack of 59	5/16"	PK	1
6733	Medium Split Lock Washers, pack of 38	3/8"	PK	1
6735	Medium Split Lock Washers, pack of 18	1/2"	PK	1

CABLE TIES AND ACCESSORIES
Heavy Duty Nylon Cable Ties


Black ties are weather and UV resistant. Items in this section are Underwriters' Laboratories listed or recognized under the prime manufacturer's name.



CATALOG NO.	DESCRIPTION	LENGTH	COLOR	MAX. BUNDLE DIAMETER	TENSILE STRENGTH	UOM	ORDER MULTIPLE
6265LX	Nylon; Heavy-duty, pack of 50	14"	Natural	4"	175 lb.	PK	1
6265CX	Nylon; Heavy-duty, pack of 100	14"	Natural	4"	175 lb.	PK	1
6265BLX	Nylon; Heavy-duty, pack of 50	14"	Black	4"	175 lb.	PK	1
6265BCX	Nylon; Heavy-duty, pack of 100	14"	Black	4"	175 lb.	PK	1
6266BLX	Nylon; Heavy-duty, pack of 50	36"	Black	11"	175 lb.	PK	1
6260BLX	Nylon; Heavy-duty, pack of 50	48"	Black	15"	175 lb.	PK	1

Nylon Cable Ties with Mounting Hole

Black ties are weather and UV resistant. Items in this section are Underwriters' Laboratories listed or recognized under the prime manufacturer's name.




CATALOG NO.	DESCRIPTION	MOUNTING HOLE	LENGTH	COLOR	MAX. BUNDLE DIAMETER	TENSILE STRENGTH	UOM	ORDER MULTIPLE
60264CX	Tie w/mtg. hole, pack of 100	#8	6"	Natural	1-3/8"	30 lb.	PK	1
60264BLX	Tie w/mtg. hole, pack of 50	#8	6"	Black	1-3/8"	30 lb.	PK	1
60264BCX	Tie w/mtg. hole, pack of 100	#8	6"	Black	1-3/8"	30 lb.	PK	1
6264LX	Tie w/mtg. hole, pack of 50	#10	7"	Natural	1-3/4"	50 lb.	PK	1
6264CX	Tie w/mtg. hole, pack of 100	#10	7"	Natural	1-3/4"	50 lb.	PK	1
6264BLX	Tie w/mtg. hole, pack of 50	#10	7"	Black	1-3/4"	50 lb.	PK	1
6264BCX	Tie w/mtg. hole, pack of 100	#10	7"	Black	1-3/4"	50 lb.	PK	1
6264BMX	Tie w/mtg. hole, pack of 1,000	#10	7"	Black	1-3/4"	50 lb.	PK	1
60263CX	Tie w/mtg. hole, pack of 100	#10	11"	Natural	3"	50 lb.	PK	1
60263BLX	Tie w/mtg. hole, pack of 50	#10	11"	Black	3"	50 lb.	PK	1
60263BCX	Tie w/mtg. hole, pack of 100	#10	11"	Black	3"	50 lb.	PK	1
61265LX	Tie w/mtg. hole, pack of 50	#10	14"	Natural	4"	50 lb.	PK	1
61265BCX	Tie w/mtg. hole, pack of 100	#10	14"	Black	4"	50 lb.	PK	1



CABLE TIES AND ACCESSORIES cont'd

Nylon Cable Ties

Black ties are weather and UV resistant. Items in this section are Underwriters' Laboratories listed or recognized under the prime manufacturer's name.



CATALOG NO.	DESCRIPTION	LENGTH	COLOR	MAX. BUNDLE DIAMETER	TENSILE STRENGTH	UOM	ORDER MULTIPLE
6267MX	Nylon Cable Ties, pack of 1,000	4"	Natural	13/16"	18 lb.	PK	1
6267BLX	Nylon Cable Ties, pack of 50	4"	Black	13/16"	18 lb.	PK	1
6267BCX	Nylon Cable Ties, pack of 100	4"	Black	13/16"	18 lb.	PK	1
6261BL	Nylon Cable Ties, pack of 100	6"	Natural	1-3/8"	18 lb.	PK	1
6261CX	Nylon Cable Ties, pack of 1,000	6"	Natural	1-3/8"	18 lb.	PK	1
6261BCX	Nylon Cable Ties, pack of 50	6"	Black	1-3/8"	18 lb.	PK	1
6261MX	Nylon Cable Ties, pack of 100	6"	Black	1-3/8"	18 lb.	PK	1
6268BL	Nylon Cable Ties, pack of 100	6"	Natural	1-3/8"	30 lb.	PK	1
6268CX	Nylon Cable Ties, pack of 1,000	6"	Natural	1-3/8"	30 lb.	PK	1
6268MX	Nylon Cable Ties, pack of 100	6"	Black	1-3/8"	30 lb.	PK	1
6268BMX	Nylon Cable Ties, pack of 1,000	6"	Black	1-3/8"	30 lb.	PK	1
6262LX	Nylon Cable Ties, pack of 50	7-1/2"	Natural	1-3/4"	50 lb.	PK	1
6262CX	Nylon Cable Ties, pack of 100	7-1/2"	Natural	1-3/4"	50 lb.	PK	1
6262MX	Nylon Cable Ties, pack of 1,000	7-1/2"	Natural	1-3/4"	50 lb.	PK	1
6262BLX	Nylon Cable Ties, pack of 50	7-1/2"	Black	1-3/4"	50 lb.	PK	1
6262BCX	Nylon Cable Ties, pack of 100	7-1/2"	Black	1-3/4"	50 lb.	PK	1
6262BMX	Nylon Cable Ties, pack of 1,000	7-1/2"	Black	1-3/4"	50 lb.	PK	1
6263NX	Nylon Cable Ties, pack of 25	11"	Natural	3"	50 lb.	PK	1
6263LX	Nylon Cable Ties, pack of 50	11"	Natural	3"	50 lb.	PK	1
6263CX	Nylon Cable Ties, pack of 100	11"	Natural	3"	50 lb.	PK	1
6263DX	Nylon Cable Ties, pack of 500	11"	Natural	3"	50 lb.	PK	1
6263BNX	Nylon Cable Ties, pack of 25	11"	Black	3"	50 lb.	PK	1
6263BLX	Nylon Cable Ties, pack of 50	11"	Black	3"	50 lb.	PK	1
6263BCX	Nylon Cable Ties, pack of 100	11"	Black	3"	50 lb.	PK	1
6263BDX	Nylon Cable Ties, pack of 500	11"	Black	3"	50 lb.	PK	1
60265NX	Nylon Cable Ties, pack of 25	14"	Natural	4"	50 lb.	PK	1
60265LX	Nylon Cable Ties, pack of 50	14"	Natural	4"	50 lb.	PK	1
60265BLX	Nylon Cable Ties, pack of 50	14"	Black	4"	50 lb.	PK	1

Black Nylon Cable Tie Assortment

Black ties are weather and UV resistant. Items in this section are Underwriters' Laboratories listed or recognized under the prime manufacturer's name.



CATALOG NO.	DESCRIPTION	LENGTH	COLOR	MAX. BUNDLE DIAMETER	TENSILE STRENGTH	UOM	ORDER MULTIPLE
62000AX	Assortment	7-1/2" 11"	Black Black	1-3/4" 3"	50 lb. 50 lb.	EA	1

Cable Tie Mounts

Approximately 1" square; adhesive backed. These mounts can be mounted with a screw and will accept up to 75 lb. ties.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6269	Cable Tie Mounts; 1" square; adhesive backed, pack of 11	PK	1
6269LX	Cable Tie Mounts; 1" square; adhesive backed, pack of 50	PK	1
6269CX	Cable Tie Mounts; 1" square; adhesive backed, pack of 100	PK	1
6269MX	Cable Tie Mounts; 1" square; adhesive backed, pack of 1,000	PK	1

SPECIALTY FASTENERS

Nylon Cable Clamps



CATALOG NO.	DESCRIPTION	FITS PIPE OUTER DIAMETER	THICKNESS	WIDTH	UOM	ORDER MULTIPLE
5381	Nylon Cable Clamps, pack of 54	1/8"	.050"	3/8"	PK	1
5382	Nylon Cable Clamps, pack of 48	1/4"	.050"	3/8"	PK	1
5383	Nylon Cable Clamps, pack of 41	3/8"	.050"	3/8"	PK	1
5384	Nylon Cable Clamps, pack of 35	1/2"	.050"	3/8"	PK	1
5385	Nylon Cable Clamps, pack of 21	5/8"	.060"	1/2"	PK	1
5386	Nylon Cable Clamps, pack of 19	3/4"	.060"	1/2"	PK	1
5387	Nylon Cable Clamps, pack of 18	7/8"	.060"	1/2"	PK	1
5391	Nylon Cable Clamps, pack of 12	1-1/4"	.060"	1/2"	PK	1
5392	Nylon Cable Clamps, pack of 11	1-3/8"	.060"	1/2"	PK	1
5380AX	Assortment	1/8" - 1"			EA	1

Hose Clamps

Hose Clamps have stainless steel housings and bands. The screws are plated steel and have slotted hex heads allowing a socket wrench, nut driver, or screwdriver to be used.



CATALOG NO.	DESCRIPTION	SAE NO.	SAE DIAMETER RANGE (in.)	APPROX. RANGE (in.)	UOM	ORDER MULTIPLE
HC6202	Hose Clamps, pack of 6	*	N/A	1/4 to 5/8	PK	1
HC6203	Hose Clamps, pack of 6	6	.44 - .78	5/16 to 7/8	PK	1
HC5410	Hose Clamps, pack of 6	10	.56 - 1.06	9/16 to 1-1/8	PK	1
HC5410X	Hose Clamps, pack of 10	10	.56 - 1.06	9/16 to 1-1/8	PK	1
HC5416	Hose Clamps, pack of 6	16	.81 - 1.50	3/4 to 1-1/2	PK	1
HC5416X	Hose Clamps, pack of 10	16	.81 - 1.50	3/4 to 1-1/2	PK	1
HC5420	Hose Clamps, pack of 6	20	.81 - 1.75	13/16 to 1-3/4	PK	1
HC5420X	Hose Clamps, pack of 10	20	.81 - 1.75	13/16 to 1-3/4	PK	1
HC5424	Hose Clamps, pack of 6	24	1.06 - 2.00	1-1/16 to 2	PK	1
HC5436	Hose Clamps, pack of 4	36	1.81 - 2.75	1-1/2 to 2-3/4	PK	1
HC5436X	Hose Clamps, pack of 10	36	1.81 - 2.75	1-1/2 to 2-3/4	PK	1

SPECIALTY FASTENERS cont'd


Pipe Hanging Strap

Non-plated steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
PI335	Pipe Hanging Strap; 28 gauge AWG	3/4" x 10'	EA	1

Nylon Rods



CATALOG NO.	DESCRIPTION	DIAMETER	THREADS (in.)	LENGTH	UOM	ORDER MULTIPLE
6113	Nylon Rods; All-Thread, pack of 4	3/8"	16	2'	PK	1
6115	Nylon Rods; All-Thread, pack of 2	1/2"	13	2'	PK	1

Nylon Nut and Washer



CATALOG NO.	DESCRIPTION	WASHER DIAMETER INNER	WASHER DIAMETER OUTER	THREAD SIZE	UOM	ORDER MULTIPLE
6513	Nylon Nut and Washer, pack of 6	7/16"	3/4"	3/8"-16	PK	1
6515	Nylon Nut and Washer, pack of 4	1/2"	3/4"	1/2"-13	PK	1

Cotter Pins

Assortment of regular Cotter Pins with extended prongs.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6011	Cotter Pins: 1/16" x 1-1/2"; 3/32" x 1-1/2"; 1/8" x 1-1/2", pack of 51	PK	1

Motor Shaft Key Assortments

Made of cold rolled 1018 steel. Zinc plated.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6101	Small Assortment includes: 1/8" x 1/8" x 1-3/16"; 3/16" x 3/16" x 1-3/16"; 3/16" x 1/4" x 1-3/16"; 1/4" x 1/4" x 1-3/4"	EA	1
6102	Large Assortment includes: 1/4" x 1/4" x 1-3/4"; 5/16" x 5/16" x 3"; 3/8" x 3/8" x 3	EA	1

Fast Nuts

Fast Nuts, type "U", are used on sheet metal where no threaded hole is available for mounting covers or access panels.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6351	Fast Nuts for use with #8 screw, pack of 7	PK	1
6352	Fast Nuts for use with #10 screw, pack of 6	PK	1
6353	Fast Nuts for use with #14 screw, pack of 5	PK	1

Set Screws

Set Screws have cup points and hex socket heads. Class 3A threads. Made of heat treated alloy steel.



CATALOG NO.	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE
6002	Set Screws, pack of 33	#8-32 x 3/16"	PK	1
6003	Set Screws, pack of 25	#10-32 x 3/16"	PK	1
6004	Set Screws, pack of 27	1/4"-28 x 1/4"	PK	1
6005	Set Screws, pack of 27	1/4"-20 x 1/4"	PK	1
6006	Set Screws, pack of 19	5/16"-18 x 5/16"	PK	1
6007	Set Screws, pack of 14	3/8"-16 x 3/8"	PK	1
6000	Large Assortment; course thread	1/4"-20; 5/16"-18; 3/8"-16	EA	1
6001	Small Assortment; fine thread	#8-32; #10-32; 1/4"-28	EA	1



SPECIALTY FITTINGS

Grease Fittings

Case hardened steel fittings plated with yellow dip chromate and built-in ball checks. Assortment available in clear plastic box.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6311	Grease Fittings: 1/4"-28 Tapered Thread; straight, pack of 8	PK	1
6312	Grease Fittings: 1/8" Pipe Thread; straight, pack of 5	PK	1
6313	Grease Fittings: 1/4" Pipe Thread; straight, pack of 2	PK	1
6321	Grease Fittings: 1/4"-28 Tapered Thread; 90°, pack of 3	PK	1
6322	Grease Fittings: 1/8" Pipe Thread; 90°, pack of 3	PK	1
6310X	Assortment includes: 6311, 6312, 6321, 6322	EA	1

TAPES

Tape

Part 5247 holds up to 7 pounds per square inch when attached to steel surface.



CATALOG NO.	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE
5247	Double Backed Foam Mounting Tape	1" x 48"	EA	1
5255	Vinyl Electrical Tape	3/4" x 60'	EA	1

Teflon® Tape



CATALOG NO.	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE
5246	Teflon® Thread Seal Tape	1/2" x 520"	EA	1

GENERAL TOOLS

Devco Crimpers

Crimps insulated and non-insulated terminals 22 to 10 AWG, cuts bolts #4-40 through #10-24, and strips stranded wire 22 to 10 AWG and solid wire 18 to 8 AWG. Features two precision ground wire cutters, one on the nose and the other behind the pivot point. Plastic cushion handle.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5002	Devco Crimpers; plastic coated handle	EA	1

Blind Rivet Tools



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5107	Heavy-duty tool; 4 interchangeable nose pieces to accommodate 3/32", 1/8", 5/32", 3/16" steel or aluminum rivets	EA	1

Magnetic Hex Chucks

Magnetic Hex Chucks may be used with an electric drill to drive hex washer head screws.



CATALOG NO.	DESCRIPTION	SIZE	HEX HEAD DIAMETER	LENGTH	UOM	ORDER MULTIPLE
DE13	Magnetic Hex Chuck	1/4"	7/16"	1-3/4"	EA	1
DE14	Magnetic Hex Chuck	5/16"	1/2"	1-3/4"	EA	1
DE15	Magnetic Hex Chuck	3/8"	9/16"	1-7/8"	EA	1
DE23	Magnetic Hex Chuck	1/4"	7/16"	2-9/16"	EA	1
DE24	Magnetic Hex Chuck	5/16"	1/2"	2-9/16"	EA	1
DE25	Magnetic Hex Chuck	3/8"	9/16"	2-9/16"	EA	1
DE26	Magnetic Hex Chuck	7/16"	5/8"	2-9/16"	EA	1
DE33*	Magnetic Hex Chuck	1/4"	7/16"	3"	EA	1

*Magnetic insert bit holder with a "C" ring retainer

SPECIALTY TOOLS

Cable Tie Tensioning Tools



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5007	Plastic tool for ties up to 75 lb.	EA	1

Precision Screwdriver Set

Set of six screwdrivers. Slotted sizes 1.4mm, 2.0mm, 2.4mm, and 3.0mm Phillips sizes #0 and #1.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5022	Set of 6 Precision Screwdrivers	EA	1

Radiator Vent Keys



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
DE22	Radiator Vent Keys, pack of 4	PK	1

Valve Stem Repair Tool

Removes and installs valve core; extracts damaged core; re-threads inside of stem; re-threads outer part of stem and installs new stem.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
KD2077	Valve Stem Repair Tool	EA	1

BULBS

Incandescent Light Bulbs

Multi-filaments support increased bulb light. Filaments have solid nickel leads. Brass base is rust and freeze resistant. Bulbs are designed for 130 volts. Rough Service bulbs are designed for maximum vibration resistance. Toughcoat helps prevent shattering on impact for superior safety. Comes in standard pack of six.



CATALOG NO.	DESCRIPTION	WATTS	UOM	ORDER MULTIPLE
5262	General Service Bulbs; rated: 5,000 hours, pack of 6	60	PK	1
5263	General Service Bulbs; rated: 5,000 hours, pack of 6	75	PK	1
5264	General Service Bulbs; rated: 5,000 hours, pack of 6	100	PK	1
5265	General Service Bulbs; rated: 5,000 hours, pack of 6	150	PK	1
5231	Rough Service Bulbs, pack of 6	75	PK	1
5232	Rough Service Bulbs, pack of 6	100	PK	1
5266	Rough Service Bulbs, pack of 6	150	PK	1
5250	Appliance Bulbs, pack of 6	25	PK	1

POWER CORDS AND WORK LIGHTS

Power Block Extension Cords*

Cords feature multiple outlets. They have three grounded outlets – the most allowed for outdoor use. 15A/125V.



CATALOG NO.	DESCRIPTION	WIRE	LENGTH	COLOR	UOM	ORDER MULTIPLE
5220	Power Block Extension Cord	12/3	2'	Yellow	EA	1
5222	Power Block Extension Cord	14/3	25'	Orange	EA	1
5206	Power Block Extension Cord	12/3	50'	Yellow	EA	1

Round Extension Cords*

Comes in bright orange or yellow, depending upon availability.



CATALOG NO.	DESCRIPTION	WIRE	LENGTH	RATING	UOM	ORDER MULTIPLE
5225	Round Extension Cord	16/3	25'	13A/125V	EA	1
5226	Round Extension Cord	16/3	50'	13A/125V	EA	1
5228	Round Extension Cord	14/3	25'	15A/125V	EA	1
5229	Round Extension Cord	14/3	50'	15A/125V	EA	1
5230	Round Extension Cord	14/3	100'	13A/125V	EA	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.



POWER CORDS AND WORK LIGHTS *cont'd*

Work Lights*

Retractable Work Light features metal guard, switch, grounded outlet, and 20' cord. Magnetic Work Light features swivel lock handle, grounded outlet, and 25' heavy cord; can be hung or can stand alone with magnetic power.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5205	Retractable Work Light; 7A/125V; 18/3 SVT wire	EA	1
5207	Magnetic Work Light; 115V; 18/3 SJT wire	EA	1

Trouble Lights*

All-weather; extra flexible with metal guard.



CATALOG NO.	DESCRIPTION	WIRE	CORD LENGTH	RATING	UOM	ORDER MULTIPLE
5200	Trouble Light	16/3	25'	13A/125V	EA	1
5201	Trouble Light	16/3	50'	13A/125V	EA	1

STORAGE CONTAINERS

Metal Parts Boxes

Metal Parts Boxes are prime cold rolled steel with baked gray enamel finish. The finish is rust and acid resistant. Each box comes with high impact plastic tray, positive pull down catch, and stick-back parts labels for lid interiors.



CATALOG NO.	DESCRIPTION	NO. OF COMPARTMENTS	DIMENSIONS (L x W x D)	UOM	ORDER MULTIPLE
8200M	Metal Parts Box	21	13-3/8" x 9-1/4" x 2"	EA	1
8220M	Metal Parts Box	24	18" x 12" x 3"	EA	1

Satchel Style Case

Parts box made from rugged copolymer material with high impact translucent lid and handle on the side. 15 removable dividers allow up to 24 compartments.



CATALOG NO.	DESCRIPTION	NO. OF COMPARTMENTS	DIMENSIONS (L x W x D)	UOM	ORDER MULTIPLE
8233	Satchel Style Case	Up to 24	15" x 11-3/4" x 2-1/2"	EA	1

Styrene Parts Boxes



CATALOG NO.	DESCRIPTION	COLOR	NO. OF COMPARTMENTS	DIMENSIONS (L x W x D)	UOM	ORDER MULTIPLE
8206	Styrene Parts Box	Clear	1	4-7/8" x 3-1/4" x 1-1/8"	EA	1
8207	Styrene Parts Box	Clear	4	4-7/8" x 3-1/4" x 1-1/8"	EA	1
8208	Styrene Parts Box	Clear	6	4-7/8" x 3-1/4" x 1-1/8"	EA	1

Polypropylene Parts Boxes



CATALOG NO.	DESCRIPTION	COLOR	NO. OF COMPARTMENTS	DIMENSIONS (L x W x D)	UOM	ORDER MULTIPLE
8201	Polypropylene Parts Box	Yellow	13	11" x 6-3/4" x 1-1/4"	EA	1
8201C	Polypropylene Parts Box	Translucent	13	11" x 6-3/4" x 1-1/4"	EA	1
8202	Polypropylene Parts Box	Clear	18	11" x 6-3/4" x 1-1/4"	EA	1
8202C	Polypropylene Parts Box	Translucent	18	11" x 6-3/4" x 1-1/4"	EA	1
8202P	Polypropylene Parts Box	Translucent	18	11" x 6-3/8" x 1-3/4"	EA	1
8203	Polypropylene Parts Box	Yellow	24	11" x 6-3/4" x 1-1/4"	EA	1
8203C	Polypropylene Parts Box	Translucent	24	13-1/8" x 9" x 2-5/8"	EA	1

SAFETY/PROTECTIVE EQUIPMENT

Dust Mask

Disposable Dust Mask is durable, comfortable, and easy to breathe through. Can be worn with eyeglasses. *Not for use in spray painting or as protection against toxic materials or biohazards.*



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ER317B	Disposable Dust Mask – box of 50	EA	1

*Items in this section are Underwriter's Laboratories listed or recognized under the prime manufacturer's name.