

COMBUSTION CHAMBER KITS

LYNN

BOARD BLANKET PAPER STRIP ROPE GASKET CEMENT

www.lynnmfg.com

High Temperature Insulation



Same Day Shipment on UPS orders
2:30 EST Cut off time

Perfect Fit Replacement Kits
500+ makes & models of boiler/furnaces



Extensive Inventory
(781) 593-2500
Orders@LynnMfg.com

Technical Support
(781) 593-2500
TechSupport@LynnMfg.com



Index	Page
Combustion Chamber Repair Solutions	2
Quickies, TimeSavers & Wet Blankets	3
Kaowool Boards	4
Kaowool Dry Blankets	5
Kaowool Strips, Tapes & Bulk Fiber	6
Ropes & Paper	7
Tank Gauges & Gaskets	8
Foil Faced Wrap Insulation & Insulating Fire Bricks	9
Moldables & Castables	10
Accessories	11
Ready Reference Sheet	12

COMBUSTION CHAMBER REPAIR SOLUTIONS

Replacement Chamber Kits

- Perfect fit molded chambers
- Everything you need for the job in one box
- Kits for 500+ makes and models
- New kits added every year
- Excellent technical support available for “odd ball” units


Dry Base Boilers



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Refractory Cement
- Hardware
- Complete Instructions

Wet Base Boilers



Kit Contains (if required)

- Molded ceramic fiber front refractory
- Molded ceramic fiber rear refractory (may be wet or dry depending on access)
- Dry ceramic fiber blanket for base liner
- Waterglass
- Hardware
- Rope or Copeseal
- Complete Instructions

Warm Air Furnaces



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Hardware
- Gaskets
- Complete Instructions

Universal Combustion Chambers

- Universal Design Fits Many Makes and Models
- Many Sizes Available
- Complete Fit information available in our ready reference sheet

Quickies



Page 3

TimeSavers



Page 3

Custom Builds and Repairs

- Material to build a custom chamber or make a temporary repair.

Boards




Page 4

Dry Blankets



Page 5

Wet Blankets



Page 3

Ready Reference List contains make and model information for over 500 boilers & furnaces. Found at www.LynnMfg.com

Don't see what your looking for? Please call for technical support. 781-593-2500



A list of our most popular kits is on the back of the catalog

COMBUSTION CHAMBERS

Quickies

Designed for Wet Base Boilers. Vacuum cast chamber made of pure 2300F ceramic fiber. Absorbs sound for quiet combustion. One piece Installs quickly which saves times and money. Comes with soft Kaowool strips and complete instructions.



Name	Dimensions	Firing Rate GPH	Item #
Quickie 100	11.5" W x 11" L x 10.75" H	0.75—1.25	1001
Quickie 200	12.25" W x 14.25" L x 12" H	1.35—1.75	1002
Quickie 300	12.25" W x 18.25" L x 12" H	1.75—2.25	1003
Mini Quickie	11" W x 10.25" L x 10.25" H	0.65—1.00	1004

Time Savers


Designed for dry base boilers and furnaces. Vacuum cast chamber made of 2300F ceramic fiber. Absorbs sound. Can be cut in half vertically for installation. Comes with stainless bands and complete instructions.



Name	Dimensions	Firing Rate GPH	Item #
Time Saver 7	7.5" ID x 8.75" OD x 13.25" H	0.50—0.60	1007
Time Saver 9	9" ID x 10.75" OD x 14.5" H	0.65—0.85	1009
Time Saver 11	11" ID x 12.75" OD x 15.75" H	1.00—1.25	1011
Time Saver 13	13" ID x 14.75" OD x 15" H	1.35—1.75	1013
Time Saver 15	15" ID x 17" OD x 16" H	1.65—2.00	1015
Time Saver 2.25	13" W x 17.5" L x 16" H	1.75—2.25	1016
Time Saver 3.00	14" W x 22" L x 16" H	2.25—3.00	1017

Wet Kaowool Blankets

Soft and moist ceramic fiber blanket that can be formed to the shape of an existing chamber as a liner. Hardens when fired. Manufactured with a process that prevents bacteria growth while in the bag.



Name	Thickness	Dimensions	Temp	Item #
Kit A	1/2"	14" x 48" (1 ea)	2300 F	1032
Kit B	1/2"	14" x 48" (1 ea) 14" x 16" (1 ea)	2300 F	1033
Kit C	1/2"	16" x 48" (1 ea) 16" x 16" (1 ea)	2300 F	1034
24" Wet Blanket	1/2"	36" x 24" (1 ea)	2300 F	1035
18" Wet Blanket	1/2"	36" x 18" (1 ea)	2300 F	1036


KAOWOOL BOARDS

Kaowool Board - HVAC

Rigid ceramic fiber board. Applications include floors, walls, front-plates or target walls in combustion chambers. Easily cut with a knife or hacksaw and can be drilled.



Thickness	Dimensions	Boards/Ctn.	Temp.	Item #
1/4"	36" x 24"	6	2300 F	1028
1/2"	36" x 18"	4	2300 F	1025
	36" x 24"	4	2300 F	1026
3/4"	15" x 24"	2	2300 F	1022
	20" x 20"	2	2300 F	1023
	36" x 18"	2	2300 F	1024
1"	20" x 20"	2	2300 F	1019
	36" x 18"	2	2300 F	1020
	36" x 24"	2	2300 F	1021
1 1/2"	36" x 24"	1	2300 F	1062
2"	36" x 24"	1	2300 F	1063



Kaowool PM and M Board - Commercial and Industrial

High density, machineable, & close tolerance ceramic fiber board.

Thickness	Dimensions	Boards/Ctn.	Temp.	Item #
1/4"	36" x 24"	24	2300 F	BPMK23
	36" x 48"	24	2300 F	BPMK34
1/2"	36" x 24"	12	2300 F	BMML23
	36" x 48"	12	2300 F	BMML34
1"	36" x 24"	6	2300 F	BMM123
	36" x 48"	6	2300 F	BMM134
2"	36" x 24"	3	2300 F	BMM223
	36" x 48"	3	2300 F	BMM234

Superwool, high density and inorganic grades available. Please call for further information.

DRY BLANKETS

Dry Blankets

Soft ceramic fiber blanket available for many different uses.



HVAC Sizes

Name	Thickness	Dimensions	Temp	Size	Item #
Kaowool Blanket	1/4"	24" x 60"	2300 F	Short	9452
Kaowool Blanket	1/2"	16" x 48"	2300 F	Short	9451
Kaowool Blanket	3/4"	14" x 56"	2300 F	Short	9450
Kaowool Blanket	1"	18" x 48"	2300 F	Short	9449
Kaowool Blanket	1"	24" x 100"	2300 F	Mid-Size	9453



Commercial & Industrial Sizes

Name	Thickness	Dimensions	Temp	Size	Item #
Kaowool Blanket	1/4"	240" x 24"	2300 F	Large	8KAK2
Kaowool Blanket	1/4"	48" x 240"	2300 F	Large	8KAL2
Kaowool Blanket	1/2"	24" x 600"	2300 F	Large	6KAL2
Kaowool Blanket	1/2"	48" x 600"	2300 F	Large	6KAL4
Cerablanket	1"	24" x 300"	2400 F	Large	6CB12
Cerablanket	1"	48" x 300"	2400 F	Large	6CB14
Cerablanket	1 1/2"	24" x 180"	2400 F	Large	6CBV2
Cerablanket	2"	24" x 150"	2400 F	Large	8CB22
Cerablanket	2"	48" x 150"	2400 F	Large	8CB24
Superwool Plus	1/4"	48" x 240"	1900 F	Large	8SPK4
Superwool Plus	1/2"	48" x 600"	1900 F	Large	6SPL4
Superwool Plus	1"	48" x 300"	1900 F	Large	8SP14
Superwool Plus	1 1/2"	48" x 180"	1900 F	Large	8SPV4
Superwool Plus	2"	48" x 150"	1900 F	Large	8SP24
Cerachem	1"	24" x 300"	2600 F	Large	8CC12

STRIPS, TAPES & BULK FIBER

Kaowool Strips

Soft ceramic fiber blanket strips commonly used as gasket material. Packaged in master cartons of six strips. Bagged and labeled for individual re-sale. Custom sizes available and quoted on request.



Thickness	Dimensions	Temp	Item #
1/4"	240" x 1" x 1/4" (6 strips/ctn)	2300 F	9505
1/2"	300" x 1" x 1/2" (6 strips/ctn)	2300 F	9506
1"	150" x 2" x 1" (6 strips/ctn)	2300 F	9500
1"	150" x 3" x 1" (4 strips/ctn)	2300 F	9504

Commercial Sizes

Thickness	Dimensions	Temp	Item #
2"	300" x 2" x 1" (12 strips/ctn)	2300 F	8ST12
3"	300" x 3" x 1" (8 strips/ctn)	2300 F	8ST13

Kaowool Tapes/Flat Rope

Soft woven fiberglass tape commonly used for gasketing. Additional sizes available.



Name	Dimensions	Temp	Item #
1/8" Bag	25' x 1"	1000 F	9460
1/8" Spool	100' x 1"	1000 F	9461

Bulk Ceramic Fiber

Bulk products are a vermiculite substitute produced by varying composition, fiber length, compressed density, fiber content, fiber diameter, and lubricity to serve a wide range of customer needs. Examples are expansion joints construction, low mass kiln car construction, tube seal fabrication, thermal insulation.



Name	Dimensions	Lubricity	Temp	Item #
Superwool 607	25 lb carton	Lubricated	1800 F	FSWL25
Kaowool Bulk A	10 lb carton	Lubricated	2300 F	FKAL10
Kaowool Bulk A	25 lb carton	Lubricated	2300 F	FKAL25

ROPES & PAPER

High Temperature Ropes

Excellent gasket material. Can be used between boiler sections, boiler doors and packing around burner tubes and heads. Please call for additional sizes and densities.



Name	Dimensions	Temp	Item #
1/4"	1/4" OD x 25'	1000 F	9404
3/8"	3/8" OD x 25'	1000 F	9400
1/2"	1/2" OD x 25'	1000 F	9401
3/4"	3/4" OD x 25'	1000 F	9405
1"	1" OD x 25'	1000 F	9406
1 1/4"	Sold by Lineal Ft.	1000 F	9413
1 1/2"	Sold by Lineal Ft.	1000 F	9414
2"	Sold by Lineal Ft.	1000 F	9415

1000 F Self-Adhesive Braided High Density Rope

Thickness	Dimensions	Temp	Item #
3/16"	3/16" OD x 25'	1000 F	9407
3/8"	3/8" OD x 25'	1000 F	9408
1/2"	1/2" OD x 25'	1000 F	9409

2000 F Twisted Rope—Commercial

Name	Dimensions	Temp	Item #
3/8"	3/8" OD x 25'	2000 F	9402
1/2"	1/2" OD x 25'	2000 F	9403

Ceramic Fiber Paper

Ceramic Fiber Paper is commonly used for gaskets or thermal barriers. Available in a premium 1500 F—2300 F material. Small rolls are available in sheet, roll or strip form.



Thickness	Dimensions	Name	Temp	Item #
1/8"	1/8" x 15" x 24" (4 sheets per pkg.)	Small Sheets	2300 F	9600
1/8"	1/8" x 24" x 100"	Small Rolls	2300 F	9601
1/8"	1/8" x 1" x 200"	Strips	2300 F	9602
1/8"	1/8" x 15" x 24" (4 sheets per pkg.)	Small Sheets	1500 F	9650
1/8"	1/8" x 24" x 100"	Small Rolls	1500 F	9651
1/8"	1/8" x 1" x 200"	Strips	1500 F	9652


Large Rolls

Thickness	Dimensions	Temp	Item #
1/16"	1/16" x 24" x 100'	2300 F	PY5F2A
	1/16" x 24" x 200'	2300 F	PRBF2B
1/8"	1/8" x 24" x 50'	2300 F	PY5J2A
	1/8" x 24" x 100'	2300 F	PRBJ2B
1/4"	1/4" x 24" x 50'	2300 F	PY3K2B

TANK GAUGES & GASKETS

Tank Gauges & Replacement Top Sets

Dual Bushing Fits 1-1/2" and 2" in one gauge. Indoor/Outdoor. Large text easily read from a distance. Highest quality gauge on the market. UL Listed. Custom sizes available.



Name	Fit	Item #
Model 42/44	Fits Vertical Tank	8000
Model 26/27	Fits Horizontal Tank	8001
Model 46/48	Fits Taller Imperial Gallon Tanks	8002
Replacement Top Set		8005

Popular Gaskets

Gaskets made to fit Miller mobile home furnaces, Universal, Beckett, Riello and Duomatic.



Name	Model	Description	Item #
Miller-Nordyne Mobile Home			
Gasket Kit	CMF, MOC, MGC	Item # 9511, 9512, 9513, 9514 (1 ea.)	9510
Burner Gasket (#3001-000)	CMF, MOC, MGC	6.50" OD x 4.375" ID (20 pcs)	9511
Pouch Gasket (#3001181-000)	CMF, MOC, MGC	10" x 13.50" (20 pcs)	9512
Burner Plate Gasket (#301205-000)	CMF, MOC, MGC	10.25" x 16" (20 pcs)	9513
Flue Gasket (#3001195-000)	CMF, MOC, MGC	7.0625" OD x 5.125" ID (20 pcs)	9514
High Temp Burner Plate	CMF, MOC, MGC	10.25" x 16" (10 pcs)	9525
Gasket Kit	M1, CMF2	Chamber (2 ea.) Burner (1 ea.)	9527
Universal			
Burner Flange Gasket	Universal	Replaces Beckett Part #3616 (20 pcs/bag)	9550
Beckett			
Burner Flange Gasket	Beckett	Fits Beckett #68 Flange (20 pcs/bag)	9551
Riello			
Burner Flange Gasket	Riello	Fits All Models (20 pcs/bag)	9560
Duomatic			
Clean Out Gasket	Duomatic	3" OD x 2" ID (20 pcs/bag)	9515

FOIL FACED WRAP INSULATION & INSULATING FIRE BRICKS

Foil Faced Wrap Insulation


Superwool Blanket with Foil Facing. Available in many sizes, thicknesses, densities, temperatures and foil type configurations. Ideal for fire protection, furnace linings and flue temperature control. Please call for pricing custom shapes and sizes.



Thickness	Description	Temp	Item #
1/2"	1/2" x 24" x 25 feet	2300 F	CL-25-24
1/2"	1/2" x 48" x 25 feet	2300 F	CL-25-48
1/4"	1/4" x 24" x 25 feet	2300 F	CK-25-24
1/4"	1/4" x 48" x 25 feet	2300 F	CK-25-48

Insulating Fire Bricks

Insulating Fire Bricks are manufactured with a unique slurry casting process which creates a network of micro porosity that produces low thermal conductivity and good thermal shock characteristics.





		Full Bricks	3" Bricks	Splits
		9" x 4.5" x 2.5" (12 per ctn.)	9" x 4.5" x 3" (10 per ctn.)	9" x 4.5" x 1.25" (20 per ctn.)
Name	Firing Rate (GPH)	Item #	Item #	Item #
K-23 (2300F)	3-5	IFK23A2	IFK23A3	IFK23A1
K-26 (2600F)	6-15	IFK26A2	IFK26A3	IFK26A1
JM-28 (2800F)	16-25	IFJ28A2	IFJ28A3	IFJ28A1
JM-30 (3000F)	25+	IFJ30A2	IFJ30A3	IFJ30A1

Moldables & Castables

Moldables are manufactured specifically to aid in efficient furnace, kiln and boiler operation, these products eliminate hot spots, provide superior maintenance solutions, and make insulation installation quick and easy.

Monolithic products provides a wide range of innovative solutions for heat-intensive challenges. Available in different formulations, densities, and installation methods, monolithics can be used as primary or secondary insulation, for repair, or for specialty applications.

Name		Description	Item #
 Waterglass	4oz Bottle (12/pkg)	2500 F	5602
 Waterglass	Quart Can	2500 F	5601
 High Temperature Refractory Cement (Bonds insulating fire bricks)	30 lb Pail	3000 F	5600
 High Temperature Refractory Cement	11 oz Tube	3000 F	5606
 Fiber Bond Cement (Bonds Kaowool boards to steel)	Pint Can	3000 F	5604
 Kaowool Sealcote HT	11 oz Tube	2500 F	8053
 Kaolite 2300 LI Lightweight Castable	40 lb bag	2300 F	MNK23L
 Kaocrete B Lightweight Castable	55 lb bag	2300 F	MNKAOB
 Kaocrete 28 LI Dense Castable	55 lb bag	2300 F	MNK28L

ACCESSORIES

Name	Packaging	Description	Item #
 Burner Head Protector <i>Beckett</i>	4" ID	Beckett	1030
 Burner Head Protector <i>Riello & Carlin</i>	3.5" ID	Riello & Carlin	1046
 Flame Stop	10" x 12"	Flame shield for soldering or brazing. Protect wood, painted or metal surfaces from the heat and flame of a torch.	9351
 Heating System Evaluation Forms	50 forms/pad		6008
 Hole Plugs	100 pcs/bag	5/16" Diameter	6010
 Oil Absorber Snakes	5 pcs/carton	48" x 3" Dia.	8052
 Spill Pack		(11) Oil Absorber Mats 15" x 19" x 1/4" (4) Oil Absorber Snakes 3" Dia. x 48" (3) Plastic Disposable Bags	8053
 Standard Oil Absorber Mats—White	10/carton	19" x 15" x 1/4"	8040
 Standard Oil Absorber Mats—White	100/bale	19" x 15" x 1/4"	8045
 Premium Oil Absorber Mats—Blue	10/carton	19" x 15" x 1/4"	8050
 Premium Oil Absorber Mats—Blue	100/bale	19" x 15" x 1/4"	8055

Terms and Conditions

Minimum: None

Shipping Policy:

Same day shipment on UPS orders received before 2:30pm. Truck orders will be shipped within 2-3 business days.

Shipping Damage & Shortages:

Must be noted on the freight bill at time of delivery. Contact us to inform us of the damage and to arrange returns.

Returns:

Must be authorized before shipment. A restocking fee of 20-30% will be charged depending on the condition of product. Wet products can not be returned after 1 year.

Sales Policy:

Lynn Manufacturing, Inc. sells only to wholesalers or original equipment manufacturers.

Guarantee:

Any product found to be defective in material or workmanship will be replaced free of charge, if unused and within one year of purchase. This shall be Lynn Manufacturing maximum liability.

Restrictions & Product Use:

The products shown in this catalog are "for professional use only" and not for use by the general public. They are for use in servicing heating equipment by a trained, qualified technician familiar with such systems, equipped with the proper tools and equipment, familiar with all governing codes and ordinances, and licensed by the proper authorities.

READY REFERENCE LIST

Lynn Manufacturing, Inc.
15 Marion Street
Lynn, MA 01905
TEL 781-594-2500 FAX 781-596-0430

MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #
AMERICAN STANDARD		DUNKIRK RADIATOR		OS-114, OS-120-1	1106	OS-122	1103	JO/JOT-TW150, JO/JOT-TW175	
VP(T)	1064	EMPIRE WATER	1105	OS-123-1	1106	OS-132	1106	JO/JOT-TW200, JO/JOT-TW250	
V-3	1065	MILLER/NORDYNE		OS-140-1	1106	OS-142, OS-143-1	1106	JO/JOT-TW275, JO/JOT-TW300	
WATER		MOBILE HOME		OS-161-1, OS-165	1106	OS-170-1, OS-191-1	1106	WB, WV & WB/WV	1159
BARD OIL FURNACE	1131	CMF	1029	OS-222	1106	UCG-100	1106	WB-085, WBV-085	
D36C, D48C, D60C, F81		MOC & MGC	1145	UCG-100-1	1106	UCG-100-1	1106	WB-110, WBV-110	1169
F86CF, F86H, F97		Part #901818	1029	UCG-125, UCG-125-1	1106	UCG-125, UCG-125-1	1106	WB-125, WBV-125	1170
F100CF, FC085, FH085		M1/M5 SERIES	1141	UCG-140, UCG-150-1	1106	UCG-140, UCG-150-1	1106	WB-150, WBV-150	1171
FH110, FLF085, FLF110		Fits Models Starting		UCG-170, UCG-189-1	1106	WH-132, WH-142	1106	WB/WV-03, WB/WV-04	1168
FLR085, FLR110		With M1S, M1B & M5S				WH-154, WH-165		WB/WV-05	
Part #7090-005	1131	Part #903423	1141			WH-176		PENNCO	
Part #7090-005	1131	Part #903423	1141			WH-176		KEYSTONE WATER	1105
PREFERRED SERIES	1132	MICROTEK 3 & 3DV	1167			WH-176		KSC STEAM	1096
BW4 & BW5		NY SERIES				WH-176		REPCO	
BURNHAM		NY-112-1	1102			WH-176		BOS SERIES	1061
LE & LED - All Models	1167	NY-124-1, NY-151-1	1106			WH-176		BOS-85R, BOS-100R	
V-1 SERIES	1064	NY-168-1, NY-194-1	1106			WH-176		BOS-115R	
V-13, V-14, V-15, V-16		NY-224-1	1106			WH-176		SEARS	
V-17, V-18, V-19, V-20		AP SERIES				WH-176		KNEMORE 44	1105
V-33, V-34, V-35 & V-36		AP-490, AP-510	1102			WH-176		SLANT/FIN	
V-7 SERIES		AP-580	1102			WH-176		XL-2000	1088
V-72, V-73, V-713, V-74		AP-590	1103			WH-176		XL-20, 30, 40 & 50	
V-714, V-75, V-76, V-77		AP-660	1102			WH-176		LIBERTY	
V-78		AP-670, AP-690	1102			WH-176		L-20, 30, 40, 50(ALL)	1087
V-8 SERIES	1065	AP-780	1106			WH-176		L-60PZ, L-60PZT	1087
V-33, V-34, V-35 & V-36		AP-790	1103			WH-176		L-60SKD, L-60SU	1087
V-72, V-73, V-713, V-74		AP-840, AP-890	1106			WH-176		L-60SU, L-60SU	1087
V-714, V-75, V-76, V-77		AP-1160	1106			WH-176		L-70PZ, L-70PZT	1087
V-78		APR-96	1103			WH-176		L-70SKD, L-70SU	1087
With Swing-Out Door	1066	APR-96	1103			WH-176		L-60PT, L-60PT	1094
With Swing-Out Door	1074	APR-96	1103			WH-176		L-60PPT, L-60WWD	1094
V-8/V8H SERIES		APR-96	1103			WH-176		L-60WU, L-70P	1094
V-8(H)2, V-8(H)3, V-8(H)4	1129	APR-96	1103			WH-176		L-70PT, L-70PPT	1094
V-8(H)5, V-8(H)6	1129	APR-96	1103			WH-176		L-70WWD, L-70WU	1094
V-8(H)7, V-8(H)8, V-8(H)9	1130	APR-96	1103			WH-176		LIBERTY II	
C3 & C4 SERIES	1074	APR-96	1103			WH-176		LD-20, 30, 40, 85, 100(ALL)	1127
3W & 4W SERIES	1074	APR-96	1103			WH-176		LD-60PZ, LD-60PZT	1127
RS-109, RS-110, RS-111		APR-96	1103			WH-176		LD-60SKD, LD-60SU	1127
RS-112, RS-113, RS-114		APR-96	1103			WH-176		LD-70PZ, LD-70PZT	1127
RSM SERIES	1107	APR-96	1103			WH-176		LD-70SKD, LD-70SU	1127
RSM-96, RSM-126	1107	APR-96	1103			WH-176		LD-60P, LD-60PT	1128
RSA SERIES		APR-96	1103			WH-176		LD-60WU, LD-70P	1128
RSA-85, 110, 125&135	1173	APR-96	1103			WH-176		LD-70WWD, LD-70WU	1128
CARRIER - PERFORMANCE 86		APR-96	1103			WH-176		INTREPID	
BW4 & BW5	1132	APR-96	1103			WH-176		TR-20, 30, 40, 85(ALL)	1127
COLUMBIA		APR-96	1103			WH-176		TR-60PZ, TR-60PZT	1127
CSF SERIES	1095	APR-96	1103			WH-176		TR-60SKD, TR-60SU	1127
CSFH-3 & CSFE	1096	APR-96	1103			WH-176		TR-70PZ, TR-70PZT	1127
LV & LVD	1172	APR-96	1103			WH-176		TR-70SKD, TR-70SU	1127
CRANE - 70 SERIES	1156	APR-96	1103			WH-176		TR-60P, TR-60PT	1128
CROWN		APR-96	1103			WH-176		TR-60WU, TR-70P	1128
BAHAMA		APR-96	1103			WH-176		TR-60PPT, TR-60WWD	1128
BD All Sizes	1105	APR-96	1103			WH-176		TR-70PT, TR-70PPT	1128
BAHAMA SWING-OUT		APR-96	1103			WH-176		TR-70WWD, TR-70WU	1128
BDS All Sizes	1132	APR-96	1103			WH-176		CARAVAN	
TOBAGO & KINGSTON		APR-96	1103			WH-176		LDW/ZO-600-2-5	1128
TWZ & KSZ All Sizes	1155	APR-96	1103			WH-176		750-2-6, 850-2-7, 900-3-5	1100-3-6, 1300-3-7
		APR-96	1103			WH-176		1100-3-6, 1300-3-7	1700-4-7, 2100-5-7
		APR-96	1103			WH-176		2500-6-7, 2900-7-7	3400-8-7
		APR-96	1103			WH-176		H.B. SMITH	
		APR-96	1103			WH-176		Series 8	
		APR-96	1103			WH-176		Without Swing-Out Door	1104
		APR-96	1103			WH-176		With Swing-Out Door	1153

This is an abbreviated version of our Ready Reference List. For a complete list visit www.lynnmfg.com, or call us at 781-593-2500 for assistance.

NOTE: THIS LIST IS INTENDED TO BE USED ONLY AS A PRELIMINARY GUIDE TO COMBUSTION CHAMBER SELECTION. SINCE CONDITIONS CAN VARY FOR DIFFERENT INSTALLATIONS, WE ALWAYS RECOMMEND THAT ACTUAL DIMENSIONS AND FIRING RATES BE COMPARED BEFORE INSTALLATION. THESE PRODUCTS SHOULD ONLY BE USED BY QUALIFIED, TRAINED PERSONNEL, AND ONLY AFTER ALL LABELS AND INSTRUCTIONS HAVE BEEN CAREFULLY READ AND UNDERSTOOD. WE WILL NOT ACCEPT RESPONSIBILITY FOR IMPROPER INSTALLATION AND/OR APPLICATION.