


# Wholesale Catalog



- ▶ **Training and Certification Products**
- ▶ **Performance Products**
- ▶ **Indoor Air Quality (IAQ) Products**






QT8036  
QT8040



QT8110



QT8111 Concrete Anchors (4)  
Concrete Anchor Drill Bit (1)  
3" Concrete Anchor Washer (4)

## QwikPad® for Condensers (QT8036, QT8040, QT8110, QT8111) **\*\*Protected by one or more US Patents**

*Our new, lightweight, easy-to-install pad for condensers meets wind loading requirements up to 180 MPH!*

Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements. Contains a fill medium that is a unique gelling agent... Once water is added, it forms a solidus gel that can't be removed and provides freeze protection. Includes four Stainless Steel Tie-Down Assemblies to secure the outdoor unit for exceptional hurricane protection (304 Stainless Steel, 14 gauge). Tie-Down Assemblies are completely adjustable to properly secure the outdoor unit.

- ▶ **Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements.**
- ▶ UV-resistant, high-durability construction is lightweight (for shipping and easy 1-man handling), but heavy once filled.
- ▶ Contains a super absorbent material that acts as a unique gelling agent... Once water is added, a solidus gel is formed that provides weight and freeze protection.
- ▶ Includes corrosion-resistant Tie-Down Assemblies to secure the outdoor unit for exceptional hurricane protection (304 Stainless Steel, 13 gauge).  
*Tie-Down Assemblies are completely adjustable to properly secure the outdoor unit.*
- ▶ \*Our 36" x 36" pad weighs just 29 lbs for transport, but 163 pounds once filled. The 40" x 40" pad weighs just 35 lbs for transport, but 203 lbs filled.

**\*See the pad size calculator online at:** <https://www.qwik.com/qwikpad-calculator/>

This product has received Florida Product Approval #FL25896 in accordance with the Florida Building Code - Sixth Edition (2017)

Go to <https://www.qwik.com/product/qwikpad-for-condensers-and-accessories/> for test results!



**Qwik System Flush®**  
(QT1100, QT1130 QT1150)  
Safely and Effectively Flushes Oil, Acid, Moisture and Other Impurities from any Air Conditioning or Refrigeration System.

# The Ultimate in A/C and Refrigerant Line Cleaners!



**9X**  
more effective  
**Moisture Absorption\***

**10X**  
more effective  
**Acid Removal\***


\*Go to [www.qwik.com/test-results/flush/](http://www.qwik.com/test-results/flush/) for test results!

## QwikPad® for Generators

(QT8201, QT8210, QT8215, QT8220, QT8230, QT8240)

**\*\*Protected by one or more US Patents**

*This new, lightweight, easy-to-install generator pad meets wind loading requirements up to 180 MPH!*



**Unfilled Weight = 46 lbs / Filled Weight = 330 lbs!!!**

- ▶ **Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements.**
- ▶ UV-resistant, high-durability construction is lightweight for shipping and 1-man handling but once filled, **more than 50 lbs heavier than competitor's concrete pads.**
- ▶ Contains a unique gelling agent that forms a solidus gel and provides freeze protection.
- ▶ Includes corrosion-resistant **stainless steel mounting hardware.**

This product has received Florida Product Approval #FL27646 in accordance with the Florida Building Code - Seventh Edition (2020)

This product has been tested by a nationally recognized, independent research and development laboratory and deemed compliant with Section 4.1.4 and Section A.4.1.4.1.2 of the Annex of NFPA 37 (2018), Standard for the Installation and Use of Stationary Combustion Engines and Gas Turbines.

Go to <https://www.qwik.com/product/qwikpad-for-generators-and-accessories/> for test results!

(QT3000, QT3001 QT3002, QT3004, QT3008, QT3100)

## Qwik608<sup>®</sup>

### EPA Approved, Proctored Type I, II, III, and Universal Exams

This EPA approved course & test from Mainstream Engineering Corporation covers Type I, II, III, and Universal certification. Our self-study materials, course and test offer the learning flexibility you deserve, available in English or Spanish.



### Course:

- ▶ Our study course contains a complete reference manual, study guide, exam, download code and access to: **Downloadable interactive training software and hours of video and audio study materials.**

### Exams:

- ▶ We offer a paper exam or an online Qwik**Test** exam. The original paper exam will be graded within 48 business hours of receipt. The online Qwik**Test** exam is graded instantly!
- ▶ A certification card is always included when you become certified by Mainstream Engineering Corporation.
- ▶ **Choose the solution that meets your needs.**

MKTG000218\_REV-R / 100011301

(QT2800, QT2810, QT2812, QT2910, QT2912)

## QwikLug® \*\*Protected by one or more US Patents

### Compressor Terminal Repair Kit w/3 Terminal Repair Lugs

Patented QwikLug easily attaches to damaged or corroded spade connectors, quickly and easily solving the problem of a compressor with pitted or severely corroded spade terminals.

- ▶ Enables tight clean connections to damaged or corroded terminals
- ▶ Fits all standard compressor terminals
- ▶ Easily tightens from the front
- ▶ Optional set screws for tight installations
- ▶ Provides a durable brass connection, tested for more than 100,000 compressor starts
- ▶ Fully insulated brass connector
- ▶ Available with 10 AWG or 12 AWG leads in 2' or 4' lengths
- ▶ 2' leads have been pre-stripped at the wire connection end
- ▶ 4' leads have fully insulated female connectors for connection directly to the contactor



(QT2000)

## QwikCheck®

### 2-Second Refrigerant Acid Test

▶ **Meets EPA Venting Rules!**

Fast, accurate, and easy to use, QwikCheck is ideal for preventive maintenance checks and for verifying proper acid clean up. The QwikCheck indicator paper is golden yellow before testing and will turn pink or red upon being exposed to as little as 1 part per million (PPM) of organic acid.

Perform an acid test in about 2 seconds on operating systems... just insert QwikCheck's valve core depressor into the center of the suction side of the vapor service valve while the system is operating.



(QT2501)

## QwikShot® \*\*Protected by one or more US Patents

### Refrigerant and Oil Treatment (Removes water and acid!) 1/2oz Bottle that Works with All Refrigerants and Oils

QwikShot Refrigerant and Oil Treatment was developed to solve the problem of treating acid without leaving disruptive residues. Neutralization acid treatment must leave a residue of some kind and residues can cause problems. Instead of neutralizing, QwikShot quickly flushes any harmful acids and moisture into the filter-drier of an operating system.

- ▶ 1-1/2oz Bottle Treats up to a 6 Ton System
- ▶ Removes up to 26 Drops of Moisture!
- ▶ Tests to ARI-700 limit of 1 PPM



(QT6000)

## QwikSEER+® \*\*Protected by one or more US Patents

### Provides Variable Airflow for PSC Blower Motors Enhances System Efficiency & Humidity Removal

QwikSEER+ is the affordable solution to enhancing A/C or heat pump systems, Typically Saving homeowners 10% or more on annual operating costs! Plus QwikSEER+ can improve the humidity removal rate up to 156%!!!


QT6000



(QT6001)


## QwikSEER+® Accessory Humidity Sensor

Provides Improved Humidity Removal when used with QwikSEER+ or QwikSwap



QT6001

MKTG000218\_REV-R / 100011301



(QT6100, QT6101 QT6104) **\*\*Protected by one or more US Patents**

## QwikSwap® (X1, X3 and V3)

**Converts ECM Blower Motors to PSC Motors**

QwikSwap is the low-cost, robust alternative to expensive unreliable ECM motors. It's impractical to carry all variations of ECM motors on your truck. QwikSwap is a money saving solution that allows replacement of a failed OEM ECM, X13 or SelecTech® motor with a lower cost, more reliable Permanent Split Capacitor (PSC) motor. Simple "Plug 'n Play" installation!

*There's a QwikSwap board for every type of ECM motor!*

### QwikSwap X3 - QT6100

**Provides variable air flow while replacing a constant torque ECM blower motor**  
(Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)

### QwikSwap X1 - QT6101

**Single-Speed, Universal Constant Torque ECM Blower Motor Replacement**  
(Includes Control Board, Built-in Mount & Installation Instructions)

### QwikSwap V3 - QT6104

**Universal variable air flow ECM blower motor replacement**  
**Replaces: 2.0, 2.3, 2.5, 3.0, as well as Emerson, US Motors and Nidec ECMs**  
(Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)

### QwikConnect - QT6110

**ECM Adapter** / Useful for replacing ECM 2.3 or Eon motors in fan coil units to Evergreen CM or EM motors\*

\*This adapter cable can only be used to replace a defective ECM 2.3 or Eon motor which uses a 16-pin connector and PWM speed control with the same voltage Evergreen EM (115, 208 or 230 VAC) or (208, 230, 277 VAC) motor. Use a QwikSwap for other motor types and applications.



(QT2510)

## QwikInjector® Liquid Injector

**Perfect for injecting QwikShot® Refrigerant and Oil Treatment (QT2501)**

Add oil or other liquid additives into a vapor-compression refrigeration or air conditioning system quickly and without interrupting operation of the system. QwikInjector uses the natural pressure difference developed by the compressor of an operating system to push any liquid additive into a system.

- ▶ Includes Connection Hose (as pictured)
- ▶ Tested & Approved for R-410A
- ▶ Rated for 800 psig
- ▶ Compatible with **ALL** oils, dyes, and QwikShot Refrigerant & Oil Treatment, QwikGlowPro Leak Detector and QwikSeal AC/R Leak Sealant w/Drying Agent



(QT7710, QT7711, QT7712)

## QwikDescaler+®

**Descaler Concentrate Solution / Complete Descaler Kit**

Quickly dissolves water scale, lime, rust, and other water formed deposits. Restores efficiency to heat exchangers, heaters, tankless water heaters, and any other appliances where water passages must be kept free of mineral deposits.

**Unique color indicating chemistry** lets you know when more solution is required.

- ▶ Safe to Handle
- ▶ Non-Corrosive & Non-Toxic
- ▶ Biodegradable, Zero V.O.C.
- ▶ Economical - All these features at a great price!

The **QT7710** Concentrated Descaler solution is available in economical gallon containers; **one gallon makes 6 gallons** of descaler.

Our **QT7711** Descaler Kit has everything needed for Cleaning Tankless Water heaters that have ¾ inch garden hose service connections, including a mixing container, quart of concentrated Descaler solution, circulation pump and necessary hoses.

The smaller **QT7712** quart container Concentrated Descaler solution, **one quart makes 6 quarts** of cleaning descaling solution.

MKTG000218\_REV-R / 100011301



(QT2510)

## Qwik System Flush®

### Air Conditioning and Refrigeration System Flush

Formulated for fighter jets, modified for HVAC systems. Qwik System Flush is 9-10 times more effective in acid removal & moisture absorption than competitive products. Qwik System Flush is OEM Approved.

- ▶ Superior Patented Formulation
- ▶ Non-Toxic
- ▶ Non-Flammable
- ▶ Ozone Safe
- ▶ Aerosol Leave No Residue



\*For any product evaluations, and independent test results proving product effectiveness, visit [www.qwik.com/test-results/flush/](http://www.qwik.com/test-results/flush/)

(QT1105)

## Qwik System Flush Can Access Valve

### With Built-In Pressure Relief Valve

A durable, reusable can access valve designed specifically for use with Qwik System Flush aerosol cans.



(QT1110, QT1106)

## Qwik System Flush Line Set Flush Tools

### Access anywhere there isn't an existing flare fitting!

Use these handy tools to access piping and line sets with Qwik System Flush. Available as our traditional line set tool, or as a "Squeeze-Style" QwikNozzle for one-hand operation.



(QT1110, QT1106)

## QwikGlowPro® Leak Detector

### UV Leak Detection Additive / 1 Bottle Treats Up-To a 15 Ton System!

Our super-concentrated leak detection product quickly and easily helps to identify leaking refrigerant in operating A/C systems or heat exchangers. Ideal for preventive maintenance, leak detection. Proven safe for all systems! Brilliant fluorescing agent, works with all UV lamps (325-400 NM wavelength).

- ▶ **Super-Concentrated** Formulation
- ▶ Ideal for Preventive Maintenance & Leak Repairs
- ▶ Compatible with All Refrigerants, Filter-Driers and Lubricants
- ▶ Proven **Safe for All Systems!**
- ▶ Suitable for Copper & Aluminum
- ▶ **No Mess!** - Flushes Clean During Injection with a QwikInjector.





(QT2782)

## QwikBright<sup>®</sup> Coil Cleaner & Protectant

QwikBright is a neutral pH microchannel coil cleaner and protectant that is specially formulated to quickly penetrate and dissolve grease, dirt, grime, lint, dirt, dust, and bugs without removing any existing protective film while adding an additional protective film.

- ▶ Safe for microchannel heat exchangers
- ▶ Neutral pH
- ▶ Heavy Duty Foaming Action
- ▶ No Rinsing Required!
- ▶ Improves Coil Efficiency
- ▶ Includes Metal Protectant to Extend Life
- ▶ For Indoor or Outdoor Use
- ▶ **Super Concentrated...**  
Mix 1 part QwikBright with 4 to 8 parts water



(QT2540)

## QwikSeal<sup>®</sup> 2-Part AC/R Leak Sealant with Drying Agent

2-part kit provides a simple solution to sealing minor AC/R system leaks along with an active drying agent.

- ▶ 2-Part Kit Seals & Dries Systems from 1.5 to 6 Tons!
- ▶ Drying Agent Removes Up to 26 Drops of Water
- ▶ Compatible with ALL Oils and Refrigerants

## Indoor Air Quality (IAQ) Products



(QT2403)

## QwikTreat<sup>®</sup> Condensate Pan Tablets

Bottle of 100 specially formulated, fast acting tablets control odors, and help remove deposits that can clog drain lines and foul humidifier pans.

- ▶ For Use in A/C, Heat Pumps and Humidifiers
- ▶ 100% Soluble
- ▶ Leaves No Residue
- ▶ No Corrosive Vapors
- ▶ Safe for Computer Rooms

(QT4200)

## QwikTreat<sup>®</sup> Mold Test Kit

Uses convenient sample strips and incorporates the internet to deliver test results back to the Service Technician as quickly as possible. Includes 5 Adhesive Mold Sampling Strips, Instructions, and Postage-Paid Mailer for Laboratory Testing. There is an additional fee to test/analyze and provide a full report for each sample strip. Fees are dependent upon the number of Mold Sample Strips forwarded for testing. *See the fee schedule below-left.*

### 3 Easy Steps...

- 1 Sample,
- 2 Test,
- 3 Identify.



Sample Strip Testing/Analysis/Report Fee Schedule

2 Sample Strips	\$55
3 Sample Strips	\$75
4 Sample Strips	\$95
5 Sample Strips	\$115

MKTG000218\_REV-R / 100011301

(QT2730)


## TripleGuard

### Industrial-Grade UV Air Sanitizer

This advanced patent-pending Triple Protection whole house air purification system ensures air sanitization using:

- ▶ **UV-C Light**
- ▶ **Photocatalytic Oxidation**
- ▶ **Activated Carbon/Potassium Permanganate (AC/PP) Purifier**

Twice the power of most air purifiers, means faster air purification for systems up to 7 tons or 3000 CFM. This is an Industrial-Grade Air Purification system that can be applied to residential systems. Replacement UV-C Bulbs (QT2732) and Purifier (QT2734) also available.



**Easy Installation!**



(QT2700, QT2712)

## PuraClean® Filter Spray (16oz)

### Turns an Ordinary Filter into an Electrostatic Filter

PuraClean Filter Spray dramatically increases removal rate of dust, mold, pollen, allergens, and other airborne particles. Turns any regular air filter into an ultra-efficient electrostatic version!

**Supercharge** your Filter with **PuraClean!**

- ▶ Increases any standard filter's effectiveness up to **2 additional MERV ratings**
- ▶ Non-toxic, non-aromatic, non-adhesive spray
- ▶ Costs only pennies per filter
- ▶ Increases effective capture rate by 200%
- ▶ Maintains system efficiency
- ▶ **No Mess!** - Applies in seconds!



QT2700 (16oz)

(QT2770)

## QwikClean® Foaming Coil Cleaner

### 18oz Aerosol Can

Cleans heating and refrigeration coils, fins, and fan blades with a heavy-duty foam that breaks down and carries away dirt, dust, grease, oil and other residue. QwikClean has been developed for use on refrigerators, window, and whole-house air conditioners, rooftop HVAC units, auto radiators, air-cooled equipment, condenser and evaporator coils, metal filters, to name a few. It leaves a pleasant lemon fragrance.

- ▶ For Heating, Refrigeration and A/C Coils
- ▶ Will not clog fins or coils
- ▶ Water-based, heavy-duty, alkaline detergent



(QT2770)

## QwikSmoke®

### Universal Smoke Alarm Test Gas

For use with all smoke detectors. Functionally Tests Any Type of Smoke Detector. Takes Less Than 30 Seconds for Most Detectors.

- ▶ Functionally tests **any type** of Smoke Detector.
- ▶ **Fast, Reliable and Easy to Use!...** takes less than 30 seconds!
- ▶ Non-Flammable
- ▶ No CFCs, No Silicone
- ▶ No Phthalate

**SIGNALING**





(QT2730)

## TripleGuard Industrial-Grade UV Air Sanitizer

This advanced patent-pending Triple Protection whole house air purification system ensures air sanitization using:

- ▶ **UV-C Light**
- ▶ **Photocatalytic Oxidation**
- ▶ **Activated Carbon/Potassium Permanganate (AC/PP) Purifier**

Twice the power of most air purifiers, means faster air purification for systems up to 7 tons or 3000 CFM. This is an Industrial-Grade Air Purification system that can be applied to residential systems. Replacement UV-C Bulbs (QT2732) and Purifier (QT2734) also available.

### UV-C Light

- ▶ Lethal to many viruses and bacteria\* by damaging their DNA and RNA  
*\*Escherichia coli and Phi X174 bacteriophage*
- ▶ Baffled design to increase UV exposure time, increases effectiveness
- ▶ Stimulates the Photocatalytic Oxidation purification

### Photocatalytic Oxidation (PCO)

- ▶ Forms powerful hydroxyl radicals that break down organic substances by oxidation
- ▶ Reduces bacteria, viruses, and odors as well as volatile organic carbons (VOCs) emitted from paints, cleaners, building materials, and cooking.

### Activated Carbon/Potassium Permanganate (AC/PP) Purifier

- ▶ Final Air Polishing - Activated carbon adsorbs volatile components and odors to further clean the air.
- ▶ Potassium Permanganate works as a strong oxidizing agent to provide an additional level of protection beyond the PCO and is extremely safe (on the World Health Organization Model List of Essential Medicines).

<https://list.essentialmeds.org/medicines/153>



**Easy to  
Install!**

### Built to Last...

### Industrial-Grade Design

- ▶ Multiple voltage capability, can operate on 120, 208 or 240 VAC
- ▶ Designed for continuous operation but can also be operated when only the blower is operating.
- ▶ Dual lamps provide ample UV-C with individual bulb indicators to tell you when to change the lamps, typically every year.
- ▶ UV-C bulbs are specially coated to prevent any ozone formation. (Ordinary UV-C bulbs can create harmful TOXIC ozone)
- ▶ PCO surface is cleanable, allowing the catalyst to be renewed with simple cleaning (recommend to be cleaned when UV-C bulbs are changed).
- ▶ Normally the AC/PP purifier would need to be changed frequently to treat the whole home, but the UV/PCO combination greatly reduces the load on the AC/PP purifier, allowing it to operate and clean the air for much longer. Typically, we recommend changing the AC/PP purifier annually.

**Fantastic!**  
a lightweight, easy-to-install generator pad  
that meets wind loading requirements  
**of 180 MPH and Higher!**

# QwikPad<sup>®</sup> for Generators

**5**

Unfilled Weight  
**46 lbs**  
Filled Weight  
**330 lbs**


**\*\*Protected by one or more US Patents**

**1** Rated for winds in excess of 180 MPH and exceeds Miami-Dade hurricane requirements.

**2** UV-resistant, high-durability construction is lightweight for shipping and 1-man handling but once filled, more than 50 lbs heavier than competitor's concrete pads.

**3** Contains a unique gelling agent that forms a solidus gel and provides freeze protection.

**4** Includes corrosion-resistant stainless steel mounting hardware.



This product has received Florida Product Approval #FL27646 in accordance with the Florida Building Code - Seventh Edition (2020)

This product has been tested by a nationally recognized, independent research and development laboratory and deemed compliant with Section 4.1.4 and Section A.4.1.4.1.2 of the Annex of NFPA 37 (2018), Standard for the Installation and Use of Stationary Combustion Engines and Gas Turbines.

<b>GROUP: Acid/Moisture Remediation and Testing</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2000</b> - QwikCheck Acid Test Kit	25	1
<b>QT2501</b> - QwikShot Refrigerant & Oil Treatment - Single Bottle	25	2

<b>GROUP: Additive Injection Tools</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2510</b> - QwikInjector ½ oz capacity Liquid Injector	6	2
<b>QT2512</b> - QwikInjector 2 Replacement "O-Rings" for ½ oz Injector	1	1
<b>QT2513</b> - QwikInjector 2 Replacement "O-Rings" for 2 & 4 oz Injectors	1	1

<b>GROUP: Line Set Flush</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT1100</b> - Qwik System Flush 2lb Aerosol Can	12	28
<b>QT1130</b> - Qwik System Flush 1lb Aerosol Can	12	16
<b>QT1150</b> - Qwik System Flush Startup Kit (Contains: (2) 1 lb. Cans, Access Valve, Charging Hose, Squeeze Nozzle)	4	15
<b>QT1105</b> - Qwik System Flush Can Access Valve	6	2
<b>QT1106</b> - QwikNozzle Squeeze-Type Line Set Flush Tool	6	2
<b>QT1110</b> - Qwik System Flush Line Set Flush Tool	6	1

<b>GROUP: Compressor Terminal Repair</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2800</b> - QwikLug 3 Lugs/Male Spades - No Wire	10	2
<b>QT2810</b> - QwikLug 10 AWG - 2' leads w/nut	10	6
<b>QT2812</b> - QwikLug 12 AWG - 2' leads w/nut	10	4
<b>QT2910</b> - QwikLug 10 AWG - 4' leads w/nut	10	8
<b>QT2912</b> - QwikLug 12 AWG - 4' leads w/nut	10	6

<b>GROUP: HVAC Motor Controls</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT6000</b> - QwikSEER+WattSaver Installation Kit - Enhances System Efficiency & Humidity Removal (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
<b>QT6001</b> - QwikSEER+WattSaver Accessory Humidity Sensor (Includes Sensor, Mounting Hardware & Installation Instructions)	5	2
<b>QT6100</b> - QwikSwap X3 - Universal Constant Torque ECM Blower Motor Replacement (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
<b>QT6101</b> - QwikSwap X1 - Single-Speed, Universal Constant Torque ECM Blower Motor Replacement (Includes Control Board, Built-in Mount & Installation Instructions)	5	7
<b>QT6104</b> - QwikSwap V3 - Universal Variable Air Flow ECM Blower Motor Replacement - Replaces: 2.0, 2.3, 2.5, 3.0, as well as Emerson, US Motors and Nidec ECMs (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
<b>QT6110</b> - QwikConnect - ECM Adapter	5	2

<b>GROUP: Plumbing and Heating Products</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT7710</b> - 1 Gallon Concentrated Descaler Solution (1 gal. makes 6 gals.)	4	34
<b>QT7711</b> - QwikDescaler+ Kit (Contains: 1 qt Concentrated Descaler Solution, mixing tank, circulation pump (500gph), and all necessary hoses to clean tankless water heaters)	1	11
<b>QT7712</b> - 1 Quart Concentrated Descaler Solution (1 qt. makes 6 qts.)	8	17

<b>GROUP: Indoor Air Quality</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2330</b> - QwikSmoke Universal Smoke Alarm Test Gas	12	6
<b>QT2734</b> - TripleGuard UV-C Air Sanitizer Replacement AC/PP purifier	6	7
<b>QT2403</b> - QwikTreat (100) Condensate Pan Tablets	8	20
<b>QT2700</b> - PuraClean Electrostatic Filter Spray - Single Bottle	12	13
<b>QT2730</b> - TripleGuard UV-C Air Sanitizer	1	9
<b>QT2732</b> - TripleGuard UV-C Air Sanitizer Replacement UV-C bulbs (2-pack)	6	1
<b>QT4200</b> - QwikTreat Mold Test Kit	20	1

<b>GROUP: EPA Certification</b>	<b>P/N</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>Qwik608 — English</b> (includes: "Field Reference Manual" and "QwikStudy Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)	<b>QT3009</b> with <b>online</b> QwikTest	5	2
	<b>QT3000</b> with <b>paper</b> test	5	11
	<b>QT3100</b> without Test	1	2
<b>Qwik608 — Spanish</b> (includes: "Field Reference Manual" and "QwikStudy Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)	<b>QT3007</b> with <b>online</b> QwikTest	5	2
	<b>QT3004</b> with <b>paper</b> test	5	12
	<b>QT3110</b> without Test	1	2
<b>Qwik608 — EPA Test Only</b>	<b>QT3008</b> <b>Online</b> QwikTest (bilingual)	5	0 VIA EMAIL
	<b>QT3001</b> <b>Paper</b> Test Only	5	3
	<b>QT3002</b> <b>Spanish Paper</b> Test Only	5	4

<b>GROUP: HVAC Leak Detection and Repair</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2310</b> - QwikGlowPro UV Leak Detection Dye, .5oz Bottle	6	1
<b>QT2540</b> - QwikSeal 2-Part AC/R Leak Sealant and Drying Agent (1) 0.5oz Bottle Leak Sealant / (1) 0.5oz Bottle Drying Agent	6	1.2

<b>GROUP: Coil Cleaners</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT2770</b> - QwikClean Foaming Coil Cleaner, 18oz Aerosol Can	12	18
<b>QT2782</b> - QwikBright Microchannel Coil Cleaner/Protectant (1) Gallon, Concentrate Makes 4-8 Gallons	4	34

<b>QwikPad for Condensers</b>	<b>CASE QTY</b>	<b>Shp. Wt. lbs/Case</b>
<b>QT8036</b> - QwikPad (36" x 36" x 4"), w/stainless steel hrdwr	20	650
<b>QT8040</b> - QwikPad (40" x 40" x 4"), w/stainless steel hrdwr	20	785
<b>QT8110</b> - Optional Ground Anchor Kit (pkg of 2)	5	22
<b>QT8111</b> - Optional Concrete Anchor Kit (pkg of 4)	10	10

<b>QwikPad for Generators</b>	<b>Description of Generator Model to be mounted</b>
	Individual Shipping Weight 76lbs - Case/Pallet (Qty. 15) Shipping Weight 720lbs
<b>QT8201</b>	<b>Universal Pad</b> (includes hardware for Generac/Honeywell, Kohler and Cummins)
<b>QT8210</b>	For <b>Briggs and Stratton</b> 17/20 kW Steel Enclosure Generators (hardware included)
<b>QT8215</b>	For <b>Briggs and Stratton</b> 17/20/26 kW Generators (hardware included)
<b>QT8220</b>	For <b>Briggs and Stratton</b> 20 kW Aluminum Enclosure Generators (hardware included)
<b>QT8230</b>	For <b>Generac/Honeywell</b> 9-24 kW Generators (hardware included)
<b>QT8240</b>	For <b>Kohler</b> 14/20 kW Generators (hardware included)
<b>QT8381</b>	Optional Concrete Anchor Kit (1 Anchor per kit)
<b>QT8382</b>	Optional Ground Anchor Kit (1 Anchor per kit)

<b>Part #</b>	<b>Patent Number</b>	<b>Part #</b>	<b>Patent Number</b>
<b>QT2501</b>	#9,816,740, #10,495,362	<b>QT8201</b> <b>QT8210</b> <b>QT8215</b> <b>QT8220</b> <b>QT8230</b> <b>QT8240</b>	#11,460,149, #11,460,148, #11,384,896, #10,557,589
<b>QT2800</b> <b>QT2810</b> <b>QT2812</b> <b>QT2910</b> <b>QT2912</b>	#7,232,775		
<b>QT6000</b>	#9,207,001		
<b>QT6101</b>	#10,605,495		
<b>QT6104</b>	#10,852,044		
<b>QT8036</b> <b>QT8040</b> <b>QT8110</b> <b>QT8111</b>	#11,362,262, #11,322,678, #10,559,742, #10,408,493		

# Military HVAC and Emergency Field Operation Products



## Ruggedized Environmental Control Unit (RECU)

- In-service with Department of Defense
- Ruggedized for World-wide Operation
- Health Monitoring
- Accessible Maintenance
- On-line support, training, & troubleshooting



## Tricon Refrigerated Container System (TRCS)

- Over 1000 units in-service with US military
- Mobile Refrigerator/Freeze for Food & Sustenance
- Operates up to 125degF
- NSF & CSC Certified
- Also utilized for Command Posts, Drone Stations, Servers



## Modular Refrigeration Unit (MRU)

- Thermal Control for Insulated Containers Operating in Harsh Environments
- Straightforward Integrated LCD control panel
- Tested to MIL-STD-810F Environmental Conditions
- Ease of Maintenance with Common Tools (no brazing required)
- 20-year storage life



**OFFICE:**  
200 Yellow Place  
Rockledge, Florida 32955

**SALES:**  
sales@qwik.com  
800.866.3550

**EMAIL:** info@qwik.com

**WEBSITES:**  
www.qwik.com  
www.mainstream-engr.com  
www.epatest.com

