



# Comfort Control With Energy Savings

The Robertshaw® RS5000 thermostat family is Simply the Right Choice $^{\text{TM}}$  when it comes to programmable temperature controls that can save energy and money.

With the comfort, convenience, and efficiency features that homeowners and contractors want, the RS5000 family provides EnergyStar® and California Title 24 compliant features for an affordable price.

- Fully programmable with soft touch keys to easily set four events per day AND 5-2 day scheduling.
- Pop-up Wizard to customize thermostat settings with an instant start-up menu.
- Vacation setpoint override to reduce energy use while away from home.

The RS5000 thermostats are fully compatible with all standard 24V AC heating and cooling systems. Additional compatibility with multi-stage gas/electric furnaces and heat pump systems is available in the RS5220 model.

Add in easy installation, Contractor ID option, and quality you can depend on, and you have the Robertshaw RS5000 thermostat family - Simply the Right Choice™.

RS5110 RS5220

VALUE SERIES
DIGITAL PROGRAMMABLE
THERMOSTATS











**ELECTRIC** 

GAS

OIL

**HEAT PUMP MILLIVOLT** 

5 - 2 Day Programmable RS5110 - 1 Heat / 1 Cool

RS5220 - Universal Control up to 2 Heat / 2 Cool

# **Features and Benefits**

Universal Control up to 2 Heat / 2 Cool – RS5220 only Operates on both multi-stage gas/electric furnaces and heat pumps means less inventory.

# **Auto Changeover**

Switches automatically between heating and cooling for constant home comfort.

# **Pop-Up Wizard**

Launches instant installation menu to quickly enter the settings for programmed thermostat functions.

**Bigger Brighter Backlight with Nightlight Option**Makes viewing and setting the temperature easier any time of the day.

### **Worry-Free Memory Retention**

Maintains set point and programmed parameters, even during power outages.

### **Easy Change Battery Access**

Provides drop down removable compartment for quick battery replacement.

### **Circulating Fan**

Maintains optimal air circulation between demand cycles for improved comfort with minimal energy use.

#### **Low Temperature Freeze Protection**

Turns on heat automatically when temperature goes below 41°F. Protects pipes from freezing.

### **Adjustable Temperature Differential and Upstaging**

Provides for full selection of parameters to deliver maximum comfort or energy savings.

## **High and Low Setpoint Limits**


Protects the heating and cooling systems by limiting temperature settings.

An ISO 9001 - 2008 Certified Company












RS5110 RS5220

VALUE SERIES
DIGITAL PROGRAMMABLE
THERMOSTATS

# **Terminal Designations**



# **Technical Specifications**

Product Weight	12.8 oz.
Electrical Rating	24V AC (18-30V AC)
	1 amp maximum load per terminal
	3 amp total maximum load
	(all terminals combined)
Temp. Control Range	45°F to 90°F (7°C to 32°C)
Accuracy	± 1°F (± 0.5°C)
Power	24V AC with battery back-up OR 3.0V DC (2 AA alkaline batteries included)
System Configurations	Multi-stage gas, electric, oil, heat pump and millivolt systems
Terminations	<b>RS5110</b> – RH/R, RC, C, G, B, O, Y1, W1 <b>RS5220</b> – RH/R, RC, C, G, B, O, Y1, W1, Y2, W2, E, L

# **Replacement Chart**

RS5110		
Robertshaw®	9600, 9610	
Braeburn®	5000, 5050	
Lux	PSPA711	
Honeywell	TH4110D	
White-Rodgers	1F80-0471	
RS5220		
Robertshaw®	9615, 9620	
Braeburn®	5100, 5200	
Lux	PSPA722E	
Honeywell	TH4210D	
White-Rodgers	1F85-0471	

Verify specific application requirements before substitution.

# **Shipping Specifications**

Individual Carton Dimensions 6.75" x 4.375" x 1.625"

Master Carton Quantity 6

Master Carton Dimensions 9.25" x 5.625" x 7.625"

Master Carton Weight 5 lbs.
Pallet Quantity 1170

Pallet Dimensions 40" x 48" x 48"

Invensys.
Controls

191 E. North Avenue
Carol Stream Illinois 60188 USA
Customer Service Telephone 1.800.304.6563
Customer Service Facsimile 1.800.426.0804
HVACCustomerService@invensyscontrols.com
www.invensyscontrols.com
©2009 Invensys Controls