



# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name	Mixture
CAS No.	Mixture
Trade Name	ODOR KILL SPRAY
Product Code	20-3510

**Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	Air Freshener / Deodorizer
Uses Advised Against	None
Company Identification	UTILITY 700 Main Street Westbury, NY 11590 Tel: Fax:
Telephone	1-516-997-6300
Fax	1-516-997-6345
E-Mail	info@UtilityChemical.com

**Emergency telephone number**

Emergency Phone No.	INFOTRAC: (800) 535-5053
---------------------	--------------------------

### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 2; Liquefied gas; Asp. Tox. 1; Skin Irrit. 2

**Label elements**

Hazard Symbol



**DANGER**

Signal word(s)

Hazard Statement(s)

Flammable aerosol.  
 Contains gas under pressure; may explode if heated.  
 May be fatal if swallowed and enters airways.  
 Causes skin irritation.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.  
 Avoid contact with skin and eyes.  
 Harmful to aquatic life.

Precautionary Statement(s)

**Other hazards**



# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Heptane, branched, cyclic and linear	5 - 15	426260-76-6	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Acute 2; H401 Aquatic Chronic 3; H412
Propane	5 - 15	74-98-6	Flam. Gas 1; H220 Liquefied gas; H280
n-Butane	5 - 15	106-97-8	Flam. Gas 1; H220 Liquefied gas; H280
Propylene glycol methyl ether	1 - 2	107-98-2	Flam. Liq. 3; H226 STOT SE 3; H336

**Additional Information** - None

\* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation

Not normally required. Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.

Skin Contact

Not normally required. Wash affected skin with soap and water. If symptoms develop, obtain medical attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Do not give anything by mouth to an unconscious person. Seek medical treatment. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

Aspiration of droplets may cause pulmonary oedema.

### Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

- Suitable Extinguishing Media
- Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray. Do not use water jet.

### Special hazards arising from the substance or mixture

None anticipated.

### Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.



# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wear protective gloves/eye protection/face protection. Avoid contact with skin and eyes. Avoid breathing spray.
<b>Environmental precautions</b>	Prevent liquid entering sewers, basements and work pits.
<b>Methods and material for containment and cleaning up</b>	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
<b>Reference to other sections</b>	None
<b>Additional Information</b>	None

## SECTION 7: HANDLING AND STORAGE

<b>Precautions for safe handling</b>	Avoid contact with skin and eyes. Avoid breathing spray. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
<b>Conditions for safe storage, including any incompatibilities</b>	
-Storage temperature	Keep in a cool, well ventilated place. Protect from sunlight. Store at temperatures not exceeding 50 °C / 122 °F.
-Incompatible materials	This product should be stored away from sources of strong heat or oxidizing chemicals. Strong Acids and Alkalis.
<b>Specific end use(s)</b>	Air Freshener / Deodorizer

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Heptane, branched, cyclic, and linear	426260-76-6	500 ppm*	1500 mg/m <sup>3</sup>	-----	-----	*n-heptane
Propane	74-98-6	1000 ppm	Aspyx.#	-----	-----	#
Propylene glycol methyl ether	107-98-2	-----	50 ppm	-----	100 ppm	-----
n-Butane	106-97-8	-----	250 ppm	-----	-----	-----

\*Assure minimum oxygen content of work atmosphere.

### Recommended monitoring method

NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C), NIOSH 1400 (alcohols I); NIOSH 1401 (alcohols II); NIOSH 2554 (Glycol Ethers)

### Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded.

#### Personal protection equipment

Eye/face protection

Not normally required. Do not get in eyes.



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely. Check with protective equipment manufacturer's data.





# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

Not normally required.

**Environmental Exposure Controls**

None known

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Aerosol spray
Color.	Not available
Odor	Not available
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	Not available
Flash Point (°C)	-104 (Propane)
Evaporation Rate	Not available
Flammability (solid, gas)	Flammable aerosol
Explosive Limit Ranges	2.1% - 9.5% v/v (Propane)
Vapor pressure (Pascal)	ca. $95 \times 10^4$ (Propane)
Vapor Density (Air=1)	ca. 1.56 @ 0 °C (Propane)
Density (g/ml)	2.1% - 9.5% v/v (Propane)
Solubility (Water)	Not available
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Not available
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt)	< 20.5 @ 40 °C
Explosive properties	Not available
Oxidizing properties	Not available
<b>Other information</b>	Not available

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable.
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Avoid contact with heat and ignition sources.
<b>Incompatible materials</b>	Strong oxidizing agents. Strong Acids and Alkalis.
<b>Hazardous decomposition product(s)''</b>	Carbon monoxide, Carbon dioxide, Acrid smoke

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

**Substances in preparations / mixtures**

Heptane, branched, cyclic and linear (CAS# 426260-76-6) - By analogy with similar materials:

<b>Acute toxicity</b>	Oral: LD50 >5 g/kg-bw Dermal: LD50 >2 g/kg-bw Inhalation: LC50 = 65 - 103 mg/L (Vapor), 4-hr. rat May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
<b>Irritation/Corrosivity</b>	Causes skin irritation. Repeated exposure may cause skin dryness or cracking. May cause eye irritation.



# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

**Sensitization**

It is not a skin sensitizer.

**Repeated dose toxicity**NOAEC: 12350 mg/m3 (2 yr, inhal., rat, Systemic effects)  
LOAEC: 1650 mg/m3 (2 hr, inhal., rat, CNS effects)  
May cause drowsiness or dizziness.**Carcinogenicity**

No data. It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

**Mutagenicity**

There is no evidence of mutagenic potential.

**Reproductive toxicity**

Not available

Propane (CAS# 74-98-6):**Acute toxicity**

Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)

**Irritation/Corrosivity**

No evidence of irritant effects from normal handling and use.

**Sensitisation**

It is not a skin sensitizer.

**Repeated dose toxicity**NOAEC: ≥19678 mg/m3 (28-day, rat, Systemic effects)  
LOAEC: 21641 mg/m3 (28-day, rat, effects: Body weight)**Carcinogenicity**

No data. It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

**Mutagenicity**

There is no evidence of mutagenic potential.

**Reproductive toxicity**

None anticipated

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity**Heptane, branched, cyclic and linear (CAS# 426260-76-6) - By analogy with similar materials:

## Short term

LL50 (96 hour): >13.4 mg/L (*Oncorhynchus mykiss*)  
EL50 (48 hour): 3 mg/l (*Daphnia magna*, mobility)  
EC50 (96 hour): 13 mg/l (*Pseudokirchnerella subcapitata*)

## Long Term

NOELR (28 days) 1.5 mg/l (*Fish*) QSAR  
LOEC (21 days): 0.32 mg/l (*Daphnia magna*)  
NOEL (96 hour) 6.3 mg/l (Algae)Propane (CAS# 74-98-6):

## Short term (estimate)

LC50 (96 hour): 27.98 mg/L (fish)  
LC50 (48 hour): 14.22 mg/L (crustacea)  
EC50 (96 hour): 7.71 mg/L (algae)

## Long Term

No data.

**Persistence and degradability**

Readily biodegradable.

**Bioaccumulative potential**

The product has no potential for bioaccumulation.

**Mobility in soil**

Not available.

**Results of PBT and vPvB assessment**

Not classified as PBT or vPvB.

**Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS****Waste treatment methods**

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

**SECTION 14: TRANSPORT INFORMATION**

	<u>U.S. DOT</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
<b>UN number</b>	1950	1950	1950



# ODOR KILL SPRAY 20-3510 SDS **UTILITY**

Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

SARA 311/312 - Hazard Categories:

Fire     Sudden Release     Reactivity     Immediate (acute)     Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	----	----

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None	----	----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: April 7, 2015

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H225: Highly flammable liquid and vapor.
- H226: Flammable liquid and vapour.
- H280: Contains gas under pressure; may explode if heated.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.
- H401: Toxic to aquatic life.
- H412: Harmful to aquatic life with long lasting effects.

Training advice: None.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. UTILITY urges the customers receiving this Safety Data Sheet to study it



## ODOR KILL SPRAY 20-3510 SDS **UTILITY**

carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheets. The information herein has been compiled from sources believed to be reliable, up-to-date, and is accurate to the best of our knowledge. However, UTILITY cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use.